EPC FILES 991



THE CORPORATION OF THE CITY OF PORT COQUITLAM

ENVIRONMENTAL PROTECTION COMMITTEE

Wednesday, January 9, 1991

Second Floor Meeting Room 2580 Shaughnessy Street, Port Coquitlam, BC

5:00 p.m.

AGENDA

PERSONNEL IN ATTENDANCE:

- ITEM I: CONFIRMATION OF MINULES OF PREVIOUS MEETINGS (December 13, 1990 and January 13, 1991)
- ITEM II: COLONY FARMS (Delegation - Paul Dutton & Associates)
- ITEM III: ORGANIC FOODS (Verbal report by Alderman Keryluk)
- ITEM IV: PROPOSED COMPOSTING PILOT PROGRAM (Memo from Project Engineer dated November 29, 1990 Attached)

ITEM V: HOME COMPOSTERS (Correspondence from Century Plastics dated October 26, 1990 attached)

ITEM VI: PERMANENT SIGNS - PORT COQUITLAM RIVER FLOOD CONTROL PROJECT (Correspondence from Environment Canada October 24, 1990) ENVIRONMENTAL PROTECTION COMMITTEE AGENDA Cont'd...

ITEM VII: SOIL CONTAMINATION - RIVERWOOD LAGOONS (Memo from Deputy City Engineer, dated November 19, 1990 Attached)

- 2 -

- ITEM VIII: NOTICE & DRAFT ENVIRONMENTAL ASSESSMENT PROCEDURES FOR RAILWAYS (Memo from Deputy City Engineer, dated November 29, 1990 Attached)
- ITEM IX: PARALLEL RUNWAY PROJECT (Correspondence from Transport Canada dated September 20, 1990 and December 20, 1990 attached)
- ITEM X: CALGARY ROSEGARDENS (Memo from Deputy City Engineer dated December 13, 1990 attached)
- ITEM XI: SHELL SERVICE STATICN SHAUGHNESSY & PITT RIVER ROAD, INVESTIGATION OF POSSIBLE FUEL LEAK (Memo from Deputy City Engineer date scember 10, 1990)
- ITEM XII: GVRD APPLICATIONS TO EMIT AIR CONTAMINANTS, SPECIAL WASTE STORAGE, EFFLUENT & REFUSE DISCHARGES (Report from GVRD dated December 7, 1990 attached)
- ITEM XIII: PITCH-IN CAMPAIGN REQUEST FOR GRANT (Correspondence from Pitch-In B.C. dated December 11, 1990 attached)
- ITEM XIV: SHARE SOCIAL SERVICES (Deputy Engineer will present brochure)
- ITEM XV: "POWER SMART" ENERGY EFFICIENCY PROGRAM (Deputy Engineer will present package)



- 3 -

ENVIRONMENTAL PROTECTION COMMITTEE AGENDA Cont'd...

ITEM XVI: CANADIAN PULP & PAPER ASSOCIATION (Correspondence dated November 30, 1990)

1

ITEM XVII: B.C. ROUND TABLE ON THE ENVIRONMENT & THE ECONOMY (Correspondence dated November, 1990)

ITEM XVIII: FLAX PULP MILL IN SURREY - ENVIRONMENTAL ASSESSMENT BRANCH (Correspondence dated November 6, 1990) NOTE: COPY OF REPORT IS IN ALDERMEN'S LOUNGE THE CORPORATION OF THE CITY OF PORT COQUITLAM

MEMORANDUM

TO: B.R. Kirk City Administrator DATE: January 4, 1991

FROM: C.F. (Kip) Gaudry, P. Eng. Deputy City Engineer

SUBJECT: OPEN BURNING (Environmental Protection Committee, January 3, 1991)

Recommendations:

That Council consider revising Bylaw No. 902, Sections 4., 5., and 6., to ban all open air burning in Port Coquitlam except for fires for cooking of food in grills and barbeques, and burning by permit of diseased on site generated agricultural organic materials.

Background & Comments:

The Environmental Protection Committee considered the matter of open air burning in Port Coquitlam at its meeting of January 3, 1991. The review by EPC was prompted both by the recent discussions on Christmas tree burning as well as Community residents expressing concern for controlling air pollution in our area. Some residents felt that City Council should be a leader in the fight against air pollution by banning all open air burning in the City.

Reasonable alternatives exist for open air burning. Land clearing materials can be chipped with large mechanical chippers on site and the chips can either be removed to a land fill, or disposed of through appropriate industrial furnaces designed to burn this type of chip. Back yard burning can be eliminated by encouraging composting at the Municipal level in a large compost area as well as individually in private yards. To satisfy the agricultural community the Bylaw could be amended so that burning of diseased on site generated agricultural organic materials can still be accomplished by obtaining a permit through the Fire Department.

The GVRD considers this issue to be a major regional concern and feel several initiatives will be undertaken over the next several years to put in place an Air Management Program that will include banning or severely limiting open air burning.

C.F. (Kip) Gaudry, P. Eng. Deputy City Engineer

CFG:gc

THE CORPORATION OF THE CITY OF PORT COQUITLAM

MEMORANDUM

DATE: January 4, 1991

TO:

FROM:

C.F. (Kip) Gaudry, P. Eng.

ENVIRONMENTAL PROTECTION COMMITTEE

Deputy City Engineer

SUBJECT: OPEN BURNING

Recommendation:

1.

That the Committee recommend to Council that all open air burning be banned permanently in the City of Port Coquitlam; and

2. That Bylaw No. 902 be amended accordingly.

Background & Comments:

The matter of banning open air burning in the City of Port Coquitlam has come before the Environmental Protection Committee several times in 1989 and 1990. As a result of Committee's consideration of open air burning, recommendations were forwarded to Council that supported the total ban on open air burning. The records show that on April 17, 1989, Council considered Bylaw No. 2421 which would have revised Bylaw No. 902 to reflect a permanent ban on all open air burning in Port Coquitlam. After considerable debate and reconsideration, Council finally approved the amendments to Bylaw No. 902 on May 1, 1989 and these amendments are now contained as sections 4, 5, and 6 of the current Bylaw No. 902. Basically, they allow land clearing to be burned between October 15 and April 14; burning on residential properties for two weekends a year in late March, early April and; burning of agricultural lands pretty well anytime throughout the year with a permit; and a ban on the burning of any special wastes as defined under the <u>Waste Management Act</u>. Bylaw No. 902 is attached to this report.

In 1989 and 1990, several delegations and letters were received and dealt with by the Environmental Protection Committee. It would appear that there is a lot of public support for banning the open air burning of products and items that can be disposed of differently. For example, land clearing materials can be chipped and either land filled or burnt in industrial incinerators. Yard clearings and grass clippings can be composted either in the resident's yard or in a City sponsored compost pile.

Cont'd /2...

I contacted the representatives of the GVRD to receive their comments on open air burning. Mr. Len Hayden, P. Eng., of the Solid Waste Division, indicated that the GVRD is currently looking at a process of co-generation using chipped wood products from the land clearing process as well as waste wood products from mills in the area. The co-generation may produce electricity or steam for use by industry. Bob Smith of the Pollution Control Group in charge of air quality, indicates that the regional thrust over the next few years will be to put in place an AIR MANAGEMENT PLAN whereby open air burning will be administered and monitored on a regional basis. However, they strongly feel that the trend is to stop all open air burning and coordinate it with the solid waste effort to develop long term use for chipped materials in possibly a co-generation process. Attached as Appendix "B" is the GVRD survey of Member Municipalities and their current status regarding open burning. You will note that the information for Port Coquitlam is wrong and will be corrected on the next printing of this information.

C.F. (Kip) Gaudry, P. Eng. Deputy City Engineer

CFG:gc

- 2 -



THE CORPORATION OF THE CITY OF PORT COQUITLAM

BYLAW NO. 902

CONSOLIDATED FOR CONVENIENCE ONLY

A Bylaw to provide regulations for the prevention of fires.

The Municipal Council of the Corporation of the City of Port Coquitlam in open meeting assembled, enacts as follows:

INTERPRETATION

1.

In this bylaw, unless the context otherwise requires, the following expressions shall have the meanings hereinafter assigned to them, that is to say:

(1) "Approved" shall mean approved by an Officer of the Fire Department to The Corporation of the City of Port Coquitlam.

(2) "Authority having jurisdiction" shall mean the "Fire Chief" or "Officer" as defined in this Bylaw.

(3) "City" shall mean The Corporation of the City of Port Coquitlam.

(4) "Council" shall mean the Municipal Council of The Corporation of the City of Port Coquitlam.

(5) "Explosive" shall mean gunpowder, nitroglycerin, gun cotton, dynamite, blasting gelatin, gelinite, fulminate of mercury, or other metals, colored fires, and every other substance whether chemical compound or mechanical mixture, used or manufactured with a view to produce a violent effect by explosion, or a pyrotechnic effect, and shall include fireworks, fuses, rockets, percussion caps, detonators, cartridges, ammunition of all descriptions, and every other adaption or preparation of an explosive, as above defined.

(6) "Fire Chief" shall mean a person appointed from time to time by the Municipal Council to be in charge of the Fire Department and the firefighting personnel of the City of Port Coquitlam.

(7) "Garage" shall mean and include a building, or any portion of any place or premises used as a place of business for the purpose of placing, keeping repairing or devolishing one or more motor vehicles.

(8) "Gas Station" shall mean and include any portion of any place or premises in or upon which gasoline is kept for sale.

(9) "Hotel" includes apartment-house, boarding-house, lodging-house, club, and any building where lodging is provided other than a private dwelling-house.

(10) "Occupant" includes owner, tenant, lessee, agent, licensee, and any other person who has the right of access to and control of any land, building or premises to which any of the provisions of this bylaw apply. (11) "Officer" shall mean the Fire Chief and/or any other person appointed by him in writing to exercise the powers vested in a n officer under this Bylaw.

(12) "Person" where used in this bylaw shall mean natural persons of either sex, associations, corporations, bodies politic, co-partnerships, whether acting by themselves or by a servant, agent, or employee, and the heirs, executors, administrators, or assigns or other legal representatives of such person to whom the context shall apply according to law. The singular shall, when necessary, be held to mean and include the plural; the masculine to include the feminine; and the converse thereof in each case.

(13) "Private Dwelling" shall mean any building used exclusively as a place of private residence or abode for not more than two families.

(14) Repealed.

(15 "Vehicle" shall mean and include all types of motor vehicles, farm tractors and machinery.

(16) "Garbage" means all household and commercial waste or refuse, whether it contains the remains of edible food or not.

(17) "Refuse" means any waste or refuse from the clearing of land, or reconstruction or construction of building, and include streets, branches, roots and stumps.

(18) "Trade Waste" means refuse and accumulation of waste and abandoned materials resulting from the operation of an industry, trade or business including paper, boxes and packing cases, wrapping material, sweepings, and all inflammable materials of a like nature other than garbage and ashes.

(19) Repealed.

1A As provided by Section 719 of the Municipal Act, and subject to the Fire Marshal Act, the National Fire Code of the National Research Council of Canada is hereby adopted as Regulations for the City of Port Coquitlam supplementary to Regulations made pursuant to this Bylaw and in the event there is a conflict between this Bylaw and the National Fire Code the provisions of this bylaw shall prevail over the provisions of the National Fire Code.

GENERAL

2 In the event of there being any repugnancy between the provisions of this bylaw on the one hand, and the provisions of the Fire Marshal's Act and/or the Forest Act of the Province of British Columbia and/or any regulations made thereunder on the other hand, the provisions of the said Acts and/or the said regulations or any amendment or amendments thereto shall prevail.

3. It shall be the duty of the Officer and he is hereby authorized and empowered to inspect, compel, and require that all the regulations and provisions prescribed in this Bylaw be carried out.

During a period of time commencing on October 15th, in one year and extending until April 14th in the year next following an Officer may issue a special written permit for open air burning of brush, stumps, slash and light materials resulting from the clearing of land. No person to whom a special written permit has been issued shall on or in any fire use rubber tires, oil, tar, asphalt, shingles, battery boxes, plastic materials, or any similar material which may produce heavy black smoke and any person to whom a special written permit has been issued shall place a competent person in charge of such fire at all times while the same is burning or smoldering and shall provide such person with efficient appliances and equipment to effectively prevent the same from getting beyond control or causing damage or becoming dangerous and such person shall be kept in charge of such fire at all times until same is completely ertinguished and the granting of a special written permit shall not absolve the holder thereof from liability for any damage which may result from any such fire.

(a) On properties zoned for residential use small confined fires may be used for cooking of food in grills and barbecues, without permit.

(b) On occupied properties zoned for residential use the burning of garden refuse only is permitted during daylight hours, without permit, on the last Saturday in March and the day immediately following and on the first Saturday in April and the day immediately following.

(c) On properties in the A-1 (Agricultural) zone an Officer may issue a special written permit for open air burning of on-site generated agricultural organic material provided that no such permit shall, for any property, be issued for a period of time longer than six months.

(d) No person shall on or in any fire use special wastes (as defined under the Waste Management Act), rubber tires, oil, tar, asphalt, shingles, battery boxes, plastic materials, or any similar material that may produce heavy black smoke. A competent person shall be in charge at all times while a fire is burning or smoldering and shall have available efficient appliances and equipment to effectively prevent the fire from getting beyond control or causing damage or becoming dangerous and that person shall remain at the site of the fire until the fire is completely extinguished."

(a) (i) Every person who sets out, starts, kindles or maintains the burning of any outdoor fire; or fails to extinguish any outdoor fire when so ordered by an Officer; whether started under permit or not, shall be responsible for such fire, and if the fire gets out of control shall be liable for all expenses incurred by the City in controlling and extinguishing the fire and any other fire originating therefrom, and shall also be liable for the wages of all the persons employed in controlling the fire or fires, including wages for firemen so employed.

(11) An Officer may order that any outdoor fire, whether started under permit or not, be extinguished if in the Officer's opinion the burning constitutes a hazard or the atmospheric conditions are such that the continuance of the burning would be detrimental to the environment."

- (b) For the purposes of this Section:
 - (i) The amount of wages so paid shall be calculated at the rate of ten dollars per hour or part of an hour for each fireman or other person so employed;
 - (ii) The charge per hour per fire vehicle will be one hundred dollars per hour or portion thereof with a minimum charge of one hundred dollars per call;
 - (iii) The fire shall be deemed out of control when it spreads beyond the boundaries of the parcel of land on which it was started, or threatens so to do, or when it endangers any building or property.
- 7. If at any time the Officer on account of the existence of hazardous fire conditions deems it advisable, he may order, cancel or suspend for such time as is specified in the order, all or any permits issued pursuant to this bylaw, or he may attach to any or all such permits such conditions and restrictions as he thinks proper, and the order shall thereupon become effective according to its tenor.
- 8. All permits issued pursuant to this bylaw shall be subject to such conditions, restrictions, and provisions as the Officer may consider necessary or expedient to incorporate therein.
- 9. Repealed.
- 10. (a) It shall be unlawful for any person to permit or allow to remain, upon any roof, or any portion of any building, or in or upon any court, or yard, any accumulation of moss, paper, hay, straw, bags, litter, or any other inflammable or combustible material, waste, or rubbish of any kind.
 - (b) It shall be unlawful for any person to permit, or allow to remain, any accumulation of brush and/or trees from land clearing for more that six months.
- 11. An Officer or Officers may enter upon all lands, premises, yards, and buildings, for the purpose of carrying out the provisions of this Bylaw, and any person who interferes with, obstructs, attempts to obstruct, or prevent in any way, or refuse to admit any Officer in, to or upon any lands, premises, yards, or building for the purpose of inspecting the same in the ordinary course of his official duties, or who refuses to provide or furnish any information on request of any Officer in connection therewith, shall be guilty of an offense against this Bylaw.
- 12. The occupant of any lands, premises, yards, or buildings shall at all times keep the same, or cause the same to be kept, in a safe condition satisfactory to the Officer so as to guard against fire or other dangerous conditions, and any such owner or occupant failing to keep any such land, premises, yards or buildings in a safe condition satisfactory to an Officer or who allows or causes the accumulation of any inflammable materials in any such land, premises, yards, or buildings shall be guilty of an offense against this bylaw.

- 12A. The metal covers required on receptacles provided for the storage of combustible material as set forth in Section 2.4.1.9 of the National Fire Code of Canada, 1977, shall be kept closed at all times except when refuse is being placed in the said containers.
- 13. Where doors or shutters are installed in any building to prevent the spread of fire within such building such doors or shutters shall at all times be kept and maintained in good and efficient repair and working order.
- 14. It shall be unlawful for any person to deposit, or allow or permit to be deposited, ashes, or other material or thing from any stove, furnace, or fireplace or any greasy or oily rags of other material, things or substances liable to spontaneous combustion except in an approved metallic or other non-combustible or non-inflammable receptacle.
- 15. It shall be unlawful for any person to deposit, or allow or cause to be deposited, any paper, straw, hay, shavings, or other combustible or inflammable material or thing in or among any ashes or other materials or thing taken from any stove, furnace or fireplace.
- 16. Every occupant of any building or premises who makes, stores, uses, or has charge or control of any shavings, excelsior, rubbish, sacks, bags, litter, hay, straw waste-paper, paper boxes (unless collapsed) or any other inflammable or combustible material, shall at the close of each day, compactly bale or stack, or cause all used material to be compactly baled or stacked in a safe manner, or stored in incombustible or non-inflammable receptacles, having tight-fitting, incombustible lids, and such lids shall be at all times kept on such receptacles when in use.
- 17. No occupant of any building shall permit any chimney stove pipe or flue therein to become unclean or take fire; provided it shall be deemed a good and sufficient defense to any action brought under the provisions of this section if proof satisfactory to the Court is produced showing that the said chimney or flue has been properly cleaned by a duly qualified and licensed chimney sweep within a period of twelve (12) months.
- 18. Repealed
- 19. Repealed
- 20. Repealed
- 21. Repealed
- 22. Repealed
- 23. Repealed
- 24. The occupant or person in charge of any building or any place or room in any building within the City where a stove is kept for use, shall install such stove not less than nine inches from any unprotected woodwork or wall (other than a masonry wall or wall constructed of non-inflammable material) or partition or ceiling.

- 25. It shall be unlawful for the occupant of any building within the City to use, maintain, suffer, permit or allow the use of any defective stove or heating devise in any building, and if, in the opinion of the Officer any defective stove or heating device is used or maintained in any building, the occupant of such building, on the order of the Officer, shall forthwith remove or cause to be removed, or repair or cause to be repaired to the satisfaction of the Officer, any such defective stove or heating device, and any such occupant who fails, refuses or neglects to carry out any such order of the Officer within the time specified therein shall be guilty of an offense against this Bylaw.
- 26. Gas and electric heaters or plates, if used or maintained over wood shelving or tables shall be protected with approved non-combustible material over an area one and one-half times the area of such gas and electric heaters or plates, and when the number of gas jets or electric heaters installed would tend to generate an excessive temperature the Officer may require such further protection as in his opinion may be necessary. Gas plates and heaters shall not be installed under any wood shelving which is less than four feet distant from such gas plates and heaters and shall be at least twelve inches in the clear of any combustible material at the sides and back. Provided, however, that when any woodwork is protected at the back and sides of such gas plates or heater with a shield o f incombustible material extending at least eighteen inches in height from the base of such gas plate or heater, the distance aforesaid may be reduced by one-half.
- 27. All installations using gas shall be vented in accordance with the provisions of the Building Bylaw and other bylaws of the city respecting gas installations.
- 28. Repealed.
- 29. Whenever in any building or premises there shall exist any inflammable, combustible, or explosive material or substance, or any dangerous or unnecessary accumulation of waste materials or litter of a nature especially liable fire, and which materials are so situated, in the opinion of the Officer, as to endanger life or property, or to obstruct ingress or egress from such building in case of fire, or which may be liable to interfere with the operations of the Fire Department, or where any condition exists which is considered by the Officer to be a fire hazard, the occupant of such building or premises shall forthwith, in the order of the Officer, have such inflammable, combustible, or explosive material or substance, or any dangerous or unnecessary accumulation of waste materials or litter removed, disposed of, or otherwise dealt with as may be ordered or directed by the Officer, and any such occupant who fails, refuses, or neglects to carry out any such order of the Officer within the time specified therein shall be guilty of an offense against this Bylaw.
- 30. (a) It shall be unlawful for any person to obstruct any fire escape, passage-door, hall or window, or to obstruct any exit leading to any fire-escape in any building; and all fire-escapes and exits in buildings shall at all times be kept and maintained free and in good order and repair satisfactory to the Officer. All passages in buildings shall be maintained free from obstruction.

1000

(b) In the case of a public or private school, orphanage, nursing home, children's home, or other institution for the education or care of children, the person in charge thereof shall adopt and practice a system of fire drills or exercises as approved by the Officer, On the sounding of the fire alarm in any such building, it shall be the responsibility of the teacher or other person in charge of any or all of the children at the time of the sounding of the alarm to remove all such children clear of the building, to a point of safety. Any teacher or other person who fails to remove his pupils, or other children in his care, shall be deemed to be guilty of an offense against this Bylaw.

31. Repealed.

- 32. (a) No person shall put, place, pour or deliver into any container any Class I or Class II inflammable liquid as defined in Regulation 7.09 of the Regulations governing the manufacture, sale, storage, carriage and disposal of inflammable liquids and oils pursuant to the "Fire Marshal's Act" unless the container is an approved metal safety container or a metal container with a screw cap. At no time shall more than five imperial gallons be stored in such containers on any legally constituted lot or parcel of land as defined by the Land Registry A t and it shall be unlawful to receive or store any such inflammable3 liquids in any damaged or leaking container.
 - (b) Except for the quantities permitted to be stored by sub-section (a) of this section no person shall store and Class I or Class II inflammable liquid as aforesaid in a place other than a garage or service station without a permit therefore first having been issued by an Officer who, before issuing such Permit shall satisfy himself that the applicable provisions of this bylaw and the Fire Marshal's Act and the Regulations made thereunder have been complied with and that the property upon which ti is proposed to store such liquids is in one of the following zones a defined in the Zoning Bylaw of the City for the time being in Force:
 - A-1 (Agricultural) A-2 (Agricultural)
 - CS-1 (Service Commercial)
 - CS-2 (Service Station Commercial)
 - M-1 (Service Industrial)
 - M-2 (General Industrial)
 - (c) Any owner or occupier of an area where inflammable liquids are stored, received, or dispensed shall post adequate "no Smoking" signs in such conspicuous place or places as are required by an Officer.
 - (d) It shall be unlawful to use Class I or Class II inflammable liquids for cleaning floors, walls, furniture or woodwork within any building.
 - (e) No stationary internal combustion engine using inflammable liquids as fuel shall be installed or used in any building except on the written permission of an Officer.

<u> 1111 - 5 1980</u>

- 33. All outlets of inflammable liquids shall display in a conspicuous place the following regulations in their entirety:
 - (a) Part 1, Division (6) Section 6.21 and Division (7) Section 7.12 of the Regulations governing the manufacture, sale, storage, carriage and disposal of inflammable liquids and oils pursuant to the "Fire Marshal's Act".
 - (b) Subsection (a) of Section 32 of this bylaw.
 - (c) The sign required by Subsection (c) of Section 32 of this bylaw.
- 34. Any person who fails, refuses or neglects to post any signs legally required under the provisions of this bylaw, or who removes, alters, or defaces any such legally required signs, shall be guilty of an offense against this Bylaw.
- 35. There shall be maintained in every store which handles paint or oil for sale or use, at least on approved fire-extinguisher, which fire-extinguisher shall be kept at all times in good order and repair and ready and available for immediate use.
- 36. The occupant of every gas station within the City shall keep and maintain or cause to be kept and maintained in good and efficient working order one or more approved fire-extinguishers. The number and location of such fire-extinguishers shall be in accordance with the orders and directions of the Officer given from time to time in that behalf.
- 37. Each floor of every garage and/or services station shall be equipped with at least one approved self-closing metal refuse receptacle; and all inflammable waste material shall be kept therein until entirely removed from the garage.
- 38. No person shall impede in any way or hinder any fireman or other person under direction of an Officer in command at any fire.
- 39. All movable apparatus of the Fire Department shall have the paramount right-of-way at all times through all streets, lanes, and alleys in the City and no person shall willfully or carelessly permit any vehicle to obstruct the progress of the apparatus of the Fire Department going to or returning from a fire, alarm, or drill.
- 40. No person, save and except the police or firemen, shall be permitted to enter any burning building or within the lines designated by ropes or guards across any or all streets, lanes or alleys, except by permission of the Officer in charge of the Fire Department, and any person entering within the liens designated by ropes or guards without permission or refusing to move when directed to do so by an Officer, shall be guilty of an offense against this Bylaw.
- 41. No person shall run over with any vehicle the line or lines of hose in use at any fire, alarm or drill.

- 42. (a) All unauthorized attachments found on standpipes or hydrants will be confiscated by the Officer.
 - (c) Any unauthorized person using a standpipe or hydrant shall be guilty of an offense against this Bylaw.
- 43. Every occupant of any building shall keep all pipe holes in any chimney while such pipe holes are not in use, closed by a proper stopper of metal or other incombustible material.
- 44. Repealed.
- 45. For the purpose of this bylaw, the first fireman to answer a fire call or alarm will be in charge until a duly appointed Officer of his department arrives to take charge.
- 46. The Officer or other person in charge of the Fire Department at any fire is hereby empowered to cause to be pulled down or demolished adjacent buildings or other erections when he considers it necessary so to do in order to prevent the spread of any fire.
- 47. (a) Whenever or wherever within the City any premises or businesses licensed by the City shall be in a hazardous state or condition in respect to fire, or shall be dangerous to life or property, or which shall be in a condition which may cause fire, or assist in causing he spread of fire within the City, or which shall be hazardous and dangerous to surrounding or adjacent property, the Officer may, by written notice served to the licensee of any such premises or business to whom or in whose name such licence is issued, notify such person that the Officer protests against issuing, granting, renewal, or holding of such licence in respect of such premises or business, and shall state on such notice the reasons or grounds of such protest, and a true copy of such notice shall be lodged with the Licence Inspector of the City.
 - (b) Such notice shall specify a reasonable time in which such licensee shall be directed or ordered to remedy the condition, danger, hazard, or menace complained of. If such condition, danger, hazard, or menace shall not be remedied in pursuance of the tenor of such notice, then, in such event, such failure to so remedy the same shall be deemed to be good cause for the cancellation, suspension revocation of the licence of such person, pursuant to the provisions of any Licence Bylaw of the City in that behalf.
- 48. Every person who violates any of the provisions of this Bylaw or who permits any act or thing to be done in contravention or in violation of any of the provisions of this Bylaw, or who neglects to do or refrains form doing anything required to be done by any of the provisions of this Bylaw, or who does any act which violates any of the provisions of this Bylaw shall be guilty of an offense punishable on summary conviction and shall be liable to a fine of not more than \$2,000.00 or to imprisonment for not more than six months, or to both, the penalties being enforced and that fines and costs being recoverable upon sumary conviction in the manner provided by the offense Act R.S.B.C. 1979, c. 305 as amended.

49. This Bylaw may be cited for all purposes as the "City of Port Coquitlam Fire Prevention Bylaw, 1968, No. 902".

Read a first time by the Municipal Council this Second day of December, 1968. Read a second time by the Municipal Council the Second day of December, 1968. Read a third time by the Municipal Council this Second day of December, 1968. Reconsidered, finally passed and adopted by the Municipal Council of The

Corporation of the City of Port Coquitian this Ninth day of December, 1968.

"J.M. CAMPBELL" Mayor

"R.A. FREEMAN" City Clerk

	RECORD OF AMENDMENT
BYLAW NO.	AMENDMENT SECTION
960	32,33
1224	4,6,28A,48
1406	4.4A.6
1599	1,14,5,9,124,18,19,20
	21,22,23,28,31,44,AppA
1615	4
1871	48
1975	4
1991	4
2421	4,5,6

•	91 10:22 FRO	M GVRD 7TH FLOOR	A	PAGE.00
			APPLE	NDIX
	M	EMORA	NDUM	
	TIF			
RE: O	UTDOOR BURNING RE ITHIN THE GVRD AS	EGULATIONS S OF AUGUST 1990	DATE: August 27, 1 FILE: 630.3	990
BELCAR	RA & ANMORE	BYLAW 352 - API	RIL 30, 1980	•
-	Burning of indi the time constr from the Fire C Landclearing fi Chief of the Sa	genous material is al aint of April 15-Octo hief of the Sasamat V res are allowed with samat Volunteer Fire	lowed without a permit exc ober 15, when a permit is r colunteer Fire Department. a permit (obtained from th Department)	ept during equired e Fire
BURNABY		OCTOBER 15, 198	5	
-	No burning allo	wed	·	
COQUITL	.AM	Bylaw 2202 - Ju	LY 23, 1990	
-	No burning allo	wed (with the excepti	on for fire training purpos	ses)
DELTA		BYLAW 4081 - JA	NUARY, 1987	
	Burning of indig Sixteen days in plus fifteen day Saturday in Octo Landclearing and permit. The sit issuance of a pe	genous material is al the spring (beginnin ys) and sixteen days ober plus fifteen day d agricultural fires te is inspected by the ermit.	lowed in the spring and fal g with the last Saturday in in the fall (beginning with s). allowed all year round with e Delta Fire Department pri	1. March the last a or to
LANGLEY	CITY			
	Feb./90 - Burnin June/88 - No bur	ng of indigenous mater ming is allowed June	rial is allowed with a perm 15 to September 15	it
LANGLEY	MUNICIPALITY	BYLAW 2314 - MAX	(28, 1990	
	Burning of indig	enous material and la	undclearing wastes are allo	wed. A

•

PAGE.003

-2-

LIONS BAY

۳.

MARCH 26, 1990

- Burning is not allowed from May 1 to November 1 (as indicated by their Bylaw)
- Burning of indigenous material is allowed within burning season with the provision that it is done so in a barrel covered with a screen.
- Landelearing, construction and demolition waste fires are allowed (during burning season). The contractors are requested to inform the Lions Bay Administration Office when they expect to burn.

<u>NEW WESTMINSTER</u>

BYLAW 5795 - JANUARY 1989

- No burning allowed.

NORTH VANCOUVER DISTRICT APRIL 23, 1990

No burning allowed with the following exceptions:

- Campfires/cooking fires (usually Girl Guides and Boy Scouts) held at Cates Park and Bridgman Park
- Fire Department training exercises
- GVRD Parks and Water District
- Theatrical and special effects

NORTH VANCOUVER CITY

BYLAW 5343 - FEBRUARY 13, 1990

- Only the City of North Vancouver and Fire Department can burn (bon fires or special occasions)
- No burning of indigenous materials allowed
- No landclearing fires allowed

PORT COQUITLAM

- Apr./90 Burning of indigenous material is allowed for two weekends in the spring, during daylight hours. Oct 15-April 5 Special Permit required.
- Landelearing fires are not allowed.
- 1989 Burning on properties in the Agricultural Land Reserve is allowed at all times with a permit (crop burning only, not grass).

PORT MOODY

BYLAW 1963 (AMENDED 1829) APRIL 9, 1990

- No burning allowed.
- Landclearing fires allowed year round with a permit.

RICHMOND

BYLAW 5360 - JUNE, 1989

- Burning of indigenous material is allowed two weekends in the spring (last Saturday and Sunday of March and first Saturday and Sunday of April) and two weekends in the fall (last Saturday and Sunday of October and first Saturday and Sunday in November), between 6:00 am & 6:00 pm. JAN 4 '91 10:24 FROM CYRD 7TH FLOOR

PAGE.004



- Landclearing fires allowed with a permit. The permit is issued after the site has been inspected by the Fire Department and specifies a 24 hour period.
- Burning on agricultural land is allowed with a permit, but is restricted in the peat areas from May - October.

SURREY JANUARY 1, 1990

- Burning of indigenous material is allowed with a permit.
- No burning is allowed from June 1 to September 30.

UNIVERSITY ENDOWMENT LANDS (Do not have their own regulations - follow Bby.)

- Open burning of indigenous material is currently under review. Burning of such material was last allowed during the last weekend of March and first weekend of April 1990.
- Landelearing fires are allowed with permission obtained from the Fire Chief of the UEL Fire Department

VANCOUVER

BYLAW 2193 - 1987

No burning allowed.

WEST VANCOUVER

APRIL, 1990

The burning of indigenous material is allowed with the exception of deciduous leaves. A permit (at a cost of \$15.00) must be obtained from municipal hall which allows two burns within the following allotted time constraints: January 1 to April 30 and October 1 to December 31. Landelearing fires are allowed with a permit which is issued after a Fire Prevention Officer has inspected the site.

WHITE ROCK March, 1989

No burning allowed.

Open burning of construction/demolition waste is prohibited in all the above outlined municipalities, with the exception of Lions Bay.

APPENDIX B

BURNING

	Land Clearing	Private Yard	Agricultural	Christmas Tree
Coquitlam	No No Alternatives	No	No	Chip/Compost
Langley City	No APS Recycling	Yes Twice Year	Yes	Chip
Langley Dist.	Yes	Yes	Yes	Chip
Pitt Meadows	Phones Down			
Port Mody	Yes	No	No	Chip
Surrey * Note - not in	Yes summer.	Yes	Yes	Chip & Burn
Maple Ridge	Yes	Yes (some areas)	Yes	Burn

January 2, 1991

Mayor and Council City of Port Coquitlam 2272 McAllister Ave, Port Coquitlam, B.C, V3C 2A8

Dear Mr. Mayor and Council members:

Re: Christmas tree burning

Kate Poole's headline said "PoCo trees burn for final time". Alderman Thompson was quoted as saying "This is the last burn". These pronouncements are very nice but I don't recall hearing of Council approving this decision yet. I believe it was Ald. Keryluk who recommended Council address this topic early in the new year. It is essential that you do!

I've been pursuing the smaller issue of tree burning mostly because of ethical considerations. But frankly the larger issue of burning in general is of much greater concern.

The decision to ban burning in this city is long overdue and I hope that you reach it very soon. Council has had difficulty with this topic in the past. But I predict you will have an easy time with it now. After all, a group of people who unanimously agree to an air quality forecasting system must be genuinely concerned about air pollution in our city.

And finally, one last look at Christmas trees. Mayor Traboulay and his family must be applauded for their personal position on the topic. It's too bad this tidbit didn't make the press: the issue isn't of concern to the Traboulays because they use a LIVE Christmas tree.

IN) PO

So do we!

JN:sn

Happy New Year,

Uack Norie 774 Wright Ave. Port Coquitlam, B.C. V3B 5M7

cc: Tri-City News

COPIES. ALDERMEN

BR KIRK.

ZANYNACZ

THE CORPORATION OF THE CITY OF FORT COQUITLAM

MEMORANDUM

TO:	B.R.	Kirk
	City	Administrator

DATE: January 4, 1991

FROM: C.F. (Kip) Gaudry, P. Eng. Deputy City Engineer

SUBJECT: OPEN BURNING (Environmental Protection Committee, January 3, 1991)

Recommendations:

That Council consider revising Bylaw No. 902, Sections 4., 5., and 6., to ban all open air burning in Port Coquitlam except for fires for cooking of food in grills and barbeques, and burning by permit of diseased on site generated agricultural organic materials.

Background & Comments:

The Environmental Protection Committee considered the matter of open air burning in Port Coquitlam at its meeting of January 3, 1991. The review by EPC was prompted both by the recent discussions on Christmas tree burning as well as Community residents expressing concern for controlling air pollution in our area. Some residents felt that City Council should be a leader in the fight against air pollution by banning all open air burning in the City.

Reasonable alternatives exist for open air burning. Land clearing materials can be chipped with large mechanical chippers on site and the chips can either be removed to a land fill, or disposed of through appropriate industrial furnaces designed to burn this type of chip. Back yard burning can be eliminated by encouraging composting at the Municipal level in a large compost area as well as individually in private yards. To satisfy the agricultural community the Bylaw could be amended so that burning of diseased on site generated agricultural organic materials can still be accomplished by obtaining a permit through the Fire Department.

The GVRD considers this issue to be a major regional concern and feel several initiatives will be undertaken over the next several years to put in place an Air Management Program that will include banning or severely limiting open air burning.

C.F. (Kip) Gaudry, P. Eng. Deputy City Engineer

CFG:gc

THE CORPORATION OF THE CITY OF PORT COQUITIAM

ENVIRONMENTAL PROTECTION COMMITTEE

MINUTES

File

A meeting of the Environmental Protection Committee was held in the Second Floor Meeting room, 2580 Shaughnessy Street, Port Coquitlam, on Wednesday, January 9, 1991 at 5:00 p.m.

In attendance were:

Alderman J. Keryluk, Chairman Alderman R. Talbot, I.R. Zahynacz, P. Eng., City Engineer A.D. de Boer, E.I.T., Project Engineer

Delegations:

Poco Citizens for Colony Farm: Mr. Paul Dutton Mrs. Doris Wilcox Mr. Greg Archibald

ITEM 1: CONFIRMATION OF MINUTES

The Minutes of the the Environmental Protection Committee Meeting held Thursday, January 3, 1991, at 5:00 p.m. be considered, read, and adopted.

Carried

ITEM II: COLONY FARMS

The Delegation outlined their position on the Colony Farms development stating concerns about the lack of green space, and what effects a race track might have on bird habitats and the Coquitlam river. They also objected to the possible visual impact and noise pollutions from the facility. The Committee asked for more background on the delgations concerns, so the item was tabled until further material can be provided by Mr. Dutton.

Cont'd /2...





- 2 -

ENVIRONMENTAL PROTECTION COMMITTEE MINUTES Cont'd ...

ITEM III: ORGANIC FOODS

Alderman Keryluk posed questions to Committee as to the validity of the "organic" label on food products. He asked staff to obtain information from Provincial and Federal Agricultural Ministries on the definition of, and any controls or guarantees on organic food.

ITEM IV: PROPOSED COMPOSTING PILOT PROGRAM

Committee was informed of the compost pilot program at Welcher dump, and felt the project was worth consideration on a trial basis.

ITEM V: HOME COMPOSTERS

The correspondence from Century Plastics was discussed by Committee. Staff was asked to obtain more information on home composters that could be made available to residents.

ITEM VI: PERMANENT SIGNS - PORT COQUITIAM RIVER FLOOD CONTROL PROJECT

Deferred until next Meeting.

ITEM VII: SOIL CONTAMINATION - RIVERWOOD LAGOONS

Deferred until next Meeting.

ITEM VIII: NOTICE & DRAFT ENVIRONMENTAL ASSESSMENT PROCEDURES FOR RAILWAYS

Deferred until next Meeting.

ITEM IX: PARALLEL RUNWAY PROJECT

Deferred until next Meeting.

ITEM X: CALGARY ROSE GARDENS

Deferred until next Meeting

Cont'd .../3

ENVIRONMENTAL PROTECTION COMMITTEE MEETING MINUTES Cont'd ...

ITEM XI: SHELL SERVICE STATION - SHAUGHNESSY & PITT RIVER ROAD, INVESTIGATION OF A POSSIBLE LEAK

-3-

Deferred until next Meeting.

ITEM XII: GVRD - APPLICATIONS TO EMIT AIR CONTAMINANTS, SPECIAL WASTE STORAGE, EFFLUENT & REFUSE DISCHARGES

Deferred until next Meeting.

ITEM XIII: PITCH-IN CAMPAIGN - REQUEST FOR GRANT

Deferred until next Meeting.

ITEM XIV: SHARE SOCIAL SERVICES

Deferred until next Meeting.

ITEM XV: "POWER SMART" ENERGY EFFICIENCY PROGRAM

Deferred until next Meeting.

ITEM XVI: OTHER BUSINESS

Deferred until next Meeting.

Cont'd /4...

ENVIRONMENTAL PROTECTION COMMITTEE MINUTES Cont'd...

The Meeting Adjourned at 7:00 p.m.

I.R. Zahynaez, P. Eng. City Engineer

J. Kerfluk Al

Committee Chairman

CFG:gc

NOTE:

Minutes not read and adopted by the Committee until certified correct by the Committee Chairman's signature.

cc: Mayor and Aldermen City Administrator



THE CORPORATION OF THE CITY OF PORT COQUITLAM

2580 SHAUGHNESSY STREET PORT COQUITLAM, B.C. V3C 2AB

OUR FILE

EPC

TELEPHONE: 941-5411 FAX: 464-3524

January 2, 1991

MR. PAUL DUTTON 1441 Elinor Crescent Port Coquitlam, BC V3C 2Y3

Dear Mr. Dutton:

RE: ENVIRONMENTAL PROTECTION COMMITTEE MEETING

The next meeting of the Environmental Protection Committee will be on Wednesday, January 9, 1991 at 5:00 P.M., and we will be happy to include your delegation concerning Colony Farms, on the schedule.

Please advise if your delegation will be attending and how may people we may expect, by calling Glenda, Engineering Secretary at 941-5411.

Yours truly,

C.F. (Kip) Gaudry, P. Eng. Deputy City Engineer

CFG:gc

CITY OF COOUTLAN ENGINERING DEPT. JAN 0.2 1801			
TO	FROM	DATE	
	··· · • • • • • • • •		
L		. !	

Mr. John Keryluk, Chairman, Environment Committee, The City of Port Coquitlam, 2272 McAllister, Port Coquitlam, B.C. V3C 2A8

17.12.90

Dear Mr. Keryluk,

A delegation of Foco Citizens for Colony Farm would like to meet with you and your sub-committee on the environment within the next two *o*r three weeks. We have some suggestions to make on future Council actions and resolutions on Colony Farm.

San 9/91 5pm Mtg Rm 2. booked.

Sincerely Yours,

Paul Dutton, 1441 Elinor Cresc., Port Coguitlam V3C 2Y3

tel: 941-8752

Rip: Alderman Keryluk brought this in, & requests that this delegation be put on the schedule for the next ER meeting.



Mr. John Keryluk, Chairman, Environment Committee, The City of Port Coquitlam, 2272 McAllister, Port Coquitlam, B.C. V3C 2AB

17.12.90

Dear Mr. Keryluk,

A delegation of Poco Citizens for Colony Farm would like to meet with you and your sub-committee on the environment within the next two or three weeks. We have some suggestions to make on future Council actions and resolutions on Colony Farm.

Sincerely Yours,

Paul Dutton, 1441 Elinor Cresc., Port Coquitlam V3C 2Y3

tel: 941-8752

THE CORPORATION OF THE CITY OF PORT COQUITLAM

November 29, 1990

MEMORANDUM

TO: IGOR ZAHYNACZ, CITY ENGINEER

FROM: ANDREW DE BOER, PROJECT ENGINEER

RE: Proposed composting pilot program

The composting of materials collected by the Parks and Recreation Department is being investigated. Welcher dump is proposed as a suitable site for a pilot program. Necessary site preparation will include:

- 1) upgrading the access road with gravel
- 2) grading the site for better water run-off
- 3) placing a bed of hog fuel to provide a stable ground surface

The leaves, branches and soil will be pre-schredded using a tub grinder and placed on the site in furrows. The materials will be turned regularly to enhance the composting process. After 10-12 months the suitability of the final product will be evaluated.

It is estimated that \$10,000 should be allocated towards funding for this project.

1. de Boor

A.D. de Boer Project Engineer



CENTURY PLASTICS LTD., 12291 Horseshoe Way, Richmond, B.C. V7A 4V5 (604) 271-1324 Fax: (604) 271-2999

October 26, 1990

City of Port Coquitlam 2580 Shaughnessy St. Port Coquitlam, B.C. V3C 2A8

ATTENTION: Mayor Len Traboulay

Dear Mayor Traboulay:

I am writing to provide you with some important information on new recycling products being manufactured within B.C.

If you were able to tour GVRD's compost demonstration garden at last month's UBCM conference, you will already have seen the EARTHMAKER home composter. A municipal home composting program can provide a very cost effective method of reducing landfill waste.

Other community recycling efforts can be assisted by products such as our COMMUNITY CONTAINERS and WASTE WHEELERS. With up to 50% provincial funding available on capital equipment costs, now is the time to invest in recycling.

Please pass this information along to your Recycling Co-ordinator. Samples of all these products are available for your evaluation. Just call or fax me to arrange delivery.

Best regards, Century Plastics Ltd.

T. Buttin

Tom Button Marketing Manager

C.C. ENVIRONMENTAL PROTECTION OTTEE



Please call for more information. Century Plastics Ltd. 12291 Horseshoe Way, Richmond, B.C., Canada V7A 4V5, Ph. (604) 271-1324 Fx. (604) 271-2999



Printed on Recycled Paper Printed in Canada 990E





FOR RECYCLING AND TRASH COLLECTION

- Attractive Indoor / Outdoor Use
- Molded in Tough, Impact Resistant Polyethylene, Combined with Post Consumer Recycled Plastic on Request
- Won't Dent, Crack or Rust
- Dual Position Top For Recyclables and/or Trash
- Large Capacity (200 l, 55 US Gal)
- Slim Line Design
- Available in Full Range of Colours, with Custom Graphics, Locking Lid and Molded Liners

TOPS ONLY

Re-use Steel or Plastic Drums, or Re-new Stone Aggregate Containers with Attractive, Weather Proof Plastic Tops

Please call for more information. Century Plastics Ltd. 12291 Horseshoe Way, Richmond, B.C., Canada V7A 4V5, Ph. (604) 271-1324 Fx. (604) 271-2999







Printed on **Recycled** Paper Printed in Canada 990C
Environment Environnement Canada

Conservation and Protection Water Planning and Management Branch Inland Waters Pacific and Yukon Region 224 West Esplanade North Vancouver, BC V7M 3H7

October 24, 1990

anada

Yout his Vote disease Nolia référence

405-142

Distribution List

Dear Sirs:

Re: Coquitlam River Flood Control Project

Attached are two examples of signs (labelled A and B) that the FRFC Program is proposing to erect for the Coquitlam River flood control work between the Kingsway Avenue bridge and the McAllister Avenue footbridge. On behalf of A. Brown, Project Manager for the Coquitlam Project, I am soliciting your comments/suggestions on these signs; i.e. wording, design, layout, location, etc.

To capture the attention of the main pedestrian traffic in the area, our initial intention is to place a sign A midway on the left bank, a sign B just below Kingsway bridge on the left bank, and a sign B on each side of the McAllister footbridge. This may be an overkill! Do you have any preference for sign A or B or both and their location?

Hoping to hear from you shortly, say by November 8. I may be reached at 666-0862 or by fax at 666-3325.

Yours truly,

Denales Bernand

D. J. Bernard Water Impact Assessment Officer

Att.



Canadä



Environment Environnement Canada Canada

Distribution List:

Mr. A. Brown, BC Water Management Branch Mr. S. Gunadasa, Associated Engineering (BC) Ltd. Mr. L. Retfalvi, Canadian Wildlife Service Mr. I. Zahynacz, City of Port Coquitlam Mr. B. Cox, Fish & Wildlife Branch, Surrey Mr. K. Johansen, Fisheries and Oceans Canada Mr. J. Leong, Inland Waters



MEMORANDUM-Note de Service "Oct 25/90 Zahynacz τo LOCATION Emplacement Pour TELEPHONE NO Nº de Telephone DAME NOM J. Klynard LOCATION Emplacement FROM Origine This attached memo may be presamptuous on our part but we are hoping the City Splort Coquistion would welcome having signs exected (by us) that he area in question. The this is a problem or a formal users has to be made please but me know. I can be reached TELEPHONE NO Nºde Telephone at 666-0862. Environment Canada Environnement Canada

FLOOD CONTROL PROJECT

AND FISH HABITAT THE FOLLOWING FEATURES WERE USED TO REPLACE RIVER BANK VEGETATION



"ECO-CELLS" PLANTED WITH LOCAL RIVERINE VEGETATION PROVIDE SOURCES OF FOOD, COVER AND SHADE FOR FISH.

ROCK GROYNES AND BOULDER GROUPINGS CREATE PROTECTIVE AND RESTING AREAS FOR FISH.

A FISH REARING CHANNEL DOWNSTREAM WILL PROVIDE ADDITIONAL HABITAT FOR JUVENILE SALMON.

CANADA - BRITISH COLUMBIA FRASER RIVER FLOOD CONTROL PROGRAM

FLOOD CONTROL PROJECT

THIS PROJECT WAS BUILT UNDER THE JOINTLY FUNDED CANADA --- BRITISH COLUMBLA FRASER RIVER FLOOD CONTROL PROGRAM TO PROVIDE NEEDED FLOOD PROTECTION TO THE CITY OF PORT COQUITLAM.

TO REPLACE RIVER BANK VEGETATION AND FISH HABITAT :

- THE BASE OF THE BANKS WERE REPLANTED WITH LOCAL VEGETATION
- ROCK GROYNES AND BOULDERS WERE POSITIONED IN THE RIVER CHANNEL
- A FISH REARING CHANNEL HAS BEEN DESIGNED DOWNSTREAM

CANADA - BRITISH COLUMBIA FRASER RIVER FLOOD CONTROL PROGRAM

THE CORPORATION OF THE CITY OF PORT COQUITLAM

MEMORANDUM

TO: ENVIRONMENTAL PROTECTION COMMITTEE DATE: November 19, 1990

FROM: C.F. (Kip) Gaudry, P. Eng. Deputy City Engineer

SUBJECT: SOIL CONTAMINATION - RIVERWOOD LAGOON

Attached are two pieces of information concerning the soil contamination and investigation of the Riverwood Sewage Lagoons. The first is Hamilton & Associates correspondence to us, dated October 18, 1990 concerning the soil contamination investigation of the Riverwood Lagoons. The second correspondence is my letter back to them indicating insufficient data was presented.

After examining the information submitted, I am of the opinion that insufficient testing, examination, and analysis was completed in order for Hamilton & Associates, through their consultants, to provide us with an informed opinion on which to act. I trust that my response to them will prompt more sufficient action.

I do feel however, that we may also wish to immediately engage our own study for this area in that it could become a very contentious and problematical issue, particularly if special wastes are found, or if the effluent from storm water drains has the potential to contain high levels of contaminants.

C.F. (Kip) Gaudry, P. Eng. Deputy City Engineer

CFG:gc

cc: I.R. Zahynacz, P. Eng. City Engineer



THE CORPORATION OF THE CITY OF PORT COQUITLAM

2580 SHAUGHNESSY STREET PORT COQUITLAM, B.C. V3C 2A8

OUR FILE

900-110 File.

TELEPHONE: 941-5411 FAX: 464-3524

November 19, 1990

HAMILTON & ASSOCIATES 8th Floor, 509 Richards Street Vancouver, BC V6B 2Z6

Attention: Mr. Art Phillips

Dear Sirs:

RE: Soil Contamination Investigation - Riverwood Lagoons

I have reviewed your letter of October 18, 1990 complete with the report by B.H. Levelton & Associates Ltd. on the sewage lagoon samples at Riverwood Development site. Unfortunately, the information submitted to us for consideration is incomplete and it would be inappropriate for us to make any descisions until you can provide us with further, more exact information.

It would appear that Levelton took four samples of the effluent from the lagoons and then tested them with standard laboratory techniques. However, the plans for the Riverwood area indicate that these sewage lagoons will be used for either an interim or permanent storm water drainage system. In this event, it may be appropriate to perform a S.W.E.P. test on the sludge to determine if the storm water effluent will be negatively effected and cause us a problem when introduced to the river.

We are also unclear as to the full signifigance of the high concentrations of copper in the sludge. According to the information provided in the Levelton report, the areas should be only used for commercial and industrial uses, however, initial planning concepts indicate otherwise.

Cont'd /2...

SOIL CONTAMINATION INVESTIGATION - RIVERWOOD LAGOONS Cont'd...

We would also like the sludge and storm water leachate examined against the special waste regulations of the <u>Waste Management Act of B.C.</u> Does the site or the materials constitute a special waste under the Act?

- 2 --

We would be pleased to provide further information should you z_{2} require.

Yours truly,

C.F. (Kip) Gaudry, P. Eng. Deputy City Engineer

CFG:gc

cc: I.R. Zahynacz, P. Eng., City Engineer Carlos Felip, Director of Planning Alderman Mike Wright, Chairman Environmental Protection Committee HAMILION ASSOCIATES

Engineering • Transportation • Development • Planning Consultants

October 18, 1990

Our File: 6439

City of Port Coquitlam 2580 Shaughnessy Street Port Coquitlam, B.C. V3C 2A8

Attention: Mr. Carlos Felip, Director of Planning

Dear Sir:

RE: SOIL CONTAMINANT INVESTIGATION, RIVERWOOD LAGOONS

Further to our meeting and letter of September 12, 1990, we are pleased to submit the test results of the sediment from the former sewage lagoons. The sampling of the sludge and testing for possible contaminants was undertaken by B.H. LEVELTON & ASSOCIATES LTD.

On September 27, 1990 Ms. Alena Straka of our office and two representatives from LEVELTON conducted the field investigation and sampling process. A total of four samples, two from each lagoon, were collected and analyzed for heavy metals. As indicated in our letter of September 12, 1990, the particular trace metals that are of significant environmental concern are mercury, lead and zinc. You'll note from the test results that for all three metals the results indicate that the levels are within the range for residential and recreational use.

The one trace metal which exceeds level "B" is copper, which can be attributed to copper piping used in households at the time when the lagoons were in use. The concentration levels of this metal range from a low of 160 mg/kg and a high of 550 mg/kg which are suitable for commercial and industrial uses but may be considered high for residential and recreational use. Further testing and appropriate mitigative measures would need to be explored prior to the use of the lagoons for recreational use.

8th Floor, 509 Richards Street. Vancouver, B.C. Canada V6B 2Z6 Telephone (604) 684-4488 Fax 684-5908

SOIL CONTAMINANT INVE GATION, RIVERWOOD LAGOONS Page Two

We trust that the enclosed information addresses the concerns raised by the Mayor and Alderman Laking and that development of Riverwood can now proceed in an orderly fashion.

Yours sincerely,

G.D. HAMILTON & ASSOCIATES CONSULTING LTD.

.

lillejs

per: Art Phillips Vice President - Planning

cc: FREEMONT HOLDINGS LTD.

HAMILTON ASSOCIATES



8805 OSLER STREET VANCOUVER, B.C. CANADA V6P 4G1 (604) 266-1411 FAX: (604) 266-0130

HAMILTON AGGOCIATES

OCT 1 8 1990

VANCCUVER, B.C.

أرين

الم المعالمة المحلمة ا

October 15, 1990 File: 490-822

8th Floor, 509 Richards Street

Attention: Ms. Alena Straka

Hamilton Associates

Vancouver, B.C.

Dear Alena:

V6B 2Z6

RE: Sewage Lagoon Samples at Riverwood Development Site

As per your request, four sludge samples were obtained from the lagoons and were analysed for heavy metals. Approximate sample locations are shown in Figure 1. All four samples were analysed for heavy metals and the results are given in Table 1.

B.C. Ministry of Environment (MOE) has developed standards of levels of contamination acceptable for proposed land uses. These standards are known as Levels A. B and C.

These levels are listed in Table 1.

Level A: is the approximate achievable analytical detection limit or background levels for compounds in soils - soils in this category are considered clean.

Level B: is the level for which residential and recreational use is acceptable.

Level C: is the level for which commercial and industrial use is acceptable.

OFFICES IN:

SURREY

Hamilton Associates Attn: Ms. Alena Straka - Page #2

October 15, 1990 File: 490-822

The results indicate that the metal concentrations in all the samples to be between Levels A & B except for copper. The copper concentration in Sample #1 is above Level C and in rest of the samples, copper concentration is above Level B. This is due to the copper piping used in the households. However, they do not meet the Level B criteria for residential/recreational development.

If you have any questions or require any clarification, please contact the undersigned.

Yours very truly,

B.H. LEVELTON & ASSOCIATES LTD.

N.Sher

Neil Shah

NS:gs Encl.

B.H. LEVELTON & ASSOCIATES LTD.

TABLE 1: ELEMENT CONCENTRATIONS IN FOUR SLUDGE SAMPLES

Element	Sample No.				B.C. Standards for Site Decommissions for Soils (mg/kg)		
	l (mg/kg)	2 (mg/kg)	3 (mg/kg)	4 (mg/kg)	A	В	С
Chromium Nickel Zinc Silver Cadmium Tin Mercury Lead Cobalt Copper Arsenic Salenium	40 20 520 1.5 4 4.5 2 200 4 550 10 5 5	15 10 340 2 1.5 3 0.6 65 2.5 260 4 2	25 15 410 2.5 2 5 1 80 4.5 320 6.5	20 15 200 1 1 2 0.5 40 5.5 160 5	20 20 80 2 1 5 .1 50 15 30 5	250 100 500 20 5 50 2 500 50 100 30	800 500 1500 40 20 300 10 1000 300 500 50
Molybdenum Barium	5.5 4 280	2 1.5 170	0.1 1.5 220	1.5 1.5 320	2 4 200	3 10 500	40 2000



THE CORPORATION OF THE CITY OF PORT COQUITLAM

MEMORANDUM

TO:	Environmental Protection Committee	DATE:	November 29, 1990
FROM:	C.F. (Kip) Gaudry, P. Eng. Deputy City Engineer		
SUBJECT:	NOTICE & DRAFT ENVIRONMENTAL ASSESSME GUIDELINES FOR APPORTIONMENT OF COSTS FOR RAILWAYS IN CANADA	T PROCI	KDURKS DE SEPARATIONS

Recommendation:

That the report be received for information.

Background & Comments:

The National Transportation Agency of Canada recently notified us of two items. Firstly, all applications regarding work on railway's property must contain a full environmental assessment prior to consideration on their part. In the case of the City of Port Coquitlam this would include applications for crossings of roads, water mains, sewer mains, storm sewers, and sidewalks. Although the requirement has been in existence since 1984, it has only recently been mandated as a result of the court decisions on the Old Man River and Rafferty Alameda Dam cases.

The Agency has also redrafted the guidelines on a apportionment of costs of grade separations and adopted them on October 23, 1990. For basic grade separations the following costs breakdown would normally be apportioned:

On projects due primarily to highway development 1.

> - 85% Highway Authority - 15% Railway Company

- 2.

On projects where both highway and railway development have contributed largely to the need for the project

- 50% Highway Authority - 50% Railway Company

3. On projects due primarily to railway development

- 15% Highway Authority

- 85% Railway Company

Cont'd /2...

Memo to Environmental Protection Committee Cont'd...

C

For your information, I have attached the old General Order E5 regarding previous arrangements for cost sharing. The main change is the elimination of the Railway Grade Crossing Fund which funded a majority of the many projects in the past.

- 2 -

In Port Coquitlam's case these would be the guidelines under which a grade separation on the Wilson Connector would be applied for under.

- 1

C.F. (Kip) Gaudry, P. Eng. Deputy City Engineer

CFG:gc

Attachment

THE CORPORATION OF THE CITY OF PORT COQUITLAM

MEMORANDUM

TO: Kip Gaudry Deputy City Engineer

DATE: November 14, 1990

FROM: Danielle Pagé Administration

RE: Notice and Draft Environmental Assessment Procedures - National Transportation Agency of Canada

II is Corship Mayor Traboulay has asked that this document be referred to the Environmental Protection Committee for its consideration.

Manuille

c.c.: Environmental Protection Committee

Att.



Office national National des transports Transportation du Canada Agency of Canada

Veuillez trouver ci-inclus pour votre information les deux articles suivants:

- 1. L'avis et brouillon des procédures d'évaluation environnementale de l'Office national des transports; et
- Les lignes directrices pour la répartition des frais des sauts-de-mouton de l'Office national des transports, lesquelles ont été adoptées par l'Office le 23 octobre 1990.

Si vous avez des questions concernant le dernier article, veuillez contacter:

Ian C.W. Spear Directeur intérimaire Direction de l'infrastructure ferroviaire Direction générale du règlement des différends OTTAWA (Ontario) K12 ON9 (819) 953-0327 Please find enclosed for your information the following two items:

- 1. The National Transportation Agency's Notice and Draft Environmental Assessment Procedures; and
- The National Transportation Agency's Guidelines on Apportionment of Costs of Grade Separations which were adopted by the Agency on October 23, 1990.

If you have any questions concerning the latter item please contact:

Ian C.W. Spear A/Director Rail Infrastructure Directorate Dispute Resolution Branch OTTAWA, Ontario K1A 0N9 (819) 953-0327

Suzanne L. Secrétaire Office national des transports du Canada OTTAWA (Ontario) K1A ON9 Tél: (819) 997-0677 Télex: 053-3615 Fax: (819) 953-5253

Canadä

Secretary National Transportation Agency of Canada OTTAWA, Ontario K1A 0N9 Tel: (819) 997-0677 Telex: 053-3615 Fax: (819) 953-5253

Clément



du Canada





Vationa: Transportation Agency of Canada

NOTICE

AVIS

RELATIF aux procédures d'évaluation environnementale de l'Office national des transports.

À compter du 1^{er} décembre 1990, l'Office national des transports (ci-après l'Office) exigera qu'une déclaration sur les incidences environnementales soit jointe à toute demande de construction ou de modification de voies ferrées. Une déclaration des incidences environnementales devra donc être jointe à toute demande présentée à compter de cette date.

Cette exigence tient à l'application du Décret sur les lignes directrices visant le processus d'évaluation et d'examen en matière d'environnement adopté par le gouverneur en conseil en 1984, décret auquel sont assujettis tous les ministères et organismes fédéraux, aux termes des décisions judiciaires rendues récemment au sujet des barrages Oldman River et Rafferty Alameda.

De même, l'Office aimerait recevoir un bref énoncé des incidences environnementales des projets habituellement présentés par les administrations routières municipales concernant les voies ferrées, dont la construction ou la modification de voies. Les procédures provisoires de l'Office, que vous trouverez ci-joint. donnent un aperçu des questions à couvrir. Les résultats de ces évaluations devraient normalement faire l'objet d'un texte de moins de cinq pages, d'une ou deux pages probablement.

IN THE MATTER OF the environmental assessment procedures of the National Transportation Agency.

As of December 1, 1990, the National Transportation Agency (hereinafter the Agency) will be requiring that all applications for new railway line construction or changes to existing railway lines be accompanied by a statement setting out the environmental impact of the proposal. Applications made after this date arc expected to include such a statement.

This requirement is made as a result of the application of the Environmental Assessment and Review Process Guidelines Order passed by the Governor in Council in 1984, and made mandatory on all federal government departments and agencies by the recent court decisions on the Oldman River and Rafferty Alameda Dam cases.

For projects involving railway lines which are typically submitted by municipal road authorities, such as new or reconstructed grade crossings, the Agency wishes to receive a brief statement of the environmental impacts. The attached draft Agency procedures provide a perspective on the matters to be dealt with. These assessments should normally be done in less than five pages, and likely in a page or two.

Canadä

DRAFT

NATIONAL TRANSPORTATION AGENCY ENVIRONMENTAL ASSESSMENT PROCEDURES

OVERVIEW

The Environmental Assessment and Review Process Guidelines Order (hereinafter EARP Guidelines Order) requires that applications submitted to the National Transportation Agency (hereinafter the Agency) be assessed with regard to their effects on the environment.

In order for an application to be considered by the Agency, the said application must be accompanied by a document which assesses the environmental effects of the activity and describes the measures taken or to be taken by the applicant to minimize any adverse effects. The Agency will review the environmental assessment prepared by the applicant and make a determination with regard to the significance of the predicted environmental effects. The Agency will then authorize one of the following courses of action as prescribed in the EARP Guidelines Order:

- 1) Appears on the Agency Exclusion List; proposal may proceed.
- 2) No potentially adverse environmental effects: proposal may proceed.
- 3) Adverse environmental effects are mitigable; proposal may proceed with mitigation as will be described.
- 4) Unknown adverse environmental effects; proposal referred for further assessment.
- 5) Unknown ability to mitigate adverse environmental impacts; proposal referred for further assessment.
- 6) Significant adverse environmental effects; proposal referred for public review by a panel.
- 7) Sufficient public concern has been received to require that the proposal be referred for public review by a panel.
- 8) Type of proposal on list for automatic referral to a panel.
- 9) Unacceptable adverse environmental effects; the proposal must be modified and reassessed, or abandoned.

CONTENT OF THE ENVIRONMENTAL ASSESSMENT DOCUMENT

The assessment must include information on each of the following topics:

- rationale for the activity
- description of the proposed activity
- description of the existing environment
- assessment of the effects of the activity on the environment
- alternatives considered and the reasons for their rejection.

Informational Requirements:

The description must be sufficiently detailed to enable the Agency to ascertain the condition of the environment. The description must touch upon the following facets of the environment: physical, biological, and human (Appendix 2).

- 3 -

Additional information could include maps, figures, plans, photographs and a list of references and individuals/organizations contacted.

Level of Effort:

The level of effort required varies considerably depending on the diversity of the environment. However, a narrative of not more than 1-3 pages should suffice in most cases.

4) Assessment of Environmental Effects

Purpose:

To describe and evaluate the changes to the environment that will result from the activity. To describe the special measures, referred to as mitigation measures, that will be implemented to eliminate or minimize adverse environmental effects.

Informational Requirements:

Any change to existing environmental conditions is considered to be an "effect". The applicant is required to describe each effect in terms of its nature (i.e. what is the effect), magnitude (i.e. how big/extensive is it), severity (i.e. how drastic the change will be), and duration (i.e. will the change be temporary or permanent). Appendix 3 provides some examples of the types of effects that may result from the activities involved with the project. Each effect should be presented in relation to the facet of the proposed activity which gives rise to the effect and to the mitigation proposed to minimize the effect. An evaluation of the significance of each effect should conclude this section. Significance is determined on the basis of the importance of the affected resource and the extent of the effect.

Level of Effort:

For activities with a number of "minor" effects a summary table may suffice. Longer descriptions are required for more significant effects.

5) <u>Alternatives Considered</u>

Purpose:

To describe any project alternatives (e.g. different location, design, etc.) that would have had fewer adverse environmental effects, and to explain why they were rejected.

Informational Requirements:

Narrative description of each alternative and an explanation of the principal reasons for its rejection.

Level of Effort:

1-2 pages

Appendix "2"

ASSESSMENT CRITERIA ECOSYSTEM COMPONENTS

Physical

- Land
- Adjacent land use
- Groundwater
- Surface water
- Drainage
- · Air quality
- Noise
- Vibration

Biological

- Plants
- Animals

Human

- Transportation services
- Recreational
- Archaeological

Landscaping

- Time delay between land clearance and revegetation.
- Planting species which affect transpiration demand.
- Planting species attractive to herbivores in right-of-way.

Cutting Trees

- Soil leaching.
- Changes to ground water supply (creation of wetland or loss of water storage capacity).

- 2 -

- Poorly planned tree cutting can create negative visual effects.

Discharging Effluent

- Effluent discharged containing insoluble material.
- Effluent containing toxic material or harmful organisms.
- Effluent containing foaming agent, suspended solids or plant nutrients.

Drainage Alteration

- Erosion.
- Equipment noise.
- Alteration in ground water regime (physical and chemical).
- Draining a marsh or wetland.
- Lowered water table.
- Drainage pattern disruption through fill techniques.

Drilling and Blasting

- Alteration of groundwater flow.
- Noise.
- Blast shock.
- Blasting near trees.

Excavating

- Type of soil or degree of slope and the effects of erosion.
- Interference with groundwater.
- Archaeological site.
- Habitat loss.
- Excavation in permafrost.

Exploiting resources

- Depletion of resource.
 - Noise.



Office national des transports du Canada

National Transportation Agency of Canada

GUIDELINES ON APPORTIONMENT OF COSTS

OF GRADE SEPARATIONS

PREAMBLE

Canadä

The National Transportation Agency of Canada (the Agency), after extensive study and consultation with Canadian railways, representatives of highway authorities across Canada and other interested parties, has prepared the following guidelines. These guidelines are to form the basis of cost apportionment decisions concerning the construction and reconstruction of structures designed to allow railway and highway traffic to cross each other at different elevations.

In preparing these guidelines, the Agency has considered, among other things, the benefits accruing to each party for the construction and reconstruction of grade separations as well as the responsibility that each party, as an essential part of Canada's transportation system, has to co-exist at crossings.

The Agency has the authority under the <u>Railway Act</u> to grant leave for the construction and reconstruction of grade separations on terms and conditions relating to the public convenience and to apportion the costs of such works. The Agency expects the parties involved with a grade separation project to attempt to come to an agreement on all the issues relative to the project including apportionment of costs. The Agency is prepared to issue Orders on the basis of any agreement reached between the parties.

Should the parties be unable to reach agreement, the Agency will rule on any outstanding issues based on submissions to the Agency from the parties concerned. Such submissions may address any of the items outlined in the Guidelines as well as any other matter that the parties consider relevant.

Every case will be assessed on its own merits to determine whether the Guidelines apply and it should be emphasized that the Agency retains complete discretion for the apportionment of costs for grade separations. The Agency will issue decisions which vary from the Guidelines if appropriate in the circumstances surrounding a particular grade separation project.

.../2

DEFINITIONS

a) A <u>crossing</u> allows highway and railway traffic to cross each other.

- 2 -

- b) An <u>established crossing</u> is normally one which has been in existence for public use for at least three years.
- c) A <u>grade separation</u> is a structure, including the approaches thereto, which allows highway and railway traffic to cross each other at different elevations.
- d) A <u>basic grade separation</u> is that portion of the work which is required to provide adequate facilities for present day needs at the time of construction or reconstruction of the grade separation.
- e) An <u>overhead bridge</u> is a grade separation which carries a highway across and over a railway.
- f) A <u>subway</u> is a grade separation which carries a railway across and over a highway.
- g) A <u>highway authority</u> is any public authority having jurisdiction to construct and maintain a highway.
- h) A <u>railway company</u> means a railway company subject to the jurisdiction of the Agency.

GUIDELINES

- 1. The costs of construction and maintenance of a basic grade separation on a new route are normally paid in full by the party deciding to construct the new route.
- 2. Where an existing grade separation is to be reconstructed for the purposes of the party having exclusive responsibility for that grade separation, the costs of reconstruction and maintenance of the basic grade separation are normally paid in full by that party.

.../3

- 3. For a basic grade separation that:
 - a) is required to eliminate an established crossing at grade or to divert substantially all highway traffic therefrom; or

- 3 -

 b) reconstructs an existing grade separation where both parties have responsibility or where the reconstruction is for the purposes of the party having no responsibility;

the costs of construction are normally to be apportioned as follows:

- i) on projects due primarily to highway development
 - 85% Highway Authority 15% Railway Company;
- ii) on projects where both highway and railway development have contributed largely to the need for the project
 - 50% Highway Authority 50% Railway Company;
- iii) on projects due primarily to railway development
 - 15% Highway Authority 85% Railway Company:

the costs of maintenance are normally to be apportioned as follows:

- all costs of maintenance of the substructure, superstructure and retaining walls of an overhead bridge are to be paid by the highway authority;
- ii) all other costs of maintenance of an overhead bridge, including the cost of maintaining the railway approaches, track structure, railway drainage and communication facilities are to be paid by the railway company;
- iii) all costs of maintenance of the substructure and the superstructure of a subway are to be paid by the railway company; and
- iv) all other costs of maintenance of a subway, including the cost of maintaining the highway approaches, retaining walls, highway surface, sidewalks, drainage and lighting are to be paid by the highway authority.

.../4

4. The costs of a basic grade separation are not to include the cost that would otherwise be incurred by the railway company or the highway authority if the crossing did not exist.

- 4 --

- 5. The costs of construction and maintenance of additional facilities in excess of the costs of the basic grade separation are normally to be paid by the party requesting the additional facilities.
- 6. Clearances and pier protection in excess of the following are normally considered to be additional facilities:
 - a) Overhead Bridges
 - i) Vertical clearance of 7.16 m above the base of rail for new or reconstructed basic grade separations;
 - ii) Lateral clearance of 5.5 m from the centreline of the nearest track to the nearest pier or abutment in the basic grade separation;
 - iii) Pier protection, where determined to be necessary, as per the American Railroad Engineering Association Specifications;
 - b) Subways

Vertical and lateral clearances as per the design standards for grade separations of the province in which the grade separation is located.



Office national Networks des transports Transportston du Canada Agency of Canada

DIRECTION GENERALE DU REGLEMENT DES DIFFERENDS DISPUTE RESOLUTION BRANCH

8210	NO DE FAX - FAX N (R19) BELERA
TRANSMETTRE À - TRANSMIT TO	/w.si 353-2008
Non - Name: KIP CALLAD	V
Ministère - Department: DEDUTY	<u>Z</u>
Endion - Location:	NEER
Nº de teléphone - Telephone Mar	DOUITLAM
Nº de FAX - EAV No.: (604 - 941	- 5411
North No.: 604 - 464 -	-3524
recompre de pages a transmettre - Number of Pages Attached for Trans	minal:3
EXPÉDITEUR - ORIGINATOR	
LAN SPEAR	
Direction de l'infrastructure Rail Infristr farroviatre Directorate Office national des transports du Canada Nabonal Transport 170 etage 170 Floor 15 rue Eddy 15 Eddy Street Hul (Quebec) Hud, Quebec Adresse Postale Ottawa (Oniano) KIA QNE Posta Addrese Otta	ucture Ibon Agency of Canada
Nº de telephone <u>8/9-953-0327</u> Telephone Nº de tecsimilé (819) 953-5686 Fécsir	nona No. nela No.
NOTA - NOTES	المتقديسية بالمالية ومستعد مي من عن من
- the Saidelines are to be	used in
along a section 10 and 2	+ that
preter of sections 1015 on	. Mu anatula
document.	
	Jan Ina
J 29 '90 12:02 81	3 953 5658 PAGE.001

CHAPTER 1191

NATIONAL TRANSPORTATION ACT RAILWAY ACT Railway Grade Separations Regulations

CARADIAN TRANSPORT COMMISSION

GENERAL ORDER NO. 2-5

REGULATIONS RESPECTING THE CONSTRUCTION, RECONSTRUCTION AND IMPROVEMENT OF GRADE SEPARATIONS IN RESPECT OF RALLWAYS SUBJECT TO THE JURISDICTION OF THE COMMISSION

Short Tirle

1. These Regulations may be cited as the <u>Railway Grade Separations Regulations</u>.

Interpretation

2. In these Regulations,

"fund" means the Railway Grade Crossing Fund; (caise)

"grade separation" means a subway or an overhead bridge; (Stagement de voies) "overhead bridge" is a structure, including the approaches thereto, that carries a highway across and over the railway; (passage superiour) person" includes a reilway company under the jurisdiction of this Commission and any public authority

having jurisdiction to construct and maintain a highway: (personne) Tailway company means a railway company subject to the jurisdiction of the Commission; (compagnie de

chemin de fer) chemin de fer) "subway" is a structure, including the approaches thereto, that carries a highway across and under the

Grade Separation

Any person proposing to construct, reconstruct or improve a grade separation shall file an application з. J. Any person proposing to construct, reconstruct or improve a grade separation shall file an application with the Secretary of the Commission and include with the application three copies of a general plan duly signed, numbered and dated, and if the application includes a request for a grant from the Fund, the applicant shall also include with the application reasonable detail of the estimated cost of the proposed work as well as the names and addresses of the head offices of any utility companies or commissions whose facilities will be affected.

4. No person shall begin the construction, reconstruction or improvement of a grade separation until

- (a) the Commission has, by order, granted such parson leave to perform the work;
- (b) a general plan propared and approved as provided in section 3 has been submitted to the Commission; and
- (c) plans showing the detail of design of the proposed project have been approved by an angineer of the Commission.

5. 'e applicant shall show on a general plan prepared on a scale of 1 inch equals 100 feet

- (a) the location of the structure and approaches on each side;
- (b) the limits of the project within which the applicant considers a grant from the Fund may be applicable:
- (c) the location and number of railway tracks and the boundaries of the right-of-way of the railway company for a distance of at least 300 feet on each side of the crossing;
- (d) any necessary track changes on account of the proposed grade separation;
- (e) the boundaries of the existing road allowance and proposed road allowance, and the boundaries of additional land to be occupied by the proposed structure and approaches, including any additional land required for drainage or to be occupied by utilities, as well as the location and width of proposed road surfaces and sidewalks within the said boundaries;

NOV 29 '90 12:03

819 953 5658 PAGE.002

5-5

C. 1191

(f) a plan of the substructure indicating the side clearances;

- (g) a cross section of the proposed structure showing the location of curbs, sidewalks, trackage, lighting and width of road;
- (h) a profile of the centre of proposed road within the limits of the project prepared at a scale of 1 inch equals 100 feet horizontally and 1 inch equals 10 feet vertically;

÷.

- (1) an elevation of the proposed structure prepared at a scale of 1 inch equals 10 feet vertically; 404
- (j) a key map at a scale of 1 inch equals 400 feet, wherever possible, showing the incation of the proposed work and all crossings effected thereby.

6. When an application is used by persons other than railway companise, copies of such application and plans shall be forwarded to the base office of the railway company concerved, or if such base office is not in Canada, to the office of its Canadian agent, and the applicant shall advise the Cownission that this has been deas

7. The applicant shall forward a copy of the application and general plan to the head office of each utility company or commission whose facilities will be affected, advising the Commission that they have dose ao

4. 8. Within 30 days from the date of receipt of the application and of the plan, the railway company and the utility companies and commissions concerned shall make their subdissions to the Commission with respect to the said application; the submissions of the utility companies and commissions shall include a sketch or plan showing the present location of their facilities and showing the changes which they consider may be accessary to permit the construction of their facilities and showing the changes which they consider may be paragraph 5(a) and shall include an estimate in reasonable datail of the cost of the changes to their facilities.

9. Upon receipt of all necessary submissions, the Director of Engineering of the Commission will arrange for an inspection with representatives of the railway company, the highway authority and utility companies and commissions to discuse the project in detail at the site, including discussion of design and estimated 2002

10. Where a grant from The Lailway Grade Crossing Fund may be made, and waless otherwise ordered by the Commission in its discretion, the cost of construction of a new grade separation to be built within the limits of an existing road allowance which will eliminate an existing crossing at grade, where the cost does not exceed \$625,000, shall be apportioned pursuant to the following formula adopted by the Commission:

- (a) 50 per cent payable from The Railway Grade Grossing Yund;
 (b) 15 per cent payable by the highway authority; and
 (c) 5 per cent payable by the railway company.

11. When the cost of construction of a grade separation is apportioned in accurdance with the formula of section 10, the cost of future maintenance of the said grade separation, unless otherwise ordered by the Commission, shall be borne as follows:

- (a) all costs of maintenance of an overhead bridge shall be borne by the highway suchority;
- (b) all costs of velateannes of the substructure and superstructure of a subway shall be borne by the railway company; and
- (c) all other costs of maintenance of a subway, including the cost of maintaining the approaches, road surface, sidewalks, drainage and lighting shall be borne by the highway sutherity.

12. Unless otherwise ordered by the Commission, the cost of the reconstruction and improvement of 4 grade separacion

- (a) that was in existence on June 28, 1955, and
- (b) in respect of which the railway company, prior to such reconstruction and improvement, contributed towards the cost of construction and the cust of maintenance or either of these

shall be apportioned pursuant to the following formula adopted by the Commissions

(c) 50 per cent or \$250,000, whichever is the lesser, payable from the Reilway Grade Crossing Fund;

26

NOV 29 '90 12:04

819 953 5658 PAGE.003



3-5



c. 1191

(d) 12 1/2 per cent or \$62,500, whichever is the lesser, payable by the railway company; and

(a) the balance payable by the highway authority.

13. When the cost of reconstruction and improvement of a grade separation is apportioned in accordance with the formula in section 12, the cost of future maintenance of the said grade separation, unless otherwise ordered by the Commission shall be borne as follows:

- (a) all cost of maintenance of an everhead bridge shall be borne by the highway authority;
- (b) all costs of maintenance of the substructure and superstructure of a subvey shall be borne by the railway company: and
- (c) all other costs of maintenance of a subway, including the cost of maintaining the approaches, coad surface, sidewalks, drainage and lighting, shall be borne by the highway authority.

14. With respect to structures supporting railway tracks and facilities, the railway company shall, unless otherwise authorized by the Complesion.

- (a) design the entire structure and propers all plans necessary for the construction thereof, and supervise the construction;
- (b) design, install and maintain all falsework required for the temporary support of its tracks or other facilities during the construction of the work, and perform all work in connection with such changes to any of its facilities as may be necessary to permit the execution of the project and to protect its traffic;
- (c) invite tanders and award the contracts for the construction of the structure, subject to the approval of the province or municipality, as the case may be;
- (d) approve all shop drawings for fabricated structural steal or iron before their submission to the Commission, and perform the nuccessary mill, shop, and field inspection in connection therewith; end
- (a) carry out all such work in accordance with the railway's specifications.
- 15. With respect to structures carrying highways over railway's tracks and facilities,
 - (a) the highway authority shall design such structures, but all plans and specifications shall be submitted to the railway company concerned for its approval, except that, by agraement between the parties concerned, the railway company may design such structure, but all plans and epecifications shall be submitted to the highway authority concerned for its approval;
 - (b) the construction of such structure within the limits of the railway's property shall be carried out to the satisfaction of the railway company:
 - (c) all work in connection with changes to any of the reilway's facilities, as may be necessary to permit the execution of the project and to protect its traffic shall be performed by the railway;
 - (d) where the railway company has consented that the work be performed on its property by a person other than the company, such work may be performed only after such person has received the approval of, and if the work is performed under the supervision of, the company; and
 - (e) my part of a structure to be meinteined by the railway shall be constructed in accordance with the railway's specification.

17

NOV 29 '90 12:04

819 953 5658 PAGE.004

Transport Canada Airports

3

Transports Canada Aéroports

international de Vancouver

Bureau de poste de l'aéroport

Boite postale 23750

Richmond (C.-B.)

Aéroport

V7B 1Y7

Vancouver International Airport P.O. Box 23750 Airport Postal Outlet Richmond, B.C. V7B 1Y7

20 September 1990

His Worship Mayor Len M. Traboulay The Corporation of the City of Port Coquitlam 2580 Shaughnessy Street Port Coquitlam, BC V3C 2A8

Dear Mayor Traboulay:

CITY OF POST COOLITIAM ENGRISSTING DEPT. OCT 2 5 1090 25 = L. .12 Ut29

1590-2133

I am pleased to forward to you the Summary Report of the Environmental Impact Statement (EIS) for the Parallel Runway Project at Vancouver International Airport. At this juncture, the Environmental Assessment Panel is undertaking a comprehensive technical and public review of the EIS.

We expect that Public Hearings on the Project will commence in November.

If you have any questions concerning the Project, please contact the Project Manager, Michael Matthews at 276-7733.

Yours truly,

P.C Frank O'Neill

Airport General Manager Vancouver International Airport

Encl.

Canadä



THE CORPORATION OF THE CITY OF PORT COQUITLAM

MEMORANDUM

TO: Environmental Protection Committee

DATE: January 2, 1991

COPY: Kip Gaudry, P.Eng. Deputy Engineer

FROM: Danielle Pagé Administration

RE: Vancouver International Airport - Parallel Runway

His Worship Mayor Traboulay has asked that this document be referred to the Environmental Protection Committee for information.

CITY OF PORT COQUITLAM Engineering Dept. JAN 03 1991								
	то	FROM	DATE					

Manielle

Att.

Transport Canada Airports

> Vancouver International Airport P.O. Box 23750 Airport Postal Outlet Richmond, B.C. V7B 1Y7

Transports Canada Aéroports

Our file

Notre rélérence

1590-2133

Aéroport international de Vancouver Botte postale 23750 Bureau de poste de l'aéroport Richmond (C.-B.) V7B 1Y7

20 December 1990

His Worship Mayor Len M. Traboulay The Corporation of the City of Port Coquitlain 2580 Shaughnessy Street Port Coquitlam, BC V3C 2A8

Dear Mayor Traboulay:

Early in the New Year, the future of Vancouver International Airport will come under close public scrutiny as a Federal Environmental Assessment Review Panel holds public hearings on a proposed parallel runway.

Transport Canada has complied with the Panel's request for further information within the time frames necessary to begin public hearings January 28, 1991. This response, a supplement to the comprehensive Environmental Impact Statement of August 1990, is available through the Federal Environmental Assessment and Review Office (FEARO), at community, college and university libraries, and my office.

I have attached the latest FEARO newsletter on the parallel runway project, which sets out the basic framework for the public hearings and submissions to the Panel. I urge you to take an active role during these hearings and make your concerns known to the Panel.

We are committed to ensuring that enhancements to Vancouver International Airport's capacity are not only technically correct, but environmentally sound and community sensitive. Your participation in the public hearings will help us meet those goals.

As you can see, from the attached information on a public opinion survey undertaken by the Air Transport Association of Canada in September of this year, there is wide spread general support in the community for the runway project and the economic and social benefits it will bring.

If you have any questions about Vancouver International Airport, the proposed parallel runway project or the environmental review of the runway, please do not hesitate to contact my office.

My best wishes to you and your loved ones during this holiday season. May the year 1991 prove to be a successful one in all of our endeavours.

Yours truly,

Frank O'Neill Airport General Manager Vancouver International Airport

Att.

Canadä



November 21, 1990

Vancouver International Airport Environmental Assessment Panel

HOTICE TO KEY REVIEW PARTICIPANTS

Planning for Public Hearings and Preparation of Technical Submissions

Public Hearings

Transport Canada has Indicated that its response to the Panel's "Request for Additional Information and Consultation" will likely be submitted to the Panel on or about December 17th, 1990. As soon as this response is received and examined by the Panel, a notice of public hearings will be issued. As required by the Panel's "Procedures for Public Hearings", a minimum of 30 days notice will be given prior to the start of the hearings. If Transport Canada has its response submitted by December 17th, as expected, the Panel plans to start its hearings during the week of January 28, 1991. Formal notice of hearings will not be issued until the Transport Canada response has been received and the hearing dates can be confirmed. <u>However, all groups, agencies and individuals planning to participate in the hearings should make note of the tentative starting time of late January. 1991.</u>

It would be of assistance if those people planning to make a presentation at the hearings would notify the Panel Secretariat as soon as possible. This will facilitate the planning for the hearings and the development of an appropriate hearings agenda.

Preparation of Technical Submissions

In accordance with the "Procedures for Public Hearings", all written submissions of a scientific or technical nature must be received at least 14 days prior to the start of the hearings. Given that the hearings could start as early as January 28, 1991, those wanting to make technical submissions should plan on having them ready for submission to the Panel Secretariat by NO LATER THAN JANUARY 14, 1991. Technical submissions received after the deadline date may not be accepted by the Panel. Written Submissions of a non-scientific or non-technical nature will be accepted at any time up to the closing date for the hearings.

For more information, please call or write:

Paul Scott Executive Secretary Vancouver International Airport Environmental Assessment Panel 510-750 Camble Street Vancouver, B. C.



Federal Environmental Assessment Review Office 510 - 750 Cambie Street, Vancouver, B.C. V68 2P2 Telephone (604) 668-2431



AIR TRANSPORT ASSOCIATION OF CANADA ASSOCIATION DU TRANSPORT AÉRIEN DU CANADA

99 BANK STREET, SUITE 747, OTTAWA K1P 6B9 99, RUE BANK, PIÈCE 747, OTTAWA K1P 6B9 TEL:/TÉL: (613) 233-7727 FAX: (613) 230-8648

FOR IMMEDIATE RELEASE OCTOBER 18, 1990

STRONG PUBLIC SUPPORT FOR PARALLEL RUNWAY: POLL

Vancouver -- A new public opinion poll reveals that there is continued strong public support for the construction of a parallel runway at Vancouver International Airport.

The poll discovered that the level of support has remained relatively unchanged since a similar poll was conducted in December of 1989, shortly after plans for the new runway were announced by Transport Canada.

Both polls surveyed over 400 residents living within the airport area. In each case, seven out of ten support the project. Half of these residents support the project strongly.

The poll also surveyed Greater Vancouver residents living outside the airport "noise footprint" and found that support for the parallel runway has increased to 81%.

The latest poll was carried out September 4-8. Both polls were conducted on behalf of the Air Transport Association of Canada (ATAC) by Vancouver-based Marktrend Marketing Research Inc.

The main reasons people gave for supporting airport expansion were the same in both studies: a belief that increased capacity is needed to keep up with the demand, relieve congestion and improve airport safety.

While supporters of the new runway outweigh opponents by more than three to one, there remains a small core of residents (15% - down slightly from the earlier poll) who are strongly opposed to the project, with the majority of these listing noise as their main concern.

A much greater proportion of people surveyed were aware of the action to phase out older, noisier aircraft with planes with quieter, more fuel-efficient engines. Canadian air carriers are spending \$13 billion on these new aircraft which are 85% quieter than their predecessors. They will comprise 60% of the fleet using Vancouver by 1996 and virtually 100% by the turn of the century.

The poll also underlines the fact that Vancouver International Airport is a key ingredient in the economy of the Lower Mainland and all British Columbia. Nine in ten residents overall perceive that the airport contributes to the local economy.

FOUNDED NINETEEN HUNDRED AND THIRTY-FOUR

FONDÉE EN MILLE NEUF CENT TRENTE-QUATRE




The Air Transport Association of Canada is one of many groups which is calling on the Government of Canada to construct the parallel runway at Vancouver International Airport subject to an environmental review.

2

ATAC views aviation as uniquely important to the future of Vancouver and British Columbia. The airport links BC communities with the rest of Canada and Canada to the world, especially to the province's growing tourism trade. Vancouver International sustains 30,000 jobs directly and indirectly and generates \$2.7 billion in economic activity.

This importance is borne not just by these two public opinion polls, but also by the large volume of letters of support received from all regions of the province at the Federal Environmental Assessment and Review Office in Vancouver.

To date, the elected councils of 57 British Columbia communities and 14 regional districts have written to the environmental assessment panel to express their support of the parallel runway project. In addition, over 1,500 businesses, associations and individuals who believe that an efficient Vancouver International Airport is essential to BC's well-being have written to the panel urging that the project proceed.

-30-

FOR FURTHER INFORMATION CONTACT:

Gordon Sinclair

President and Chief Executive Officer Air Transport Association of Canada (613) 233-7727

Sandra Dexter

Manager, Public Affairs - Western Canada Air Canada (604) 643-5660

Gerry Goodridge

Manager - Corporate Public Relations and Corporate Communications Canadian Airlines International (604) 279-6347

Hal Cameron

Director, Public Affairs Air BC (604) 273-2464



Bureau fédéral d'examen des évaluations environnementales



NEWSLETTER NO. 8



Public Hearings

The Panel will be starting its public hearings on January 31, 1991. A preliminary schedule and tentative agenda for the hearings is attached.

Anyone planning to make a presentation to the Panel at the hearings should give notice of their intention to the Panel Secretariat as soon as possible and no later than January 24, 1991. In accordance with the Panel's "Procedures for Public Hearings", anyone providing timely notice of their intention to participate will be included on the list of scheduled participants. Although time may be available at the end of sessions for unscheduled presentations, priority will be given to those who were scheduled in advance of the hearings.



Transport Canada Response to Panel Request

Transport Canada's response to the Panel's October 23, 1990 "Request for Additional Information and Consultation" has been received and copies circulated



Federal Environmental Assessment Review Office 510 - 750 Camble Street, Jancouver, B.C. V68 2P2 Telephone (604) 665-2431



December 20, 1990

to all groups, agencies and individuals who have been actively involved in the review of Transport Canada's Environmental Impact Statement or those who have expressed an interest in receiving this document. A copy of the response document has also been placed in local public libraries. If you did not receive a copy of this document and require one, please contact the Panel Secretariat at the address noted below.

Technical Submissions

As you will see from the attached Public Hearings schedule, the main technical sessions (with the exception of one preliminary session on air quality) will not start until February 4, 1991. The Panel has, therefore, set January 21, 1991 (two weeks prior to the start of the main technical sessions) as the deadline for receipt of written submissions of a scientific or technical nature. Technical submissions received after the January 21, 1991 deadline date will only be accepted if they have been preceded by a complete outline of the submission, which includes a summary of all of the issues to be addressed in the main





Procedures for Public Hearings

All groups, agencies and individuals planning to participate in the public hearings are reminded that the Panel has prepared and previously circulated "Procedures for Public Hearings". These Procedures provide the rules under which the hearings will be conducted. If you do not have a copy of the Procedures and would like one, or if you have any questions on the Procedures, please contact the Panel Secretariat. In accordance with the Procedures, those people planning to make oral presentations at the hearings are reminded that these should be limited to a maximum of 15 minutes. A longer time allotment may be granted providing a request for more time is made by January 17, 1991 (14 days prior to the start of the hearings).

Technical Specialists

The Panel has engaged the services of a third technical specialist, Mr. Larry Wolfe, to assist in the review of environment and land use impacts associated with the runway proposal. Mr. Wolfe, a West Vancouver-based consultant, is an environmental planner with considerable experience in undertaking and reviewing environmental and land use studies. In

the early 1980's Mr. Wolfe coordinated the studies and activities associated with the Fraser River Estuary Study. Mr. Wolfe joins Werner Richarz (aeronautical noise propagation and measurement) and Clair Wakefield (community impacts of aeronautical noise) as one of the Panel's three technical specialists. Mr. Wolfe, Mr. Richarz and Mr. Wakefield will participate in the public hearings. These technical specialists are also available to other review participants to assist in the understanding of issues relating to each technical specialists' area of expertise. Anyone wishing to consult with these technical specialists should contact the Panel Secretariat. It should be noted that these consultation services are limited to the provision of factual information and advice. Technical specialists cannot be used in the development of submissions to the Panel.

For more information please call or write:

Paul Scott

Executive Secretary Vancouver International Airport Environmental Assessment Panel 510-750 Cambie Street Vancouver, B. C., V6B 2P2

Telephone:	(604) 666-2431
Fax:	(604) 666-6990



D A 1/2







VANCOUVER INTERNATIONAL AIRPORT ENVIRONMENTAL ASSESSMENT PANEL

Preliminary Schedule for Public Hearings (December 20, 1990)

DAY	SESSION TIME	SESSION TOPIC
Thursday, Jan. 31/91	2:00 PM - 5:00 PM	Opening Statements
	7:00 PM - 10:00 PM	Project Justification *
Friday, Feb. 1/91	9:30 AM - NOON	Air Quality **
	1:30 PM - 5:00 PM	Project Justification *
Saturday, Feb. 2/91	9:30 AM - NOON	General Presentations
	1:30 PM - 5:00 PM	General Presentations
Monday, Feb. 4/91	1:30 PM - 5:00 PM	Noise
	7:00 PM - 10:00 PM	Noise
Tuesday, Feb. 5/91	1:30 PM - 5:00 PM	Noise
·	7:00 PM - 10:00 PM	Noise
Wednesday, Feb. 6/91	1:30 PM - 5:00 PM	Wotor Quelin
	7:00 PM - 10:00 PM	Water & Air Quality
Thursday, Feb. 7/91	1:30 PM - 5:00 PM	
	7:00 PM - 10:00 PM	Fish & Wildlife
Friday, Feb. 8/91	1:30 PM - 5:00 PM	Land Use
Saturday, Feb. 9/91	9:30 AM - NOON	Land Use

Additional sessions will be scheduled during the week of February 11-15, 1991 as required.

 Project Justification includes issues relating to project need, costs and benefits, and project alternatives.

** This technical session on Air Quality is being scheduled during the first week of hearings due to the unavailability of a key witness on this topic during the second week of hearings. Other technical sessions will not start until February 4, 1991.

The hearings are tentatively scheduled to be held in the Ballroom at the Executive Inn, 7211 Westminster Highway, Richmond, B. C.

Canadä

Federal Environmental Assessment Review Office 510 - 750 Camble Street, Vancouver, B.C. V6D 2P2 Telephone (604) 666-2431

Vancouver International Airport

ing in the second

44

4 (* 1997) 19 - Alexandre (* 1997)

a start and a start and



DECEMBER 1990

...ENVIRONMENTAL HEAFINGS ON YVR'S PROPOSED PARALLEL RUNWAY ARE SCHEDULED TO BEGIN JANUARY 28, 1991. TRANSPORT CANADA RESPONDED TO THE ENVIRONMENTAL ASSESSMENT REVIEW PANEL'S REQUEST FOR FURTHER INFORMATION ON DECEMBER 15. COPIES OF THE ADDITIONAL INFORMATION, WHICH COMPLIMENTS THE PROJECT ENVIRONMENTAL IMPACT STATEMENT, IS AVAILABLE FROM THE EAR PANEL AND YVR'S PROJECT OFFICE OR CAN BE FOUND IN MOST LIBRARIES.

Mick Facts

SITE NUMBER 9 OF THE FIXED NOISE MONITORING SYSTEM IS ON LINE. THE MONITORING SITE AT UBC WAS LINKED TO YVR'S MONITORING SYSTEM EARLY IN DECEMBER AND REAL TIME NOISE LEVELS ARE BEING SHOWN ON THE NOISE DISPLAY IN THE SOUTH POD, LEVEL 3.

...YVR'S LATEST ANNUAL REVIEW, COVERING 1989/90 IS HOT OFF THE PRESSES. THE REVIEW INCLUDES FINANCIAL RESULTS FOR THE YEAR ENDING MARCH 31, 1990 AND MAJOR ACTIVITIES AT CANADA'S SECOND BUSIEST AIRPORT.

... YVR'S OPERATIONS IN 1989/90 MADE A PROFIT OF \$20 MILLION, A HEALTHY RETURN ON INVESTMENT OF 14%. REVENUES ROSE TO A RECORD \$64.3 MILLION AS EXPENDITURES REACHED NEARLY \$44.3 MILLION. WITH AN ESTIMATED 9.3 MILLION PASSENGERS, THE PROFIT PER PASSENGER WAS \$2.15 AS EXPENDITURE PER PASSENGER DECLINED TO \$4.76.

... PERSONNEL IN TWO KEY AIR TRAFFIC CONTROL JOBS ARE SWITCHING HATS. BRUCE MCDONALD GOES TO THE AREA CONTROL CENTRE AS MANAGER ACC OPERATIONS WHILE MOE LUKIE BECOMES YVR'S TOWER CHIEF.

*** WORK HAS BEGUN ON THE \$8.5 MILLION NORTHWEST FINGER REDEVELOPMENT AND EXPANSION. GROWTH INDUSTRIES LTD. IS THE MAIN CONTRACTOR ON THE YEAR-LONG PROJECT WHICH WILL EXPAND THE INTERNATIONAL DEPARTURE HOLD ROOMS, ADD TO THE TRANSIT LOUNGE AND INCREASE THE DUTY FREE SHOP SIZE IN THE GATES 22-28 AREA.

Canada

a destanding the second s

Groupe de gestion de

Transpor

Authority

...A \$25 MINIMUM LANDING FEE FOR ALL AIRCRAFT USING YVR'S RUNWAYS GOES INTO EFFECT 01 FEBRUARY 1991. FLOAT PLANES USING THE WATER AERODROME AND HELICOPTERS ARE EXEMPT FROM THE FEE. THE FEE, A MEANS OF EASING THE SERIOUS AIRSIDE CONGESTION PROBLEMS, WILL NOT APPLY FROM 0730-1030 SATURDAYS AND SUNDAYS, A TIME OF LOWER AIRFIELD DEMAND. THE OLD CONCESSION FEE ON AVIATION GAS WILL BE REDUCED TO THE SAME LEVEL AS THAT FOR TURBO FUEL.

... YVR OPERATIONS HAS PREPARED A WINTER OPERATIONS/DE-ICING PLAN IN COOPERATION WITH AIRLINES. THE PLAN INVOLVES HOLDING AIRCRAFT AT THE GATES, ASSIGNING AIRCRAFT DEPARTURE SLOT TIMES, AND DE-ICING STATIONS FOR AIRCRAFT TAXIING TO THE BUTTON FOR TAKEOFF. IT GOES INTO EFFECT IF DEPARTURE DELAYS GO BEYOND 15 MINUTES IN ICY, SNOWY WEATHER.

...AIRCRAFT MOVEMENTS IN OCTOBER INCREASED 5.6% OVER OCTOBER 1989, MORE ACCURATELY REFLECTING ACTUAL TRAFFIC CONDITIONS AS THE EFFECT OF FORMER SKYLINK AND AQUILA TRAFFIC ON STATISTICS HAS WORKED ITS WAY OUT OF MONTHLY COMPARISONS. SKYLINK CEASED OPERATIONS AT THE END OF SEPTEMBER 1989.

VANCOUVER INTERNATIONAL AIRPORT

An Aransport Assuble to	ACTIVITY STATIS	TICS (19 cm)////. 1990	d onter an ci line Priore Mericania
PASSENGERS	1990	1989	% CHANGE
DOMESTIC TRANSBORDER INTERNATIONAL TOTAL ALL SECTORS	5,316,795 1,974,307 1,329,746 8,440,848	5,098,098 1,770,393 1,373,564 8,242,055	0.8 11.5 -3.2* 2.4
AIRCRAFT MOVEMENTS RUNWAY MOVEMENTS HELICOPTERS, FLOAT PLANES, OTHERS	229,975 43,114 273,119	242,636 39,224 281,860	-5.2 10.0 5.43.1
CARGO AND AIR MAIL CARGO AIR MAIL TOTAL	(TONNES) 101,967 15,889 117,856	100,332 17,062 117,394	1.6 -6.9 0.4
*APPARENT DI PROCEDURE IMPLEMENT	ECREASE OF 3% DU Ed in January 1990.	E TO CHANGE I	N REPORTING
AIRPORT GENERAL MAN MANAGER, SECURITY A MANAGER, COMMUNICAT	AIRPORT MANAGEMENT Ager ND operations Ions	CONTACTS FRANK O'NEILL JOHN WILLIAMS STEPHEN RYBAK	276-6208 276-6159 276-6333

THE CORPORATION OF THE CITY OF PORT COQUITLAM

MEMORANDUM

TO:

Environmental Protection Committee DATE: December 13, 1990

FROM: Kip Gaudry, P. Eng., Deputy City Enngineer

CALGARY ROSE GARDENS - DEMONSTRATION GARDENS SUBJECT:

RECOMMENDATION:

For information.

BACKGROUND & COMMENTS:

Alderman Keryluk suggested the City of Calgary may have a program that involved roses and/or gardens and there presentation to the public. We have contacted both the Calgary Engineering Department and the Parks and Recreation Department and could not identify any particular program that they sponsored or that they were aware of regarding this matter. If you could provide more details we may be able to chase it down further.

C.F. (Kip) Gaudry, P. Eng Deputy City Engineer

CFG:ck

THE CORPORATION OF THE CITY OF PORT COQUITLAM

MEMORANDUM

TO: Environmental Protection Committee DATE: December 10, 1990 FROM: Kip Gaudry, P. Eng., Deputy City Engineer

RE: SHELL SERVICE STATION - SHAUGHNESSY AND PITT RIVER ROAD INVESTIGATION OF POSSIBLE FUEL LEAK

RECOMMENDATION:

For information.

BACKGROUND & COMMENTS

The Engineering Department was made aware that possibly some years ago fuel had spilled from the site of the current Shell Service Station at Shaughnessy and Pitt River Road and was still in the adjacent soils. Since we were about to commence construction of a sanitary sewer force main through the lane immediately north of the Shell Service Station we contacted Shell Oil and asked them to investigate the possible fuel leak. Shell Oil engaged a professional consulting company, Morrow Engineering of North Vancouver to carry out the investigation. Mr. Juan Beneitz of Morrow Engineering investigated the area surrounding the service station, particularly in the lane, and took samples for labratory analysis.

Mr. Beneitz advised us December 6, 1990 that all lab analysis was now complete and while trace amounts of some hydro carbons, indicating possible petroleum products, were found in a few samples, they were well with in allowable B.C. limits for residential areas. There opinion is that there may have been a fuel leak 12-15 years ago but it has basically had no effect on current soil conditions or adjoining properties. Nevertheless, they have dug monitoring sumps on the Shell service station property and will continue to monitor throughout the next 6-8 months to see wether any fuel can be detected.

The Engineering Department will keep in contact with Morrow Engineering and Shell Oil and advise the EPC should further information become available.

C.F. (Kip) Gaudry, P. Eng. Deputy City Engineer

CFG:ck

cc: Igor Zahynacz, P. Eng., City Engineer

> Gord Voncina Operations Manager



The discharge of waste, in the Greater Vancouver Region, is regulated by two separate agencies, through their collective administration of the Waste Management Act. Permits to emit air contaminants are issued by the Regional District, while those for special waste storage, effluent and refuse discharges are issued by the Waste Management Branch in Surrey.

For your information, please find enclosed copies of reports prepared for the GVRD Board of Directors. These reports provide summaries of emission Permit and Approval applications received by the GVRD Air Quality and Source Control Department and also of Permits and Approvals issued. Further information on Permits and Approvals or copies of air permit applications may be obtained from the:

Greater Vancouver Regional District Air Quality and Source Control 4330 Kingsway Burnaby, B.C. V5H 4G8 Phone: 436-6700

The Ministry of Environment forwards, to the GVRD, copies of Permit applications which they receive for the storage of special waste, refuse discharge and effluent discharge to receiving waters within the GVRD. I have enclosed a report, for your information, which summarizes applications which they have recently received. Further information or copies of these applications may be obtained from the:

> Waste Management Branch, Lower Mainland Region, 15320 - 103A Avenue, Surrey, B.C. V3P 7A2 Phone: 584-8822

Yours_truly, Robert S. Smith

Superintendent, Enforcement Services Air Quality and Source Control

SP/RSS/ch/68

AIR QUALITY AND SOURCE CONTROL - ENFORCEMENT SERVICES SUMMARY OF PERMITS, APPROVALS & APPLICATIONS FOR SEPTEMBER, 1990

A. APPLICATIONS RECEIVED IN SEPTEMBER, 1990

1. A.E. Concrete Precast Products Ltd. - Concrete products manufacturing plant 5353 - 192nd Street, Surrey. New Permit VA-479.

This company has moved its operation from Langley to Surrey. Emissions from a cement silo are controlled with a baghouse.

McLeod and Norquay Ltd. - Metal heat treating plant.
 12364 - 83A Avenue, Surrey. New Permit VA-480.

This company is moving their operation from Vancouver to Surrey. Emissions from molten salt heat treating baths will be controlled with a wet scrubber.

3. Westroc Industries Limited - A gypsum wallboard manufacturing plant. 1070 Derwent Way, Annacis Island, Delta. Amendment to Permit VA-82.

This company has applied for renewal of their Permit which is due to expire on December 31, 1990. A baghouse will be used to control new sources of emissions from 3 stucco storage silos and pneumatic conveying of fine ground materials.

4. Canadian Aircraft Products Ltd. - Aircraft components manufacturing. 2611 Viscount Way, Richmond. New Permit VA-478.

This company has applied for authorization for emissions from various aircraft component manufacturing processes such as cleaning, etching, painting, grinding, heat treating, dyeing, curing, heating and conversion coating. Emissions will be controlled with media filtration.

5. Robar Industries Ltd. - Iron foundry. 12945 - 78th Avenue, Surrey. Amendment to Permit VA-107.

This company has applied for authorization for emissions from an epoxy oven, heat treat oven, 5 grinders, belt sander and a cut-off machine. Particulate emissions will be controlled with a baghouse.

Howe Sound Pulp & Paper Limited - A sawmill and planing mill.
 8890 Manitoba Street, Vancouver. Amendment to Permit VA-83.

This company has applied for renewal of their Permit which is due to expire on December 31, 1990. They have also changed antisapstain chemical use.

A. APPLICATIONS RECEIVED IN SEPTEMBER, 1990 (con't)

7. Dow Chemical of Canada Inc. - Bulk chemical storage and shipping facility. 1545 Bay St., North Vancouver District. Amendment to Permit VA-249.

This company has applied for renewal of their Permit which is due to expire on December 31, 1990.

8. Pacific Bronze Ltd. - Non ferrous foundry 1616 Pandora St., Vancouver. Amendment to Permit VA-139.

This company has applied for renewal of their Permit which is due to expire on December 31, 1990.

Shell Canada Products Limited. - Petroleum Refinery.
 201 Kensington Avenue, Burnaby. Amendment to Permit VA-261.

This company has applied for authorization for replacement of their existing multi-jet ground level flare with a new 180 foot air assisted flare. The new flare is designed for improved combustion and reduced emissions during normal operation. The new flare will also substantially improve emissions during high loading periods.

10. Warnock Hersey Professional Services Ltd. - A fire test laboratory. 211 Schoolhouse Street, Coguitlam. Approval AP-132.

This company has applied for authorization for emissions from an exterior wall test stand for testing the fire rating of combustible building materials.

11. Shell Canada Products Limited - A petroleum tank farm. Forest Grove & Underhill Avenue, Burnaby. Amendment to Permit VA-262.

This company has applied for renewal of their Permit which is due to expire on December 31, 1990.

Mill and Timber Products Ltd. - A lumber remanufacturing plant.
 8818 Greenall Avenue, Burnaby. Amendment to Permit VA-56.

This company has applied for renewal of their Permit which is due to expire on December 31, 1990. They have also changed their name from Mill and Timber Products Ltd. to Haida Forest Products Ltd.

 Superburn Systems Ltd., A Division of Consolidated Environmental Technologies Inc. - Test incineration facility.
 240 - 801 Belgrave Way, Delta. New Approval AP-155

This company has applied for approval to carry out incineration testing on approximately 10-20 tonnes of soils containing chlorophenols. The material is classified as a special waste and all burning is proposed to be done in accordance with the Special Waste Regulation.

B. PERMITS/APPROVALS ISSUED IN SEPTEMBER, 1990

1. Canadian Occidental Petroleum, Industrial Chemicals Division - Chemical plant.

100 Amherst Avenue, North Vancouver. Amendment to Permit VA-10.

This company has received authorization for the venting of hydrogen to atmosphere during process variations. This Permit authorization allows the company to operate within the requirements of the Waste Management Act Spill Reporting Regulation. There will be no changes in emission quality as a result of this amendment.

2. Tilbury Cement Ltd. - A cement manufacturing plant. 7777 Ross Road, Delta. New Approval AP-141.

This cement manufacturing plant has received authorization for trial burns of shredded tire fuel in their cement kilns. Emission control is effected by high temperatures in the kiln and through electrostatic precipitation of particulates. Emission testing will be conducted during the trial burns.

Taiga Forest Products Ltd. - A wood pressure treating operation.
 320 Ewen Avenue E., New Westminster. Amendment to Permit VA-378.

This Permit which was due to expire on September 30, 1990, has been renewed for an additional 5 year term.

4. Torrefazione Coloiera & Importing Ltd. - A coffee roasting plant. #6 - 11771 Horseshoe Way, Richmond. Amendment to Permit VA-293.

This Permit which was due to expire on September 30, 1990, has been renewed for an additional 5 year term. Emissions from the coffee roaster will be further controlled by June 30, 1991, resulting in decreased emissions.

 Canterbury Coffee Corporation - A coffee roasting plant. 13840 Mayfield Place, Richmond. Amendment to Permit VA-389.

This Permit which was due to expire on September 30, 1990, has been renewed for an additional 5 year term.

6. Terminal City Iron Works Ltd. A manufacturing machine shop foundry. 1909 Franklin Street, Vancouver. Amendment to Permit VA-206.

This Permit which was due to expire on September 30, 1990, has been renewed for an additional 5 year term. Opacity criteria have been made more restrictive on 7 sources.

-3-

AIR QUALITY AND SOURCE CONTROL - ENFORCEMENT SERVICES SUMMARY OF PERMITS, APPROVALS & APPLICATIONS FOR OCTOBER, 1990

A. APPLICATIONS RECEIVED IN OCTOBER, 1990

4.

- 1. (a) Aqua Guard Technologies Inc. Test incineration facility. South foot of Nelson Rd. Richmond. New Permit AP-156
 - (b) Superburn Systems Ltd., A Division of Consolidated Environmental Technologies Inc. - Test incineration facility. 240 - 801 Belgrave Way, Delta. New Approval AP-157
 - (c) **Ticor Technology Ltd.** Test incineration facility. 4623 Byrne Road, Burnaby. New Approval Ap-158

These companies have applied for authorization to conduct test burns of "Expo Lands" contaminated soil and other hydrocarbon contaminated wastes. Testing will be conducted to demonstrate compliance with the Special Waste Regulation. The Province of B.C. will grant a contract to one of the companies, allowing them to treat all the contaminated soils from the "Expo Lands Site". The successful company will then apply for a Permit to authorize emissions from their facility.

 Esco Limited - A steel foundry. 1855 Kingsway Avenue, Coquitlam. Amendment to Permit VA-52.

This company has applied for authorization for emissions from an additional cutting booth and also to increase their operating days from 5 days/week to 7 days/week. Emissions from the new source will be controlled with a baghouse.

3. Hal Industries Inc. - An asphalt roofing and building paper manufacturer. 9681 - 187th Street, Surrev. Amendment to Permit VA-340.

This company has applied for renewal of their Permit which is due to expire on December 31, 1990. They have also applied for authorization for emissions from a third asphalt saturator which will be controlled with the current fume incinerator. Two natural gas fired asphalt tank heaters have also been added.

Accurate Rubber Products Ltd. - A rubber products manufacturer. 12771 No. 5 Road, Richmond. Amendment to Permit VA-341.

This company has applied for renewal of their Permit which is due to expire on December 31, 1990. They have also requested authorization for emissions from an additional lathe, an additional autoclave, a boiler and ventilation of buffing, fabricating and moulding areas.

A. APPLICATIONS RECEIVED IN OCTOBER, 1990 (con't)

8.

Tilbury Cement Ltd. - A cement plant.
 7777 Ross Road, Delta. Amendment to Permit VA-175.

This company has applied for authorization for emissions from 2 baghouse dust collectors associated with 2 air separators. The new baghouses will replace 4 smaller baghouses and are being installed to handle planned increases in production.

6. Thompson Foundry Ltd. - An iron foundry. 12540 - 82nd Avenue, Surrey. Amendment to Permit VA-161.

This company has applied for authorization for emissions from a natural gas fired core oven. This source, which was previously discharging to atmosphere indirectly via general building ventilation, is now being vented directly outside.

Alberta Wheat Pool - A grain elevator.
 Foot of Cassiar Street, Vancouver. Amendment to Permit VA-217.

This company has applied for authorization for emissions from 3 additional baghouses handling grain dust. The baghouses are treating additional air which is required to improve internal ventilation of the grain elevator.

PCL Plastics Corporation - A plastic bag manufacturing plant. 7503 Vantage Place, Delta. Amendment to Permit VA-307.

This company has applied for renewal of their Permit which is due to expire on December 31, 1990. The company has changed its name from PCL Packaging Ltd. to PCL Plastics Corporation. They have also applied for authorization for emissions from garbage bag cutting and sealing machines, 3 corona treaters and four polyethylene pellet storage silos.

-2-

B. PERMITS/APPROVALS ISSUED IN OCTOBER, 1990

1. Warnock Hersey Professional Services Ltd. - A fire test laboratory. 211 Schoolhouse Street, Coquitlam. Approval AP-132.

This company has received authorization for emissions from an exterior wall test stand for testing the fire rating of combustible building materials.

B.C. Fancy Sausage Co. Ltd. - Food processing plant.
 7680 Alderbridge Way, Richmond. Amendment to Permit VA-163

This Permit has been amended to include a compliance schedule for installation of additional control works on 8 recirculating smokehouses.

3. International Forest Products Ltd., McDonald Cedar Div. - A saw, planer & siding mill.

9269 Glover Road, Township of Langley. New Permit VA-467.

This company has received authorization for emissions from an existing sawmill and planermill. Particulate emissions are controlled by cyclones. Drying kilns are natural gas fired.

4. International Forest Products Ltd., - A saw and planer mill. 11732 - 130th St., Surrey. Amendment to Permit VA-392

This company has received authorization for emissions from a third antisapstain spray booth. Emissions are controlled by mist eliminators.

5. Haida Forest Products Ltd. - A lumber remanufacturing plant. 8818 Greenall Avenue, Burnaby. Amendment to Permit VA-56.

> This Permit which is due to expire on December 31, 1990, has been renewed for an additional 5 year term. They have also changed their name from Mill and Timber Products Ltd. to Haida Forest Products Ltd.

6. BCM Manufacturing Ltd. - An Overhead wood garage door manufacturer. 9494 - 198th Street, Township of Langley. New Permit VA-465.

This company has received authorization for emissions from woodworking equipment and a paint spray system. Particulates will be controlled with a cyclone and a baghouse. Paint overspray will be controlled by a water spray system.

7.

Beaver Electrical Machinery Ltd. - An electrical motor repair shop. 7440 Lowland Drive, Burnaby, B.C. New Permit VA-472.

This company has received authorization for emissions from roasting electrical motors for rewinding, cleaning, painting, varnish baking and welding. Emissions are controlled with filters and afterburners.

-3-

B. PERMITS/APPROVALS ISSUED IN OCTOBER, 1990 (con't)

8. Reliance Universal (B.C.) Limited. - A paint manufacturer. 20100 No. 10 Highway, Langley. New Permit VA-475.

This company has received authorization for emissions from their existing plant. Particulate emissions from mixing operations are controlled with honeycomb filters.

9. General Electric Canada Inc., Pacific Service Centre: Electric motor repair 19606 - 96th Avenue, Langley Township. New Permit VA-477.

This company has received authorization for emissions from a new plant built to replace their current facilities in Burnaby and Kamloops. The discharge sources include bake ovens, burnoff ovens, soldering/welding stations, sandblasting room, paint booth and vacuum pressure impregnation tanks. Control works include a thermal afterburner and a baghouse.

10. Freightliner of Canada Ltd. A truck assembly plant. 4242 Phillips Avenue, Burnaby. New Permit VA-469.

> This plant has received authorization for emissions from a paint booth, bake oven, welding operations and truck diesel exhaust. Paint solvent emissions will be minimized through the use of high solids paints and paint overspray will be captured with dry filters.

> > -4



Greater Vancouver Regional District 4330 Kingsway, Burnaby, British Columbia, Canada V5H 4G8

Telephone (604) 432-6200 Fax (604) 432-6251

Air Quality and Source Control Department - Tel (604) 436-6700 Fax (604) 436-6707

December 11, 1990

Mr. R.A. Freeman City Clerk City of Port Coquitlam, City Hall, 2272 McAllister Avenue, Port Coquitlam, B.C. V3C 2A8



Dear Mr. Freeman:

Further to my letter to you, dated December 7 1990, forwarding reports summarizing recent GVRD and Waste Management Branch Permit activities, I note that the latter report may not have been attached to your letter. I have enclosed it for your information and apologize for any inconvenience.

Yours truly,

Robert S. Smith Superintendent, Enforcement Services Air Quality and Source Control

SP/RSS/ch/26

Encl.

SUMMARY OF PERMIT APPLICATIONS SUBMITTED TO THE WASTE MANAGEMENT BRANCH FOR STORAGE OF SPECIAL WASTE, REFUSE DISCHARGE AND EFFLUENT DISCHARGE

A. Applications for storage of Special Wastes

1. Smith Processing Labs Inc., 2104 Front Street, North Vancouver District. Application PS-10494.

The purpose of this application is to obtain a Permit for Special Waste storage and treatment at an existing facility recovering waste alcohol from waste printing ink.

2. Alcan Aluminum Limited - 12600 Vulcan Way, Richmond. Application PS-8200.

This application is for the storage of additional electrical equipment containing PCBs.

 Weiser Inc. - 6700 Beresford Street, Burnaby. Application PS-10493.

This application is for a Permit to store special waste from the manufacture of door hardware and the decommissioning of electrical equipment.

4. British Columbia Hydro and Power Authority - 6517 Ladner Trunk Road, Delta. Application PS-70501.

This application is for the storage of electrical equipment and cleanup materials containing PCBs.

5. Dominion Bank of Canada General Insurance Co. - 1477 W. Pender Street, Vancouver. Application PS-10515.

This application is for the storage of electrical equipment containing PCBs.

B. Application for refuse discharge

(none)

C. Applications for effluent discharge to receiving waters

 British Columbia Packers Limited - Steveston Highway, Richmond. Application PE-1830.

The purpose of this application is to modify the level of treatment, effluent limits and the location of the outfall for process effluent and retort cooling water. The existing outfall will be used for uncontaminated cooling water from the reduction plant. THE CORPORATION OF THE CITY OF PORT COQUITLAM

MEMORANDUM

TO: Kip Gaudry, P.Eng. Deputy City Engineer DATE: December 11, 1990

FROM: Danielle Pagé Administration

RE: Pitch-In British Columbia Campaign

His Worship Mayor Traboulay has asked that this document be referred to the Environmental Protection Committee for its consideration.

Note that copies have not been distributed to the Aldermen.

Nanielle

CITY O ENIC D File #	F PORT (DINEERING EC 14	COQUITLAM Dept. 1990	
TO KG	FROM IZ	DATE Dec 15	Statement in the second se

Att.

BRITISH COLUMBIA Sponsored by Outdoors Unlittered Len Traboulay Mayor City of Port Coquitlam 2580 Shaughnessy Street Port Coquitlam, B.C. V3C 2A8

PITCH-IN

Dear Mayor & Members of Council:

RE: Request for 1991 contribution \$600

Congratulations on your election! We look forward to working with you over the next three years. Now let's deal with another upbeat event....

Volunteerism works! Just look at some of the statistics about PITCH-IN WEEK which took place May 7-13, 1990:

- <u>500,000 residents</u> participated
- <u>1,591 organizations</u> organized clean-up and recycling programs
- Action projects were undertaken in virtually <u>every</u> <u>community</u> in the province
- <u>5,895 projects</u> ranging from schoolyard clean-ups to river/stream/lake enhancement projects were undertaken

PITCH-IN WEEK, the province's largest environmental <u>action</u> program proves that, given an opportunity, British Columbians want to do their part to clean up the environment and participate in recycling and other environmental action programs.

<u>The bottom line?</u> A total of \$42 million in voluntary labour was donated during PITCH-IN WEEK. Add to that the millions of dollars of support services donated by local governments such as your own. And, on top of it all, the media contributed hundreds of thousands of dollars in free air time and advertising space in response to our request for public service advertising support.

PITCH-IN WEEK is only one of several programs sponsored by PITCH-IN BRITISH COLUMBIA, a non-profit organization formed in 1967 and made up of a number of other provincial organizations who are represented on our Advisory Board. These organizations are listed at the end of this letter. Other programs which we sponsor include the Community Pride Program, the Clean Beaches Campaign and an educational program for schools.



THIS RECYCLED PAPER CONTAINS POST-CONSUMER WASTE PITCH-IN CANADAI

Provincial Office: 200 - 1676 Martin Drive, White Rock, B.C., Canada V4A 6E7 Telephone: (604) 538-0577 Fax: (604) 538-3497 PITCH-IN is a registered trademark in Canada A large number of British Columbia's communities provide financial support to PITCH-IN BRITISH COLUMBIA to support the campaign and in recognition of the services provided by PITCH-IN to their local community groups, schools, Scouts, Guides and others. We hope your community will be able to contribute in 1991.

2 -

The financial contribution requested is indicated above. There is <u>no</u> <u>increase</u> in our request from last year. We recognize the economic pressures being faced by everyone. Hopefully you will also recognize that we face the same pressures and need your contribution more than ever!

Your contribution can be remitted now or in 1991. We would appreciate it very much if you would let us know your intentions so that we can make our budgetary plans.

PITCH-IN has become British Columbia's largest <u>local</u> environmental participation program. Every community benefits. Let's make sure the program continues and let's allow volunteerism to flourish in our beautiful province.

Kindest regards,

PITCH-IN BRITISH COLUMBIA Derl Allard W. van Veen, APR President

UNION OF B.C. MUNICIPALITIES

Dean

Chairman, PITCH-IN BRITISH COLUMBIA & Alderman, City of North Vancouver

P.S.

Members of the PITCH-IN BRITISH COLUMBIA Advisory Board are:

B.C. Council of Women
B.C. Chamber of Commerce
B.C. Women's Institutes
Boy Scouts of Canada
Girl Guides of Canada
B.C. Wildlife Federation
B.C. School Trustees Association
Union of B.C. Municipalities

Information Kits about PITCH-IN WEEK will be sent to schools and community groups in February, 1991.



Volume 21, No.2

Fall, 1990



Left To Right – Susan Wilks, Girl Guides of Canada, Stu Reeder, Chairman, PITCH-IN CANADA. Consetta Matak, B.C. Chamber of Commerce, Allard van Veen, President, PITCH-INCANADA, Alderman Stella Jo Dean and John Pettifer, Scouts Canada.

Twenty Years of Service Recognized

To mark the 20th Anniversary of **PITCH-INBRITISHCOLUMBIA**, one director and several organizations were recognized by the provincial organization at its Annual General Meeting held in Vancouver in September, 1990.

Receiving plaques recognizing their twenty years of service to the Board were North Vancouver Alderman Stella Jo Dean, Scouts Canada, the Girl Guides of Canada and the B.C. Chamber of Commerce.

"Only one individual, other than myself, has been active as a director since 1970 and she remains strongly



committed to the cause," stated **PITCH-IN CANADA** President Allard van Veen in praising the tireless efforts of Alderman Stella Jo Dean whose involvement in environmental activities began iri 1966 when she organized her first clean-up in North Vancouver.

PITCH-IN is a registered trademark in Canada

McDonald's Supports PITCH-IN CANADA

McDonald's Restaurants of Canada will be the first fast-food restaurant in Canada to support PITCH-IN CANADA and its objectives by imprinting the organization's PITCH-IN symbol on its various packaging materials.

"We've entered into an agreement with McDonald's enabling them to utilize our symbol and we are very pleased to be working with them," states Allard van Veen, President, PITCH-IN CANADA, in announcing the packaging identification program which is aimed at encouraging McDonald's customers to properly dispose of packaging, especially after they have left the restaurant's premises.

PITCH-IN CANADA, in 1990, launched a major campaign to obtain the support and cooperation of the packaging industry and major food and beverage outlets. "We are pleased that Canada's largest fastfood restaurant has become PITCH-IN CANADA's first supporter!"



The "Trash Blasters" have been an important part of the "PITCH-IN CLEAN UP EDMONTON" Campaign which draws support from a wide range of industries, community groups and schools.

Hamilton has Right to be Proud

The City of Hamilton is out to make a name for itself....spotless! And, according to PITCH-IN CANADA President Allard van Veen, they are being successful.

"The Clean Hamilton Committee, under the enthusiastic leadership of Alderman Brian Hinkley, is an excellent example of how a community is able to solve problems by working together and by involving people," states van Veen who visited the southern Ontario city in August, 1990 scouring its streets and back alleys with Hinkley to confirm the effectiveness of the Clean Hamilton Committee's program.

Hamilton has become one of the cleanest cities in Canada by tackling litter and waste at its sources and by carrying out an extensive, year-round, promotion and education campaign aimed at involving residents and, especially, young people.

"Spotless", Keep Hamilton Clean Committee's mascot. greets an enthusiastic visitor to one of the Committee's several shoppingcentre displays while Alderman Brian Hinkley, Chairman of the Committee hands information to residents of Hamilton about the need for everyone to participate in his community's PITCH-IN campaign. "We're here to educate and to involve the people in keeping the city clean," says Brian Hinkley who is just as comfortable chairing his city's Finance Committee as handing out environmental literature promoting the concept of PITCH-IN at local mails or on city street corners.

The Clean Hamilton Committee, soon to be certified as a PITCH-IN CANADA Community Pride Community, can take credit for a wide range of activities which involve many of Hamilton's residents.

"We coordinate PITCH-IN WEEK and we sponsor the **Post Busters Campaign** which encourages citizens to tear off any bills they see on utility poles or other public property and mail them to City Hall," beams Hinkley, whose committee then writes letters to the companies and organizations listed on the bills, warning them that posting is illegal.

An annual Hot Spots Litter Tour rates Hamilton's ten worst locations for unsightly litter, then follows up with a letter to the owners.

One of the Committee's most recent projects is the production of the "Spotless, Hamilton's Litter Watchdog" 1991 colouring calendar featuring the Committee's mascot, "Spotless", which was created by local cartoonist Stephen Toth.

States Hinkley, whose Committee is a financial supporter of **PITCH-IN ONTARIO**, "It has been a joy to work with PITCH-INONTARIO and **PITCH-IN CANADA.**"



Pitch-In News

Ellen Brown, a member of the Congregational Christian Fellowship Church in Spruce Grove, Alberta, enjoyed being a part of her church's team effort to clean up Highway 16X as part of the Alberta Transportation & Utilities' Roadside Clean-Up campaign held on May 5, 1990. The campaign is held in cooperation with PITCH-IN ALBERTA and supported by NOVA Corporation of Alberta and Husky Oll Limited.

Environment Ministers Join PITCH-IN CANADA Board

and the grant a substance was the

Two new Directors have been appointed to PITCH-IN CANADA's Honourary Board. They are Federal Minister of Environment, **Robert R. de Cotret** and Manitoba Environment Minister **Glen Cummings.**

"We are pleased to increase the number of our Honourary Directors," states **Stu Reeder**, Chairman, PITCH-IN CANADA, adding "We hope to make some additional appointments in the near future."

The new appointees join the Environment Ministers from British Columbia, Alberta and Ontario.



PITCH-IN NEWS is published by PITCH-IN CANADA, a national, non-profit charitable organization founded in 1967 to conduct environmental education and improvement programs, emphasizing the litter control and recycling aspects of solid waste management. PITCH-IN is a Registered Trademark. For further

information about PITCH-IN CANADA or the use of the PITCH-IN trademark contact the National Office at 200-1676 Martin Drive, White Rock, B.C., V4A 6E7. Telephone (604) 538-0577. Fax (604) 538-3497. To order PITCH-IN materials contact PITCH-IN CANADA at 45-9912-106 Street, Edmonton, Alberta. T5K 1C5. Telephone: (403) 429-0517 Fax: (425) 425-5400

The information in PITCH-IN NEWS may be used by others and this newsletter may be reproduced for turther distribution. Credit to the publication will be appreciated. Photos or articles are invited and should be submitted to PITCH-IN CANACA'S National Office. PITCH-IN CANADA assumes no responsibility for their return.

Advisory Council Appointments Announced

PITCH-IN Advisory Councils have been formed in Manitoba, Ontario and New Brunswick and additional appointments have been made to the Councils in Alberta and Saskatchewan.

The following new appointments were made:

In Alberta:

Mr. Jean De Champlain

Mr. Andy Von Busse Mr. Bob Burrows Alderman Art Sandford Ms. Lorelei Campbell Mr. Vern Borgedahl Ms. Linda Poetz

In Saskatchewan:

Mr. Lany Adams Mrs. Murlel Conacher Ms. Rosalyn Walker

In Manitoba:

Reeve Donald J. Melnyk Mr. Lilas Bond Mrs. Ruth Henry Mayor Henry Wiebe Mrs. Blanche Bjarnason Mr. Brian Kelly Mrs. Judy Croy Mr. Robert J. Potter Mr. Roy Turnock Mrs. Mona Bossi

In Ontario:

Mr. Frank Spence Mrs. Hilde Morden Mrs. Elaine Rehor Mrs. Freya Long Mr. J.G. Strickland

In New Brunswick: Mr. Randy Robinson

Mr. Mike Breneol

Alberta Association of Municipal Districts & Counties Alberta Fish & Game Association Alberta Parks & Recreation Association Alberta Urban Municipalities Association Junior League of Edmonton Lions Club International Tourism Industry Association of Alberta

Boy Scouts of Canada Saskatchewan School Trustees Association Saskatchewan Women's Institutes

Association of Rural Municipalities Boy Scouts of Canada Girl Guides of Canada Manitoba Association of Urban Municipalities Manitoba Association of School Trustees Manitoba Chamber of Commerce Manitoba Council on Rehabilitation and Work, Inc. Manitoba Municipal Administrators Association Manitoba Naturalists Society Manitoba Women's Institutes

> Boy Scouts of Canada Federated Women's Institutes of Ontario Ontario Chamber of Commerce Ontario Federation of Anglers & Hunters The Federation of Ontario Cottagers' Association Incorporated

Ministry of Tourism, Recreation and Heritage New Brunswick Wildlife Federation



Left To Right: Darlene McIntosh, Coordinator, PITCH-IN ALBERTA, PITCH-IN ALBERTA Chairman Bette Ballhorn, Bob Rippon, Alberta Environment, Beryl Ballhorn, Alberta Women's Institute, PITCH-IN CANADA President Allard van Veen, Jean De Champlain, Alberta Association of Municipal Districts & Counties and Joy Finlay, O.C.

Alberta Board Members Receive Plaques

Commemorative plaques were presented to mark fifteen years of service to several directors of, and organizations represented on, the provincial Board of **PITCH-IN ALBERTA** at the organization's Annual General Meeting held in Edmonton in September, 1990.

Recognized for fifteen years of individual service were the organization's Treasurer, **Don Dick**, Executive Director of **Scouts Canada**, **Joy Finlay**, an Environmental Education Consultant and a recent recipient of the Order of Canada and **Bette Ballhorn**, Past President of the **Alberta Women's Institute** and Chairman of PITCH-IN ALBERTA. Recognized for fourteen years of service was **Margaret Bowes**, Chairman of the **Grande Prairie Beautification Committee**.

Organizations receiving recognition for fifteen years of support were Scouts Canada, the Gir! Guides of Canada, the Alberta Women's Institute and Alberta Environment.

Hearst Participates to Make a Difference

Hearst, Ontario's PITCH-IN Committee has launched a major initiative to modify their community's attitudes and to show that they can make a difference to the environment.

The Committee, comprised of representatives of the municipality, local schools, Scouts, the Hunters and Anglers Voyageur Club, the BIA, the Ministry of Natural Resources and the Ontario Provincial Police, was formed early in 1990 and members have already undertaken a number of steps to make residents and tourists more environmentally aware.

"Approximately ten thousand people attended Springfest where we shared a booth with the Ministry of Natural Resources and distributed PITCH-IN car litter bags," states **Marcel Dillon**, Coordinator, PITCH-IN, adding "we distributed 2,000 badges to participants in our clean-up programs."

The Committee, which has installed two 8' by 8' signs featuring the 1990 campaign theme at the entrance to their community, is producing a short video on their efforts which will be ready for their 1991 program.



Residents and visitors to **Hearst**, Ontario entering the community on Highway 11, both east and west, are made aware of the community's involvement in PITCH-IN by 8' x 8' French and English highway signs.

Pitch-In News

Dixon Appointed Advisor to Marine Research Program

Trevor Dixon, a leading U.K. marine pollution expert, has been appointed Advisor, Marine Research Program by PITCH-IN CANADA.

"We are very pleased to work with Mr. Dixon as we establish the parameters for our national Clean Beaches Research Program," states Allard W. van Veen, President, PITCH-IN CANADA, adding "Mr. Dixon is widely recognized for the work he has undertaken in developing and establishing a number of research programs in England, Europe and Africa."



Trevor Dixon, recently appointed Advisor to PITCH-IN CANADA's Clean Beaches Program, participated in a recent international Conference on Pollution of the Sea.

Mr. Dixon is Scientific Advisor to the London-based international Advisory Committee on Pollution of the Sea and Director of the Tidy Britain Group's Marine Research Program. Both the Tidy Britain Group and PITCH-IN CANADA are members of Clean World International, an international Secretariat for national organizations with interests in recycling and the proper disposal of waste.

PITCH-IN CANADA's Clean Beaches Program consists of three stages: research, clean-up and an "Adopt-a-Beach" program. The research program is currently being developed and will be tested on British Columbia's coastlines in cooperation with the British Columbia Ministry of Environment.



All of the 13 students, principal/teacher Mark Wickham and tutor Renee Wickham at Apisasin Public School in the Northern Settlement of Kinoosoo in Saskatchewan participated in PITCH-IN WEEK by initiating clean-up activities and planting trees.

Logging Road Yields 6 Tonnes of Waste

More than 12,000 pounds of garbage were collected by the Ladysmith Sportsmen's Club on Vancouver Island, B.C., during the Club's week-long PITCH-IN campaign. The Club is a member of the B.C. Wildlife Federation.

"Over 20 club members focused their attention on the lower 3 kilometres of the Fletcher Challengelogging road which has been used as a private dumping area for many years," reports **Brian Grouhel**, Club Secretary.

Órganized by Past President Gary Atkinson, club members collected items ranging from old freezers and stoves to plastic and styrofoam.



Matsqui-Abbottsford Launches Comprehensive Program

8,778 students from 26 elementary and five secondary schools made sure that the District of Matsqui and Abbottsford's PITCH-IN WEEK was a resounding success.

The students were involved in cleaning up our community's parks, trails, creeks, city streets and school yards," states Matsqui's Alderman Christine Lamb who coordinated the campaign.

"Recyclables were separated from the collected waste, a number of storm drains were marked with yellow fish and pamphlets, outlining the serious environmental dangers many household cleaners, fertilizers and pesticides pose, were delivered to homeowners.

According to Lamb, the level of participation was an indication of the students' concern for the environment and pride in their community



ALUMINUM QUIZ

See page 6

The value of all empty aluminum cans is \$2,609,750,000

- 3. 2,007,500,000 pounds of aluminum are reclaimed with a value of \$1,304,875,000 which, if divided, would provide every person with \$4.75
- In 1995, 75% of aluminum cans or 75,281,250,000 4. cans are projected to be recycled with a value of \$1,957,312,500



Pitch-In News

As part of PITCH-IN WEEK in British Columbia. students and Vice Principal Des McKay of W.J. Mouat Secondary in Abbotsford mark storm drain with yellow fish to remind residents about the dangers of releasing toxic substances into drains which could eventually end up in fish-bearing streams.

Singapore **Examines PITCH-IN**

PITCH-IN CANADA recently provided assistance to Singapore's Ministry of Environment as they prepared to launch an environmental awareness program entitled 'Good Environment Day".

"The objective of our campaign is to inculcate a greater sense of awareness and responsibility towards nature and the environment," states Lim Chuan Poh, a spokesman for Singapore's Permanent Secretary for the Environment.

As a founding member of Clean World International, the international Secretariat concerned with the proper disposal of waste and recycling, PITCH-IN CANADA often exchanges information about its programs.

ALUMINUM QUIZ!

Answers to the following quiz can be found on page 5. Your calculations should be based on the combined population of Canada and the United States being 275 million.

1. Every person in Canada and the United States purchases about one aluminum can per day. How many cans are bought each year?

2. If a pound of aluminum cans is worth about 65¢ to the aluminum reprocessor and if there are about 25 empty cans in one pound, what is the value of all of the empty aluminum cans produced in Canada and the United States each year?

3. If approximately 50% of all aluminum cans produced in Canada and the United States are now recycled, how many cans are recycled, how many pounds of aluminum are reclaimed, what is its value and if this were evenly divided among the population of Canada and the United States, how much money would you receive?

PITCH-IN CANADA!



4. If the rate of recycling aluminum cans is projected to increase by 50% by 1995, what percentage of aluminum cans will be recycled at that time? How many cans will be recycled and what will they be worth?

QUIZ ANSWERS CAN BE FOUND ON PAGE 5



ACME

PLANT

AUTO RECYCLING





'Kids Can', a new environmental colouring book for grades 3-5, is being distributed by PITCH-IN CANADA to every elementary school in the country courtesy of the Environment & Plastics Institute of Canada (EPIC).

Developed by EPIC's Litter Committee, of which PITCH-IN CANADA is a member, the colouring book can be duplicated by teachers or additional copies and accompanying sticker sheets can be ordered from PITCH-IN CANADA for a small charge to cover postage and handling.

The colouring book, which focuses on plastics, recycling and litter, is intended to create an improved understanding of plastics and the issues facing the plastics industry in Canada, according to EPIC.

To receive an order form for 'Kids Can', contact **PITCH-IN CANADA's Material Order Centre** at 45, 9912-106th Street, Edmonton, Alberta, T5K 1C5.

RETURN TO PITCH-IN CANADA:

National Office: 200 - 1676 Martin Drive White Rock, B.C. V4A 6E7





Pitch-In News



THE CORPORATION OF THE CITY OF PORT COQUITLAM

MEMORANDUM

TO: Kip Gaudry, P.Eng. Deputy City Engineer

FROM: Danielle Pagé Administration

RE: Share Social Services

His Worship Mayor Traboulay has asked that this document be referred to the Environmental Protection Committee for information.

Note that copies have not been distributed to the Aldermen.

Nanille



DATE: December 14, 1990

Att.





COQUITLAM SHARE SOCIETY ANNUAL GENERAL MEETING JUNE 1, 1990

AGENDA

- 1) Call to Order
- 2) Minutes of June 9, 1989
- 3) Auditor's Report
- 4) Chairman's and Executive Director's Report
- 5) Special Resolution to Change the Name of the Society
- 6) Appointment of Auditor
- 7) Appointment of Legal Counsel
- 8) Election of New Members of the Board
- 9) Awards
- 10) Adjournment

COQUITLAM SHARE SOCIETY Annual General Meeting June 9, 1990

MINUTES

1. CALL TO ORDER

Dale Christenson called the meeting to order at 6:35 p.m.

2. MINUTES

M/S/C Purdy / Ohirko:

"that the minutes of the Annual General Meeting held June 3, 1988 be accepted."

3. TREASURER'S REPORT

M/S/C Aske / Lemp:

"that the audited statements for 1988-89 be accepted as presented."

4. ANNUAL REPORTS

M/S/C Simms / Brown:

"that the Chairperson's Report and the Executive Director's Report be accepted."

5. ELECTION OF DIRECTORS

The Chair called upon Blanche Lemp, Chair of the Nominating Committee, to announce the nominees to the Roard of Directors, as recommended by the committee.

The nominees were:

John Burdikin Dale Darychuk Helen Eades Myrna Larson Eleanor Ward Dale Christenson Al Davies Nancy Fernandez Mary Olson

Since there were as many nominees as there were positions vacant, Blanche declared the nominees elected.

6. APPOINTMENT OF AUDITOR

M/S/C Aske / Ward:

"that Earl Nordstrand be appointed as the Society's Auditor for 1989-1990."

7. APPOINTMENT OF LEGAL COUNSEL

M/S/C Martin / Burdikin:

"that Rick Payne be appointed as Legal Counsel to the Society for 1989-1990."

8. AWARDS

The Chair called upon Stephanie Ohirko to present the Volunteer of the Year Award. Stephanie announced that Robin Foerster had been chosen to receive the award. Ted Kuntz accepted on behalf of Robin, who was out of town on holiday.

The Chair called upon Sylvia Simms and Joanne Granek to present the Gary Roberts Award. The award was presented to Ted Fridge, Administrator of James Park Elementary School.

The Chair called upon Eleanor Ward and Jerry Martin to present awards to past Board members. Eleanor presented an award to Pat Ban. Jerry presented an award to Debbie Taylor. Awards were also given to May Reith and Bill Glackman, who were not able to be present.

9. ADJOURNMENT

M/S/C Simms / Burdikin:

"that the meeting be adjourned."

The meeting adjourned at 6:50 p.m.

COQUITLAM SHARE SOCIETY (Incorporated under the British Columbia Southerty Act) BALANCE SHEET AS AT MARCH 31, 1990

8

:

ASSETS

	1990	1989
Current	e _	5 70.055
Cash	197 370	73.824
Short term investments	106,930	61.022
Accounts receivable	23 015	20,800
Prepaid expenses	\$327,315	\$225,701
Replacement Reserve Funds	12,604	9,418
Fixed - Note 2	487,662	498,588
	\$827,581	\$733,707
LTABILITIES		
	1990	1989
Current in hank	s 47.842	ş -
Excess of cheques written over cash in Dank	121,408	86,940
Accounts payable and accrued flabilities	86,290	171,993
Grant advances - Note 3	112,733	25,114
Deferred revenue - Note 4	7,400	5,000
Current portion of mortgage payments	\$375,673	\$289,047
Replacement Reserve	13,905	12,018
Mortgages Payable - Note 5	236,540	245,760
EQUITY		
Members' Equity Program evaluation	5,000	5,000
Operations	\$181,882	\$209,162
Opening balance Excess (shortage) of revenue over expenditures	14,581	(
Closing balance	\$196,463	\$181,882
Total equity	\$201,463	\$186,882
	\$827,581	\$733,707

Approved by the Directors: Director they / - Cenny Aske Director

COQUITLAM SHARE SOCIETY



STATEMENT OF REVENUE AND EXPENDITURES

FOR THE YEAR ENDED MARCH 31, 1990

	1990	1989
Revenue:		
	\$1,613,151	s1,748,956
	449.572	151,608
Health .	181.068	45,000
Ministry of Labour	18,212	16.691
C.M.H.C.	198.622	216.651
Employment and immigration	1.897	-
Solicitor General for Canada	64 230	35.708
United Way	75 768	64,989
Food bank donations	25 010	30,050
Bingo	AB 114	31,762
Other donations	740,217	209 882
Service operations	10,221	14 199
Recovery of expenses	10,229	13 476
Interest	24,24/	20 358
Other		
	\$3,012,658	\$2,618,330
Expenditures:		
Salaries and benefits	\$2,133,410	\$1,863,523
Building occupancy	248,494	196,371
Office	98,046	110,555
Recruitment and education	63,610	55,602
Promotion and publicity	49,471	52,537
Purchased services	51,033	55,033
Program supplies	91,263	14,207
Transportation	73,125	83,781
Food, clothing, medical	48,523	62,035
Recreation and education	52,812	56,905
Denreciation	50,797	34,724
Perlacement reserve	- 1,300	1,300
	. 5,711	5,112
Miscellaneous		53,925
	\$2,998,077	\$2,645,610
	<u></u>	•
Excess (shortage) of revenue over expenditures	\$ 14,581	(\$ 27,280)

COQUITLAM SHARE SOCIETY

STATEMENT OF CHANGES IN FINANCIAL POSICON

FOR THE YEAR ENDED MARCH 31, 1990

	1990	1989
Cash provided by (Used In) operating activities		
Operations		
Excess (shortage) of revenue over		
expenditures for the year	\$ 14,581	(\$ 27,280)
Add: Items not involving cash:		
Depreciation	50,797	34,724
Replacement reserve provision	1,300	1,300
	\$ 66,678	\$ 8,744
Net change in other current assets and liabilities	(<u>11,738</u>)	125,306
Cash provided by (Used In) operating activities	\$ 54,940	\$134,050
	•	. ·
Cash provided by (Used In) investment activities		
Purchase of fixed assets	(\$ 73,637)	(\$195,600)
Funding of CMHC replacement fund	(2,600)	-
Specified donations agains: real property improvement	33,766	-
Proceeds on disposal of fixed assets		3,067
Cash provided by (Usen In) investment activities	(\$ 42,471)	(\$192,533)
Cash provided by (Used In) financing activities Reduction in mortgage debt	(\$ 6,820)	(\$ 5,328)
Cash provided by (Used In) financing activities	(\$ 6,820)	(\$ 5,328)
Net increase (decrease) in cash	\$ 5,649	(\$ 63,811)
Cash and short term investments beginning of year	143,879	207,690
Cash and short term investments end of year	\$149,528	\$143,879
· · ·		
Comprised of:	•	
Cach	(\$ 47,842)	\$ 70,055
Short term investments	197,370	73,824
	\$149,528	\$143,879

COQUITLAM SHARE SOCIETY NOTES TO FINANCIAL STATEMENTS MARCH 31, 1990



Significant accounting policies. 1_

The following is a summary of significant accounting policies of the Society.

Revenue recognition. a)

> Revenue from government service contracts are recognized as earned under the terms of the applicable agreement.

Revenue from service operations are recognized as earned.

Private bequests and grants are recognized when received.

Cash donations are recognized when received other than specified donations which are recognized in the period when utilized.

Grants or donations for the purchase of fixed assets are recognized on a basis prorated over the useful life of the asset.

Volunteer labour and donated services are not recorded as the revenue and expense are offset.

Fixed assets and depreciation. ь)

> Fixed assets are recorded at cost. Depreciation is provided over the estimated useful lives of the assets at the following annual rates on a straight line basis after providing for estimated residual values.

Vehicles	20\$	Computer	equipment	
Program equipment	20\$	Pre 1988	20\$	
Office equipment	20\$	Post 1987	30%	
office of opposite		Leasehold	improvements	- Life of Lease

1080

1000

No depreciation is provided for on real property.

		<u>محنت الفرميس</u>
Fixed assets	\$340.970	\$370,261
Land and buildings	40,932	40,932
Program equipment	56,549	52,799
Computer equipment	_ 70,403	51,017 37,206
Office equipment	77,460	44,066
Leasenoid improvements	\$636,152	\$596,281
Accumulated depreciation	148,490	97,693
	\$487,662	\$498,588
	Fixed assets Land and buildings Vehicles Program equipment Computer equipment Office equipment Leasehold improvements Accumulated depreciation	Fixed assets\$340.970Land and buildings40.932Vehicles56.549Program equipment70.403Office equipment49.838Leasehold improvements77.460Accumulated depreciation148.490\$487.662

During the year bingo and casino proceeds received in the amount of \$33,766 were specifically allocated in reduction of the cost of major renovations to the building at 734 MacIntosh incurred in 1989.

Grant advances 3.

Grant advances represent government and other funding advances received but not placed in use because of specific use or timing restrictions.

Grant advances consist of the following as at March 31,

	1990	1989
Province of B. C. refundable operating advance	\$ -	\$ 6,214
Ministry of Health, Province of B.C speech and Language program	-	127,000
Ministry of Labour, Province of B.C alcohol and drug program	60,000	32,000
Ministry of Health, Province of B.C community garden program	5,000	æ
Employment and Immigration Canada - EAP program	21,290	
C.M.H.C.		<u> </u>
	\$ 86,290	\$171.993

- 2 -

4. Deterred revenue

Deferred revenue represents funding received but not yet earned. It includes funding received for specified purposes and funding utilized for capital acquisitions which is brought into revenue over the write-off period applicable to the specific capital item.

Deferred revenue consists of the following as at March 31.	1990	1989
Ministry of Health, Province of B.C speech and language program	\$ 32,467	s -
Ministry of Labour, Province of B.C alcohol and drug program	28,500	-
Ministry of Labour, Ministry of Regional		
	16,500	~
Foodbank donations	28,919	25,114
Specified donations	6,347	
	\$112,733	\$ 25,114

5. Mortgages payable

Mortgages payable consist of the following:

Firstline Trust repayable in equal monthly instalments of \$1 at 11.125% interest, until September 1, 1993 when the total then cutstanding will be due and payable. This mortgage is	.008 balance secured by	
land and building at 734 MacIntosh, Coquitlam, B.C.	\$ 90,434	\$ 92,565
Co-operative Trust Company of Canada repayable in equal monti instalments of \$1,775 at 12.00\$ interest, until August 1. 1992 when the total balance then outstanding will be due and overheld. This mortgage is secured by land and building at	hly	
2994 Pasture Circle, Coquitlam, B.C.	<u>153,506</u> \$243,940	<u>158,195</u> \$250,760
Less: current portion of payments	7,400	5,000
Long term portion	\$236,540	\$245,760

6. Lease commitments

The Society is committed under lease agreements for the rental of office space and equipment extending to 1995. Minimum lease payments required under these agreements over the next five years are as follows:

1991	\$ 99,086	1994	\$ 5,591
1992	99,846	1993 -	2,795
1993	64,900		
AUDITOR'S REPORT

To the Members of CoquitIam Share Society

I have examined the balance sheet of Coquitlam Share Society as at March 31, 1990 and the statements of revenue and expenditures and changes in financial position for the year then ended. My examination was made in accordance with generally accepted auditing standards and accordingly included such tests and other procedures as I considered necessary in the circumstances, except as referred to in the following paragraph.

Coquitlam Share Society derives part of its income from the general public in the form of gifts, bequests and contributions which are not susceptible to complete audit examination. Accordingly my work in respect of this revenue was limited to accounting for the amounts recorded in the books of the Society.

Note 1 to the financial statements describes the depreciation policy with respect to the Society's fixed assets. The note indicates that the Society is not depreciating its real property. In this respect the financial statements are not in accordance with generally accepted accounting principles which require that fixed assets be written off over their estimated useful lives.

In my opinion, except for the effects of any adjustmencs which might have been required had I been able to completely varify gifts, bequests and contributions and except for the effects of the failure to record depreciation as described above, these financial statements present fairly the financial position of the S ciety as at March 31, 1990 and the results of its operations for the year then ended in accordance with generally accepted accounting principles applied on a basis consistent with that of the preceding year.

Chartered Accountant

Coquitlam, B.C. June 1, 1990

JOINT ANNUAL REPORT from the CHAIRMAN OF THE BOARD and the EXECUTIVE DIRECTOR ANNUAL GENERAL MEETING COQUITLAM SHARE SOCIETY JUNE 1, 1990

We originally expected 1989 would be a stable year of consolidation - one that saw an integration of programs, structure and staffing. It turned out to be much more active and challenging!

The Ministry of Social Services and Housing cancelled major funding for the Kincaid Treatment Center and cut back funding by one third for two other major programs -Special Services to Children and Satellite. New funding was received late in the year for a Wife Assault/Parent - Teen counseling program.

Protracted but unsuccessful negotiations were held with the Ministry of Health, Mental Health Branch, to continue and expand the Adolescent Suicide Assessment Program with the result that assessment services for youth and adults are now being offered by another agency based in New Westminster.

Two new programs that had been contracted for late in the previous fiscal year were brought to fully operational status - Drug and Alcohol Counseling funded by the Ministry of Labour, and Speech and Language Therapy for Pre-Schoolers funded by the Ministry of Health. New facilities were found for the Speech and Language Program.

We successfully proposed a new housing project for 43 Housing Society and were awarded funds to build and manage a 40 unit complex in Port Coquitlam. Construction began in February/90 and we expect the first tenants to be settled in by Christmas/90.

Funding was received from the United Way of the Lower Mainland and the Vancouver Foundation to support a Community Social Planning proposal which was an outgrowth of SHARE's leadership in this area over the past two years. Staff were hired and community committees formed under SHARE's stewardship. SHARE's role with this group will change with the impending formation of a non-profit society, independent of SHARE, called the Social Development Council of District 43.

In the midst of all of the structural, financial and staff changes necessitated by this shifting mosaic of

funding and programs, two senior staff left for enhanced career opportunities. Maternity leave for another key staff person and the illness and unexpected death of yet another all served to contribute to an unsettled atmosphere.

A review of our program and service statistics indicate that we provided increased services throughout the year. A sample of these figures is as follows:

- a) 13,959 telephone calls were received by trained volunteers at Lifeline - our 24 hour crisis line
- b) 133 individuals or families were seen an average of three sessions each in counseling through the Volunteer Counseling program
- c) 140 teens were assessed for suicide risk in 558 individual and family sessions. 29 educational presentations were made to a total of 1118 teens and adults.
- d) Christmas Hamper Program In Port Coquitlam and Port Moody there were 505 Hampers distributed, each worth approximately \$70. Six hundred and ninety five adults and five hundred children were the beneficiaries.
- e) Christmas Toy Program 1820 toys were distributed to 364 children from 202 families.
- f) Food Bank 5139 food hampers worth approximately \$165,000 were distributed to an average of 426 families (1140 people) per month
- g) Thrift Store 55,605 articles were sold to 24,134 customers for a gross income of \$83,000. To obtain this number of "saleable" articles and to maintain a full stock in the store, the Thrift Store staff and dedicated volunteers had to sort through almost 150,000 donated items.
- h) 1,240 tons (2,480,000 lbs.) of paper were picked up ' in our recycling program
- i) 129 children and families were seen in our Speech and Language program for Pre-Schoolers. Services were provided not only in our own facility but also in four pre-schools in Port Moody, Port Coquitlam, Coquitlam and New Westminster.
- j) over 400 individuals and families were seen in cur counseling programs funded by the Ministries of Labour and Social Services and Housing

k) over 15,000 individual hours of child care were

provided through the Special Services to Children program

- over 25 children were served in our 24 hour residential treatment programs
- m) approximately 65 children in grades four to seven participated in school-based groups that focused on social skills.
- n) 41 families participated weekly in two parent participation drop-ins
- o) 85 families received short term support and counselling in their own homes with about 1/3 of these parents participating in further 8 to 12 week groups
- p) there were three semesters of Family Life Programs during which approximately 25 parenting courses and 25 personal development courses were offered. Courses ranged in duration from one day or evening through to 8 weeks
- q) 30 adolescents were served in a school based alternate program jointly operated by SHARE and District #43
- r) 3 training programs were run for 25 employment disadvantaged adults

Staff and direct service volunteers are to be congratulated for the caring and professional way they have handled the always difficult demands of "helping".

The Board of Directors has again demonstrated excellent leadership. Some very difficult issues were raised, discussed and resolved, and other issues continue to be discussed. Priorities were established for future development, a progressive Employee Assistance Program was added to the agency benefits package, a new Board Manual was developed, fund raising continued to be a priority and Board members represented SHARE on a variety of community committees and at various functions.

Our thanks go out to all who have been involved with SHARE, in particular the hundreds of wonderful volunteers and the thousands of individuals, families, service clubs, churches, businesses and other organizations who donate food, money, clothing and other goods. Thanks also to Mayors Driscoll, Sekora, Traboulay and their Councils and staffs for continuing support and goodwill and to School District #43 Trustees and staff for our continuing partnership in some services and

community issues.

We would also like to thank our funding sources, The United Way of the Lower Mainland, Ministry of Health, Ministry of Labour, Ministry of Social Services and Housing, The Vancouver Foundation, the Ministry of the Attorney General and the Federal Department of Employment and Immigration.

Dale Christenson Chairman Alan Goard Executive Director

. •





MEMORANDUM

December 13th, 1990

TO:	K. Gaudry		
	Deputy City	Engineer	

FROM: S. Rauh Acting City Clerk

Re: "Power Smart" Energy Efficiency Program

With reference to a letter dated November 29, 1990 from John P. Sheehan and the attendance of Mr. D. Fraser of B.C.Nydro at the Council meeting, this will advise that when the same was considered at the regular Council meeting held on December 10th, 1990 the Council passed the following recommendation:

"That the B.C. Hydro "Power Smart" Energy Efficiency program policy be referred to the Environmental Protection Committee for further consideration and report."

C.TY OF POIL COCULTLAM	
KG I.Z. Dec21	

S. Rauh Acting City Clerk

57/19

BCnyGOUNCIL Commercial Energy Management DEC 1 0 1990 1045 Howe Street Vancouver, B.C. V6Z 2B1

29 November 1989

(604) 663-3288

FILE:

TO: ALL MUNICIPAL COUNCILS IN B.C.

Dear Members of Council:*

RE: "Power Smart" Energy Efficiency Program

Municipal governments, along with all other B.C. Hydro consumers, were asked in March to support the utility's 10 year energy efficiency program, which should free up 2.4 billion kilowatt hours of electricity - enough to support Greater Victoria! More efficient energy usage, as opposed to building major new generation facilities, is not only environmentally acceptable but also more cost effective.

As part of this program, we have sponsored a Municipal Audit Program offering a free energy audit by B.C. Hydro staff for the municipal building of your choice. I am pleased to report that over 120 audits have been completed to date identifying savings of over 6.5 million kilowatt hours. This represents an average 15%-30% savings for the facilities audited! By the end of this program we hope to complete a sample audit for each municipality in Hydro's service area.

To demonstrate your support for the basic principles behind the better utilization of electrical energy, we are now asking all municipalities to adopt an electrical energy efficiency policy and an implementation strategy. To assist you in this respect, we are attaching a draft of such a policy, which your staff can review and recommend amendments to for your particular circumstances. We know you will find it cost beneficial in the long run to have such a policy.

Would the Council therefore consider adopting the following resolution in order to start this process within the next fiscal year:

"THAT authority be given to prepare for the consideration of Council a report outlining the following:

- (a) a draft electrical energy efficiency policy.
- (b) a statement on the budgetary ramifications, if any, of the adoption of such a policy,
- an implementation strategy for the policy, and
- (c) (d) any 1990 draft budget requirements.

A regional BCH representative will shortly call upon your staff to see if you require any clarification or if we can provide further assistance. Thank you for your consideration.

Yours truly,

John P. Sheehan Vice President, Customer Services

Enclosure

RH/cbk

THE CORPORATION OF THE CITY OF PORT COQUITLAM

MEMORANDUM

TO: Janna Taylor, Director Parks and Recreation DATE: October 24, 1990

FROM: Bryan R. Kirk City Administrator

RE: B.C. Hydro Power Smart Report

Would you please review and comment on the attached report.

It will be presented to Council at its meeting of November 5, 1990.

Thank you.

Sim

/dp Att.



BChydro 4940 Canada Way, Suite 201 Burnaby, B.C. V5G 4K6 Telephone:(604) 293-7777 Fax: (604) 293-7781

MUNICIPAL ENERGY EFFICIENCY POLICY

PURPOSE

Reducing the consumption of energy through wise energy management and introducing appropriate energy conservation technolis without compromising occupant health and safety will lower operating costs and demonstrate our support for the responsible use of our support and resources.

POLICY

This Municipality is committed to considering the efficient use of electrical energy in the planning and operating of all of the facilities under its jurisdiction.

Each member of management is responsible for the energy efficient operation of his/her area of responsibility, and each employee has a vital role to play in supporting this policy.

To carry out this policy. the Municipality of ______ will:

- 1. Maintain an active and aggressive energy conservation awareness program among all employees.
- Consider life cycle costs when purchasing new equipment and when undertaking major repairs to equipment. (That is, products and systems
 with superior efficiency, which will pay for their premium costs within half of their usable life, will be preferred).
- Provide, within reason, the best available energy efficient systems.
- Upgrade existing facilities and equipment to higher efficiency where the change offers a simple payback of five years.
- 5. Maintain equipment to energy efficient standards.
- 6. Maintain a continuous education program in energy efficiency procedures and practices.
- 7. Encourage all employees to suggest and initiate projects that will save energy.
- 8. Ask all employees to observe established energy conservation practices.

9. Monitor electrical consumption so that energy efficiency goals can be established and performance measured and reviewed annually.

PERFORMANCE STANDARDS

- 1. All new purchase orders specify:
 - high efficiency motors, transformers and air compressors.
 - adjustable speed drives for all fans and pumps where variable flows are required.
- 2. All buildings equipped with monitoring type controls to manage electrical use.
- 3. Lighting systems in new office buildings require no more than 5.0 kilowatt hours per square foot per year.
- 4. New office buildings operate on a total energy budget of no more than 18 kilowatt hours per square foot per year.
- 5. Natural gas, where available, is used for space and water heating.
- 6. All appliances meet the applicable BC Hydro efficiency rating.
- 7. Conversion where possible of:
 - 40 watt fluorescent tubes to 34 watt tubes.
 - ballasts to energy saving type.
 - incandescent lamps to compact fluorescents.
 - mercury vapor lighting to metal halide and high (or low) pressure sodium lighting.

S.

Maintenance of equipment and of lighting undertaken to a level so as to achieve optimum efficiency of operation.

SIGNED BY:



Commercial Energy Management 1045 Howe Street Vancouver, B.C. V6Z 2B1 (604) 663-3288

29 November 1989

FILE:

TO: ALL MUNICIPAL COUNCILS IN B.C.

Dear Members of Council:"

RE: "Power Smart" Energy Efficiency Program

Municipal governments, along with all other B.C. Hydro consumers, were asked in March to support the utility's 10 year energy efficiency program, which should free up 2.4 billion kilowatt hours of electricity - enough to support Greater Victoria! More efficient energy usage, as opposed to building major new generation facilities, is not only environmentally acceptable but also more cost effective.

As part of this program, we have sponsored a Municipal Audit Program offering a free energy audit by B.C. Hydro staff for the municipal building of your choice. I am pleased to report that over 120 audits have been completed to date identifying savings of over 6.5 million kilowatt hours. This represents an average 15%-30% savings for the facilities audiced! By the end of this program we hope to complete a sample audit for each municipality in Hydro's service area.

To demonstrate your support for the basic principles behind the better utilization of electrical energy, we are now asking all municipalities to adopt an electrical energy efficiency policy and an implementation strategy. To assist you in this respect, we are attaching a draft of such a policy, which your staff can review and recommend amendments to for your particular circumstances. We know you will find it cost beneficial in the long run to have such a policy.

Would the Council therefore consider adopting the following resolution in order to start this process within the next fiscal year:

"THAT authority be given to prepare for the consideration of Council a report outlining the following:

- (a) a draft electrical energy efficiency policy.
- (b) a statement on the budgetary ramifications, if any, of the adoption of such a policy,
- (c) an implementation strategy for the policy, and
- (d) any 1990 draft budget requirements.

A regional BCH representative will shortly call upon your staff to see if you require any clarification or if we can provide further assistance. Thank you for your consideration.

- 2 -

Yours truly,

John P. Sheehan Vice President, Customer Services

Enclosure

RH/cbk

Walk-Through Energy Audit Report

for the

CITY OF PORT COQUITLAM

Port Coquitlam Recreation Centre

Conducted by

Mr. Ray Denby (B.C. Hydro) Mr. Tom Knox (Enerdata Systems Ltd.)

May, 1990

File Number: 89-17

B. C. Hydro

MUNICIPAL ENERGY EFFICIENCY PROGRAM

TABLE OF CONTENTS

Summary of Savings	1
Energy Management Program Components	2
The Walk-Through Energy Audit	2
Building Description	2
Correct and Monitor Power Factor	3
Monitor Demand Usage	5
Start-up/Shut-down of Ice Compressors re Billing	5
up/ shat down of ree compressors to bining	J
LIGHTING	6
INDOORS	6
Zoning for Varving Lighting Levels	6
DELAMPING	6
Delamping Luminaires - General	6
Delamping Recommendations	7
Removing One Lamp From a Two-I amp Fixture	7
REDUCING OPERATING HOURS	Ŕ
Switching Off Fluorescent Lamps	8
Reducing Operating Hours - Cafe	8
Reducing Operating Hours - Auditoriums	Ř
Reducing Operating Hours - Arena #1 Ice Surface	Ř
Reducing Operating Hours - Arena #2 Ice Surface	ğ
Reducing Operating Hours - Mabbot Room	ģ.
Reducing Operating Hours - Mabbot Rm (Kitchen)	ģ
FLUORESCENT LAMP CONVERSIONS	ģ
Energy Efficient Fluorescent Lamps	<u>9</u>
Replace Existing Fluorescent Lamps - 4 foot Fluorescents	Ó
Replace Existing Fluorescent Lamps - 8 foot Fluorescents	Ō
Power Smart: EE Lamp Rebate Program	Ō
OTHER CONVERSIONS	1
Replace Incandescents with Compact Fluorescents	1
Replace Metal Halide Ice Lighting with HPS	1
Convert Mercury Vapour to High Pressure Sodium	2
Use Energy-Efficient Fluorescent Ballasts 12	2
Energy-Efficient Fluorescent Ballast Savings	3
Replace 'Egg-Crate' Fixture Diffusers	3
Exit Light Conversion 13	3
Power Smart: EE Ballast Rebate Program 14	ł
Power Smart: HID EE Lighting Rebate Program	ł

OTHER LIGHTING IMPROVEMENTS Clean Luminaires Improving Lighting Efficiency with Paint Group Relamping OUTDOOR DECORATIVE/BUILDING SECURITY LIGHTING Place Outdoor Incandescents on Timer or Photocell	14 14 15 15 16 16
AUTOMATIC CONTROLS	16 16
MOTORS	17 17 17 17 18
<u>DOMESTIC HOT WATER</u> Reduced Flow Shower Head Savings - (Each) Lower Water Temperature in the Ice Cleaning Machine Reduce Quantity of Ice Flood Water	18 18 19 19
BUILDING ENVELOPE Weatherstripping and Caulking Shutting Off Gas ^r adiant Heaters Low Emissivity Ceilings MECHANICAL SYSTEM MAINTENANCE Check and Clean Filters Recommended Maintenance	19 19 20 20 21 21 21
ENERGY MANAGEMENT ADMINISTRATION TASKS	22
ENERGY MANAGEMENT GRAPHIC AIDS	23
RECORD KEEPING Monitoring Energy Data Tracking Maintenance Data	23 23 24
FURTHER B.C. HYDRO ENERGY CONSERVATION SERVICES	24
CONCLUSION	25

<u>APPENDIX A</u> Electrical and Gas History Printouts

<u>APPENDIX B</u> Lighting: Operating Hours Data

<u>APPENDIX C</u> Lighting: General Savings Table

<u>APPENDIX D</u> Motors: Energy Efficient Conversion Savings The following summary lists energy conservation measures applicable to the Port Coquitlam Recreation Centre and generally considered to have a good payback. Electrical savings have been estimated for most measures, but consideration should be given to all recommendations. Details of savings are contained in the report text.

1

SUMMARY OF SAVINGS

	Ann	ual
	Potential	kWh Savings
ACTION	\$ Savings	<u>34411193</u>
Electrical		
Correct and Monitor Power Factor Start-up/Shut-down of Ice Compressors re Billing Delamping Luminaires - General Reducing Operating Hours - Cafe Reducing Operating Hours - Arena #1 Ice Surface Reducing Operating Hours - Arena #2 Ice Surface Reducing Operating Hours - Arena #2 Ice Surface Reducing Operating Hours - Mabbot Room Reducing Operating Hours - Mabbot Rm (Kitchen) Replace Existing Fluorescent Lamps - 4 foot Fluorescents Replace Existing Fluorescent Lamps - 8 foot Fluorescents Replace Metal Halide Ice Lighting with HPS Convert Mercury Vapour to High Pressure Sodium Energy-Efficient Fluorescents on Timer or Photocell Install Occupancy Sensors - Dressing Rooms Install Energy- fficient Motors	900 1,200 980 120 190 1,750 2,090 730 40 1,290 45 385 1,285 2,120 925 160 80 130 2,360	24,000 19,600 2,400 3,800 35,000 41,800 14,600 25,800 900 7,700 25,700 42,400 18,500 3,200 1,600 2,600 47,200
TOTAL SAVINGS	\$16,780	317,600
kWh Consumption		2,115,545
PER-CENT kWh SAVINGS		15%

This Document has been produced on recycled paper

SUMMARY OF SAVINGS

Natural Gas		e 31
Reduced Flow Shower Head Savings - Lower Water Temperature in the Ice Reduce Quantity of Ice Flood Water	(Each) Cleaning Machine	\$ 31 \$810 \$810

TOTAL NATURAL GAS SAVINGS \$1,650

2

Other Monitor Demand Usage Zoning for Varying Lighting Levels Removing One Lamp From a Two-Lamp Fixture Replace 'Egg-Crate' Fixture Diffusers Clean Luminaires Improving Lighting Efficiency with Paint Group Relamping Investigate Staging of Compressors Summer Operation of Brine Pumps (Costing) Weatherstripping and Caulking Shutting Off Gas Radiant Heaters Low Emissivity Ceilings Check and Clean Filters Monitoring Energy Data Tracking Maintenance Data

* = Documented in this report, no calculations done. Generally Considered A Cost-Effective Measure
 * = Documented in this report, no calculations done. Please read section for further details

INTRODUCTION

Energy Management Program Components

An energy management program for a building usually involves three different steps: bill analysis; a 'walk-through' energy audit; then a detailed audit (collection of equipment and operation details and calculation of possible savings in areas). Steps should be done in this order.

3

Bill analysis will determine potential savings as a result of a conservation program and (as an ongoing yearly measure) will verify those savings. The 'walk-through' is a quick review of energy use in a building (do this every few years), and thirdly, a detailed audit may be done, when and if indicated by the previous two steps.

Some collection of equipment and operation details are part of an initial walk-through audit.

The Walk-Through Energy Audit

An energy audit is an important and necessary step in setting up an energy management program. A complete audit involves the compiling of historical energy use data; a detailed analysis of the building and all equipment, their hours and method of operation; and evaluating and making recommendations based on the previous steps. A walk-through audit covers the same items as a complete audit, but in less detail. Equipment is often not itemized in detail and complicated evaluations (eg. heat recovery from exhaust) are not included in a walk-through audit.

The walk-through audit provides an overview of general energy use and recommends common and cost-effective conservation steps. It will point the way to measures requiring more investigation or simply note that there are no probable further measures for a building. A walk-through is usually a first step to determine if a more detailed energy study is likely to be cost-effective.

Building Description

The Port Coquitlam Recreation Centre is a multi-use building with two ice sheets (operating in winter only), a Seniors Centre with a Pottery room, Pool tables, Cafe, and General Purpose rooms. Hours of operation for the ice surfaces vary from approximately

140 to 126 hours/week in the winter to 75 hours/week in the summer. The remainder of the area(s) operate about 10 to 16 hours/day, year round.

Lighting varies from recently reballasted Mercury Vapour fixtures (Ice #2); Metal Halide (Ice #1); Incandescent (mostly in the Seniors section); and standard F40 fluorescents (throughout).

Heating is largely by natural gas, with natural gas radiant heaters in the Ice area, and gas forced air in other areas. There is some electric heat in both the recreation centre area and the arenas.

Hot Water is electrically heated for the Recreation section (the new section has gas) and there is a heat reclaim system from the compressors. The facility typically runs out of hot water when the 'old-timers' play and during tournaments.

Total energy cost for 1989: Electrical **\$86,950.00** (2,068,800 kWh)

Natural Gas \$11,460.00 (2,710 GJ)

Correct and Monitor Power Factor

Where power factor is recorded for a building it is a very important item in energy use. Because certain types of equipment use energy not recorded at the normal kWh meter, another factor is taken into account and noted on your bill as power factor. The higher this factor the better. To avoid penalties, it must be 90% or greater. Correcting a low power factor to at least 90% usually has a very short payback (1 to 2 years). The solution can even be as simple as replacing a blown fuse in an existing capacitor.

Your billing record indicates you are currently paying a penalty for poor power factor in the summer months. Correcting to 90% or better would result in a dollar savings (annually) of \$900.00 per year. Because the problem is in the summer months only (although power factor is only about 91% for the winter months), we suspect the problem is in the air-conditioning equipment. Correcting at the transformer (primary side) could be a cost effective approach.

Even if the problem is corrected, we encourage you to regularly watch your power factor readings in all municipal buildings and take immediate action if it falls below 90%. If maintenance personnel do not see the bills regularly, consider training the person who pays the bill each month to watch out for penalties and power factor below (or approaching) 90%.

-Monitor Demand Usage

Demand use and charges can be a very important part of some municipal buildings energy use, while in others it is not a major concern.

5

Since your demand is over 150 kW for any billing period, you pay 6.19 for every 1,000 Watts (1 kW) you use, even if this use is only for about 1/2 hour in that billing period. Note there is also a minimum demand charge on accounts that have a large demand for most, but not all, months.

As with power factor, we encourage you to watch your demand recordings, note any significant changes, and attempt to determine if any significant increase can be avoided in the future.

Start-up/Shut-down of Ice Compressors re Billing

When the ice-making compressors run, they have a significant impact on the demand charges paid that month.

Whenever possible, ensure that compressors are not started up one or two days before the beginning of a new building period. In that case you would then be billed for the entire demand charge but only have had the use of the equipment for a few days that billing period. Demand is calculated on a 1/2-hour window in the billing period.

It cannot be predicted exactly what day your meters will be read by B. C. Hydro, but examining your bills for the arena will show typical reading dates. This will usually be fairly consistent. Being aware of the costs could make it worth planning to avoid these demand charges. For example, since your meters are typically read around the 22nd to the 27th of each month, try to plan so the ice will not be put in a few days before the 22nd, avoiding compressor start-up. Similarly, consider the date the ice is taken out and the scheduling of compressor maintenance in the summer, and the potential effect on your bill. Note (eg.) May 26/88 reading date where demand was 456 kW (normal winter demand) but kWh use per day was only 3,600 (about half of winter consumption). A similar situation was noted in the August 24/89 reading date. These readings indicate the compressors are being started up (and/or shut down) about half way through the billing period, incurring al the demand but using relatively little energy. See APPENDIX A for details.

If 200 kW of demand charges are avoided (difference between summer and winter demand) for one billing period in a year and considering applicable minimum demand charges, you will save \$1,200.00 per year (@ 5 cents/kWh).

LIGHTING

Note that savings are calculated in a specific order. The most cost-effective step is usually delamping. Second is reducing the hours of use for the remaining lamps. Thirdly, savings from any conversions (eg. to energy-efficient fluorescent tubes) are calculated using:

6

1. remaining lamps at 2. reduced hours.

If any preceding step is not done, savings will be greater for the latter steps.

See APPENDIX B - LIGHTING: OPERATING HOURS DATA and APPENDIX C - LIGHTING: GENERAL SAVINGS TABLE for details.

INDOORS

The following topics are intended as a general background for specific areas (in the Port Coquitlam Recreation Centre) that have potential lighting energy savings. The principle is the same for savings in areas not covered in this report.

Zoning for Varying Lighting Levels

Zoning an office for varying lighting levels means the level of illumination for a particular area can be specific to the task performed in that area to potentially save energy and maintenance costs. This is similar to the principle of providing task lighting for a desk but applied over a wider area. Zoning gives potential savings in energy and maintenance costs. Examples of zones that could be established for various light levels are customer service areas, halls, drafting or accounting offices, and perimeter areas that have a high contribution of natural daylight. Control of lighting in the zoned area can be achieved in a number of ways: manual or photocell controlled switching; timers; automatic dimming switches; or any combination of the above.

DELAMPING

Delamping Luminaires - General

Delamping areas that are "over-lit" for a particular use offers one of the easiest and least expensive ways to reduce electrical energy operating costs. In many buildings luminaires are placed in a standard grid pattern without regard to eventual use of the area. This results in some areas being "over-lit" for the work tasks performed. Delamping not only aves energy, but also reduces lighting maintenance costs as there are less luminaires to so vice.

7

Delamping 44 fluorescent luminaires (@ 2 lamps per fixture) in various areas of the Recreation Centre will result in savings of \$980.00 per year (@ 5 cents/kWh).

Delamped luminaires should be identified (eg. a red or blue sticker) so that they are not re-energized in error during future lighting maintenance work. Please see the following table for recommended areas and fixtures to delamp.

Delamping Recommendations

Location	# of Fixtures <u>To Delamp</u>
Mabbot Rm Auditorium/1	8 4
Auditorium/2 Lobby	4
Pottery Room Pool Tbl Rm	4 3
Cate Foreman	2 2 2
Kitchen	2
Dressing Rm Entrance	1
Hall/stair Lunch Rm	1
Mtg. Rm #1 Mtg. Rm #2	1
Storage Workshop	1

Removing One Lamp From a Two-Lamp Fixture

Savings from delamping do not have to involve removing two tubes in a fixture. While this is normally the situation since two lamps are required (plus the ballast) to complete the circuit, you can use a "phantom" tube to allow the remaining lamp to operate at reduced light output. These tubes look like fluorescent lamps, but give no light. Since their only function is to complete the circuit, they have an indefinite lifespan. The combination of one standard lamp and a phantom tube results in an energy savings and corresponding light

level reduction of 66%. This option is applicable to various areas in the Recreation Centre, and with a little consideration, you may find additional areas where savings are possible through delamping one lamps only from either a two or four lamp fixture. One caution to note is the possibility of large installations of phantom tubes lowering power factor.

8

REDUCING OPERATING HOURS

Probably the simplest and least expensive method of saving energy used in lighting is to shut off the lights when not needed. From our initial investigation, it would appear there is good potential for reducing the hours of use in the Recreation Centre by switching off lights when the area is not occupied.

Switching Off Fluorescent Lamps

Contrary to a popular belief, improvements in fluorescent lamps and ballasts, along with higher costs for electricity means it pays to switch off fluorescent lights when you leave a room for more than five minutes.

The following savings are available by reducing operating hours in various areas in the Recreation Centre. All numbers given are those after delamping.

Reducing Operating Hours - Cafe

In the Cafe, if the 11 - F40 Fluorescent fixtures can have the operating hours reduced by 40 hours/wk, savings would be \$120.00 per year. This would also mean 2,000 fewer operating hours for the lamps each year.

Reducing Operating Hours - Auditoriums

In the Auditoriums, reducing the operating hours of the 28 - F40 fixtures (each Auditorium) by 14 hours per week, savings would be \$190.00 per year.

Reducing Operating Hours - Arena #1 Ice Surface

Reducing the operating hours of the 40 - 400 Watt Metal Halide fixtures in Arena #1 by 40 hours/week (winter) and by 30 hours/week in summer (currently estimated at 75 hours/week in summer), will give savings of \$1,750.00 per year.

Reducing Operating Hours - Arena #2 Ice Surface

Reducing the operating hours of the 66 - 400 Watt Mercury Vapour fixtures in Arena #2 by 26 hours/week (winter) and by 30 hours/week in summer (currently estimated at 75 hours/week in summer), will give savings of \$2,090.00 per year.

9

Reducing Operating Hours - Mabbot Room

Reducing the operating hours of the lighting in the Mabbot Room by an average of 4 hours/day, 7 days per week, will give savings of \$730.00 per year.

Reducing Operating Hours - Mabbot Rm (Kitchen)

Reducing the operating hours of the lighting in the Mabbot Room by an average of 6 hours/day, 7 days per week will give savings of \$40.00 per year.

FLUORESCENT LAMP CONVERSIONS

Energy Efficient Fluorescent Lamps

An Energy Efficient (4 foot) fluorescent lamp uses 7 Watts less than a standard fluorescent lamp, with only a slight decrease in light output. Energy Efficient lamps are available to replace all popular sizes of standard lamps.

The longer the hours of operation, the greater the energy savings, and the faster the payback on possible premiums paid for the energy saving lamp. Each 4foot energy saving fluorescent lamp



typically saves \$8 to \$10 (based on 5 cents per kWh) over its life. The graph illustrates cost versus yearly savings for an energy efficient lamp operating at various hours. The last example shows the typical proportion of cost versus savings, over a lamp life of 24,000 hours.

Replace Existing Fluorescent Lamps - 4 foot Fluorescents

We have calculated the approximate savings for the (approximate) 492 fixtures (2 lamps per fixture, including ballast) in the building (at various operating hours).

If you replace these lamps with reduced wattage 34 Watt fluorescents, you will save \$1,290.00 per year.

Replace Existing Fluorescent Lamps - 8 foot Fluorescents

Replacing the lamps in the 4 - 8 foot fluorescent fixtures in the Compressor Room (@ 140 hours/wk operation) with energy efficient lamps will save \$45.00 per year.

Power Smart: EE Lamp Rebate Program

To introduce you to the benefits of Energy Efficient Fluorescent lamps, BC Hydro has introduced a new Power Smart Energy Efficient Fluorescent Lamp Rebate Program designed to contribute towards the higher initial cost of the Energy Efficient Fluorescent lamp. B.C. Hydro will rebate you 25 cents per 4 foot lamp when it replaces a 40 watt 'standard' fluorescent. Other rebates under this program are as follows:

25 cents/lamp - a 25 Watt (EE) lamp replacing a standard 30 Watt 50 cents/lamp - a 60 Watt (EE) lamp replacing a standard 75 Watt 50 cents/lamp - a 95 Watt (EE) lamp replacing a standard 110 Watt

Please contact our local office for further information or application forms.



OTHER CONVERSIONS

Replace Incandescents with Compact Fluorescents

Incandescent lighting in the building could be replaced with more efficient ompact Fluorescent' lamps. These lamps can directly replace incandescents in the 25 t J0 Watt size and using the existing socket. With an estimated life of more than 10,000 hears, these lamps will last 10 times longer than 'standard' incandescents and twice as long as the 'Extended service' type (light output will be greater if replacing extended service types). The extended life can mean drastically reduced maintenance hours. Replacing the existing incandescents with Compact Fluorescents will give savings of \$385.00 per year.

Compact fluorescents are not recommended for cold environments and currently, most operate with a power factor below 90% (conversion of large number of incandescents to Compact Fluorescent may lower your overall building power factor).

For standard incandescent bulbs, the general replacements are as follows:

Incan	<u>descent</u>	<u>Compact Fluorescent</u>					
100	Watt	18	Watt	(26	Watts	with	Ballast)
60	Watt	13	Watt	(16	Watts	with	Ballast)
40	Watt	9	Watt	(10	Watts	with	Ballast)

Replace Metal Halide Ice Lighting with HPS

The existing lighting for the ice surface (Arena #1) is provided by 400 Watt Metal halide lights. Replacing these with High-Pressure Sodium lamps (HPS) will save energy, with slightly lower lighting levels (about 5%). Costs for replacement of the lamps will also be slightly less, since the HPS lamps have a life span about 20% greater than the existing lamps.

If the 40 - 400 Watt Metal Halide lamps are replaced with 250 Watt HPS fixtures (operating 100 Hours/week), the result will be savings of \$1,100.00 (@ 5 cents/kWh) for the winter months. In summer months savings will be \$185.00 (@ 45 hours/wk). Total savings for converting the Metal Halide fixtures to HPS will be \$1,285.00 per year.

There is one item to consider when replacing the metal halide with HPS and the is television or video productions of ice events. HPS lighting gives relatively poor image for TV or video, except for newer and relatively short-lived colour improved types. The possible alternative would be to leave some of the existing fixtures in place and use the moment required for such events. Since video productions are usually a very small percentage of total ice-time, the other advantages of HPS lighting should be carefully considered.

11

- Convert Mercury Vapour to High Pressure Sodium

Lighting in Arena #2 of the Recreation Centre is provided by Mercury Vapour luminaires, recently reballasted and relamped (Summer, 1989). While conversion to an efficient High Pressure Sodium fixture is not likely to be cost-effective now that you have new ballasts in place, we have costed out savings from this measure to give you an idea of expected kWh savings possible from typical conversions. As you are aware, the HPS lighting renders colour differently than Mercury Vapour or Metal Halide, but this is generally a consideration only where colour matching is critical.

For 66 - 400 Watt Mercury Vapour lamps converted to 250 Watt HPS lamps (@ 100 hours/week for 38 weeks/year and 5 cents/kWh), savings of \$1,820.00 per year are achievable. This option will result in improved lighting levels. The above savings are for the winter months. In summer months savings by this conversion (operating 45 hours/wk.) will be \$300.00 per year. Both figures assume reduced hours are already implemented. Total savings will be \$2,120.00 per year.

Use Energy-Efficient Fluorescent Ballasts

When purchasing new or replacement fluorescent ballasts consider the advantages of new energy saving ballasts. These new ballasts offer potential energy savings in the order of 10% to 20% over standard ballast designs. Energy-efficient ballasts operate cooler and as a result offer longer ballast life. Choose the ballast type most suitable to your application. Different ballasts offer different features:

- 1) Energy Efficient Magnetic core ballasts are similar to standard ballasts, but are made from better quality materials. This results in lower losses, reduced heat generation, improved electrical performance, higher efficiency and, often, extended life. A luminaire with an energy efficient magnetic ballast saves 10 watts per hour compared to the same luminaire with a standard ballast.
- 2) Electronic Ballasts use solid-state technology to perform traditional ballast functions and are the most efficient ballasts on the market today. Benefits include longer life up to two times that of standard ballasts and higher efficiency. A luminaire with an electronic ballast saves 23 watts compared to the same luminaire with a standard ballast.

12

3) Multi-level energy efficient ballasts allow the light output to be switched from high to low mode. These ballasts give you reduced energy costs without having to resort to delamping. With thought, you can use them to create a versatile and efficient lighting system. On high mode, the lamp gives 100% of light output. The low mode gives a 40% savings in energy consumption with corresponding 40% reduction in light output. Although the average cost of a multi-level ballast is twice that of a standard ballast, the low mode power savings will usually payback this investment in a few years.

13

Energy-Efficient Fluorescent Ballast Savings

For all ballasts (F40 or F34 lamps) converted to energy-efficient ballasts (core/coil type at 10 watts/ballast), savings would be approximately \$925.00 per year.

Replace 'Egg-Crate' Fixture Diffusers

Without something to diffuse or spread out light from fluorescent lamps there would be significant glare, resulting in discomfort for occupants. Devices to reduce the glare are commonly known as diffuser covers and placed below the lamps.

While these diffusers are necessary to reduce glare they also reduce light output since they absorb some of the light passing through them. Some diffusers absorb less light than others and therefore result in a more efficient lighting system. Fixtures in the pottery room have what are called 'egg-crate' diffusers, since they look something like an egg-crate. For the degree of glare control they provide, they are relatively inefficient (30 -35% less efficient) compared to a plastic or glass prismatic diffuser. Egg-crate diffusers are best suited to areas where extreme dirt build-up is a problem.

Exit Light Conversion

Exit lights must be illuminated 24 hours a day, 365 days a year. So converting exit sign lighting from incandescent lamps to compact fluorescent lamps can give you significant energy savings because compact fluorescents use up to 80 per cent less energy than incandescents.

Compact fluorescent lamps last longer: 10,000 to 15,000 hours, or about two years in continuous service, compared to 1,000 hours for standard incandescent lamps. That means less frequent lamp replacement and lower energy costs.

A typical exit sign with 2-20 watt incandescent lamps retrofitted with two-5 watt compact fluorescent lamps will save \$12.25 per sign in energy costs alone.

Converting the 13 incandescent Exit Lights in your Recreation Centre could save you \$160.00 per year.

Power Smart: EE Ballast Rebate Program

To make the conversion to EE Ballasts even more attractive, B. C. Hydro is now offering an Energy Efficient (EE) Ballast Rebate to contribute toward the higher initial cost of an Energy Efficient Ballast. B.C. Hydro will rebate \$1.00 for every EE Ballast replacing a standard ballast. There are also rebates available to encourage the purchase of electronic EE Ballasts under the Custom Option rebate.

Please contact our Ray Denby at 293-7780 or our local office for further information or application forms.

Power Smart: HID EE Lighting Rebate Program

To make the conversion to Energy Efficient HID lighting (Metal Halide or High Pressure Sodium) even more attractive, B. C. Hydro is now offering an HID Lighting Rebate to contribute toward the initial cost of your conversion to 100 Watt and up HID luminaires. B.C. Hydro will rebate \$500.00/kW of energy saved up to 50% of the cost of the new luminaires.

Please contact our local office for further information or application forms.

OTHER LIGHTING IMPROVEMENTS

Clean Luminaires

The efficiency of your lighting system can be improved by adopting a regular cleaning procedure. Dirt on these fixtures can reduce light levels by 10 to 15% or more and cleaning is important in maintaining light levels and ensuring you get all the light you are paying for. This may be particularly important and applicable considering energy-efficient lamps reduce light output slightly.



If all lamps are replaced in one operation to reduce labour time (group relamping), this is an ideal time for cleaning. Be sure to use a non-static, non-bleach cleaner (or dirt and yellowing may increase).

15

Improving Lighting Efficiency with Paint

It is well-known that white or light colours reflect more light than darker colours but the effect of colour on lighting system efficiency is not as well known. As an example, to provide equivalent light levels, it would require 15% more luminaires in a room with medium reflectance values - ceiling 50% and walls 30% - compared with a room with good reflectance values - ceiling 80% and walls 50%. White, off-white or light pastel colours have a 60 - 90% reflectance value while dark tan/light brown will be more like a 30% reflectance value.

This does not mean everything should be painted white, and in fact excessive glare can result from glossy painted surfaces. However, you should plan with the idea of providing significant areas of bright or light colours in a room to minimize the electrical lighting loads.

The Arena Lobby is one specific area where reflectance values appear to be fairly low, although this recommendation should be considered in all your buildings when renovating, redecorating or constructing.

Group Relamping

In 1989 you replaced the lamps in Arena #2 (along with the ballasts) as a 'group relamp'. We recommend you implement group relamping on your major lighting systems. Group relamping means all lamps in an area are replaced at specific time intervals, even if they still work. While it may seem wasteful, savings are generated in a number of ways:

Overall labour costs are reduced since set-up and travel time is much smaller proportionately than individual (spot) replacement (estimates for reduced labour costs from this method are from 80 to 90%);

Work interruptions caused by individual replacement are lessened (relamping can be done during non-operating hours), and;

The actual number of lamps needed may be reduced by as much as 15% since average system light output will be higher with lamps replaced before the end of their rated life. As lamps age, their light output decreases (by the end of their rated life often dropping 25% from initially installed levels).

There are a number of factors that influence the most economic relamping schedule. If you have questions we recommend you contact a qualified lighting maintenance contractor or your lamp supplier who have computer programs available to determine the most economical group relamping schedule for your facility.

OUTDOOR DECORATIVE/BUILDING SECURITY LIGHTING

Place Outdoor Incandescents on Timer or Photocell

Automatic switching controls could reduce your outdoor incandescent lighting operating hours (outside the North door by Arena 2) when not required. Annual savings of 80.09 per year (@ 5 cents/kWh) would result if the 6 - 60 Watt incandescents were shut off during the daylight hours. In addition, the life of the lamps would also be extended by the number of hours they are shut off.



AUTOMATIC CONTROLS

Install Occupancy Sensor - Dressing Rooms

In areas that are used seldom, and then only for brief periods of time (such as the Dressing Rooms), lights are often on, but used relatively little. Because the area may be unoccupied for long periods of time, the lights may be on for many hours before someone notices. An ideal control for this situation is an occupancy sensor. These sensors automatically turn on the lights when someone enters the area, and turn them off again when no movement is detected, after the person has left.

Consider an occupancy sensor to reduce the hours of operation in Dressing Rooms 1 to 4 by 90 hours per week in each room (current operating hours for Rooms 1 and 2 are estimated at 140 hours/wk., and Rooms 3 and 4 @ 126 hours/week). Savings will be \$130.00 per year (@ 5 cents/kWh).

MOTORS

Install Energy-Efficient Motors

High-efficiency (HE) electric motors offer a long-term solution to reducing energy costs. HE motors deliver the same output as a standard motor but consume up to 10% less energy. Since an electric motor uses four to eight times its purchase price in energy every year, the premium paid for the HE motor is a good investment.

17

We have costed savings from converting a number of standard efficiency motors to High-Efficiency motors and using various operating hours/week. Annual savings from motor conversion would be approximately \$2,360.00 per year. See APPENDIX D - ENERGY EFFICIENT MOTOR CONVERSION SAVINGS for details.

Power Smart: High-Efficiency Motors

The High-Efficiency Motor Program is a reward for being more efficient. The greater the efficiency of the motor you install (compared to an industry 'standard' motor), the greater your rebate. You get \$400 for every kilowatt saved, up to a maximum 20% of the cost of the motor.

For example, a standard 100 h.p. motor with an efficiency rating of 90.7% replaced with an energy-efficient motor with a rating of 93% will earn you the minimum rebate of \$800. A new motor with a rating of 93.8% will give you a rebate of \$1,087. And you start saving on energy costs right away.

Please contact Ray Denby or our local office for further information or application forms.

Investigate Staging of Compressors

The compressors are apparently not set up where one will operate until the load cannot be met, then another starts. This can impact on your demand charges and give relatively poor performance for your system re electrical efficiency. Consider staging these compressors to reduce your costs and reduce the start/stop cycling on the motors.

- Summer Operation of Brine Pumps (Costing)

During the course of the audit it was mentioned you are considering running the brine pumps continuously throughout the summer. We would like to point out the energy costs associated with this measure.

18

With two brine pumps (one at 25 H.P. and one at 20 H.P.) operating 24 hours/day, 14 weeks/year (summer) and 5 cents/kWh, the approximate cost of operation will be 4,000 - 4,500 for the summer. Please consider other methods of avoiding the problem (eg. manual cleaning of the nozzles, flushing, etc.) and their costs before implementing this measure. You have suggested the actual summer 'down' time may be closer to 5 months or 20 weeks. This would give a cost of $20/14 \times 4,000 = 5,700.00$

DOMESTIC HOT WATER

All natural gas hot water savings are calculated assuming \$4.21 for one Gigajoule of Natural Gas, and a system efficiency (delivered to the end use) of 63%. While you have heat recovery on your hot water systems, savings are valid as the load that cannot be met by the recovery system are met by the natural gas heating system. Since you consistently run out of hot water the measures indicated following may in fact not save the dollars indicated but instead give you more hot water.

Reduced Flow Shower Head Savings - (Each)

The shower heads in the Centre are the typical head type with a flow rate of around 0.4 litres per second. Reduced flow shower heads have a flow rate of around 0.16 litres per second, and with quality heads made by the major manufacturers it is difficult or impossible to tell the difference between the two flows.

Cost of a shower head should be around \$10.00 - \$20.00 and savings of \$31.00 per year will be realised (based on use of 15 minutes/day, 7 days/wk., 38 wks/yr. and water temperature of 42 Deg.C).

Note this number is an estimate only and if use is 20 minutes per day (average), savings will be 33% his her.

.

- Lower Water Temperature in the Ice Cleaning Machine

The temperature of the water used to flood the ice is approximately 60 Degrees C. (140 Degrees F). Reducing this temperature by 10 Degrees C. will result in savings of \$810.00 per year in hot water heating costs (@ 450 Litres per flood, 24 floods/day, 38 weeks/year. Lower temperatures can give a good flood, but this measure should certainly be sampled in a number of months with varying outside temperatures. The lower temperature may not be satisfactory in extremely cold winter months, but be perfectly acceptable for most other times of the year. Lower flood water temperatures may even be better than high temperatures if fogging is a problem in the arena, since there is less evaporation at lower temperatures. Moreover, lower water temperature also reduces the load on refrigeration compressors.

Reduce Quantity of Ice Flood Water

The ice-resurfacing machine typically returns from floods with water left in the machines' tank. This water then cools off before the next flooding. We have calculated the amount of savings if you can reduce this water 'over-fill' by 90 Litres per flood (20 Imperial Gallons). If water is used at 60 Degrees C., and cools to approximately 10 Degrees C., savings of \$810.00 per year, can be realised in reduced water heating costs.

BUILDING ENVELOPE

Weatherstripping and Caulking

Weatherstripping is an important part of a building's energy conservation program. As a piece of equipment, it wears out fairly quickly, particularly where the door or window gets a lot of use. Door weatherstripping in a building like this may need to be replaced as often as every year. Weatherstripping should at least be checked every year, and replaced as necessary.

19

WEATHERSTRIPPING SUMMARY

The following door weatherstripping conditions were noted in the weatherstripping review:

		CONDITION	
<u>Location</u>	Sides	Тор	Bottom
Pottery Room	none	none	none
Front Door	poor	okay	poor
Meeting Room	good	good	good
Smoking Room	good	good	good
Cafe (West)	good	good	good
Pool Room	aood	good	good
Seniors Door (South West)	poor	ōkay	poor

Weatherstripping on the compression (hinge) side of doors and windows should be placed on the door frame itself, not on the 'face' as the other three sides.

Shutting Off Gas Radiant Heaters

Consider putting the gas radiant heaters in the arena on a timer. They apparently operate from 1 p.m. to 8 p.m. unnecessarily. Savings were not costed out for this measure but implementation could be done manually and savings could be significant.

Low Emissivity Ceilings

We have included this brief discussion of a recent (in the past five years) option arenas have installed, known as a low emissivity ceiling (LEC). Although the ceiling is usually installed in an attempt to correct a specific problem, it has been found the LEC is useful in improving many other aspects of arenas. These ceilings help in reducing heat radiation from the ceiling, eliminating obvious problems like fogging on sunny days. Less obvious are other benefits which have been noticed: pick-up times to bring the brine down to normal temperatures have been reduced by 50% (possible savings from allowing the temperature to rise at night); dripping condensation from the ceiling is eliminated; and illumination levels are improved (possible savings from reducing lights). Even without considering potential lighting savings, electrical use in refrigeration has been reduced by as much as 22%. One item to review before installation of an LEC is the present condition of the roof structure, and any problems in this area must be corrected before considering an LEC. Typical installed Low Emissivity Ceiling costs are around \$30,000.
MECHANICAL SYSTEM MAINTENANCE

Check and Clean Filters (Heating, Ventilating and Air Conditioning Systems)

The filters in the HVAC system should be checked and cleaned regularly. To determine how often would be optimum, have them checked regularly once a month for about a year, then decide on the frequency of cleaning required for this building. Dirty filters reduce the amount of heated air that can flow to the various areas in the building, ultimately requiring the heating system to run longer to provide the required amount of heat. When filters are clogged, fan motors require greater energy input because of the higher resistance to air flow.

Recommended Maintenance

Following are a number of recommended maintenance steps for the Port Coquitlam Recreation Centre, to maintain comfort, equipment life, and reduce costs.

Every Month Check filters and replace or clean if necessary

Every Six Months

Check settings of control points for HVAC system. Document. Lubricate motor and drives (as per specs) to reduce friction Check time clock settings

Every Year

Tighten belts and pulleys to reduce losses due to slip Check bearings on motors and replace as necessary Check dampers for correct operation and positioning Check seals on dampers (particularly outside air dampers) Ensure heating and cooling coils are clean Ensure no obstruction of heaters, diffusers, and return grilles Check weatherstripping on main doors and opening windows Check operation and clean photocontrol covers

Every Two Years

Group relamping time? Actual time depends on lamp type and annual hours of use. Clean diffusers and fixtures with non-static cleaner

Check space temperatures and rebalance air systems if necessary to minimize overheating or overcooling of specific areas.



21

ENERGY MANAGEMENT ADMINISTRATION TASKS

Top Management Commitment. All energy conservation programs have a common feature that comes first on the list, commitment from top management. From making decisions about energy options to gaining cooperation of employees and staff, management needs to be committed. Consider distributing a newsletter notifying staff that the administration is committed to reducing energy consumption, while increasing comfort, and ask for their support and comments.

Charting Progress. Information telling staff about results from the conservation program should, above all, be clear, concise and easy to understand. Graphs, drawn by hand or by computer, are about the best way for everyone involved to quickly absorb how the program is working. Calculated numbers (for example, gigajoule per degree day for gas, or kWh per degree day for electricity) should be used consistently and complicated factors left for technical staff and omitted from the employee information aspect of the program.

The statement "Our electricity costs have been reduced 10% in the past 9 months alone" gets better support than explaining how "kilowatt-hours per normalized degree day period per cubic metre of building, were reduced 10%".

Staff Follow-up. Your staff will take a more active part in saving energy if they know how the program is working. If energy use goes up, it may be an incentive for them to try harder or at least ask questions, and if use has gone down, they can feel rewarded. This is one of the more important aspects of an overall energy management program.

Charting Progress. Information telling staff about results from the conservation program should, above all, be clear, concise and easy to understand. Graphs, drawn by hand or by computer, are about the best way for everyone involved to quickly absorb how the program is working. Calculated numbers (for example, gigajoule per degree day for gas, or kWh per degree day for electricity) should be used consistently and complicated factors left for technical staff and omitted from the employee information aspect of the program.

The statement "Our electricity costs have been reduced 10% in the past 9 months alone" gets better support than explaining how "kilowatt-hours per normalized degree day period per cubic metre of building, were reduced 10%".

Staff Follow-up. Your staff will take a more active part in saving energy if they know how the program is working. If energy use goes up, it may be an incentive for them to try harder or at least ask questions, and if use has gone down, they can feel rewarded. This is one of the more important aspects of an overall energy management program.

23

Setting Goals. After you have assessed energy use patterns and where most eraily dollars are going, specific goals should be set. These goals can be both short-term (1 is ror less) and long-term (1 to 5 year) goals. Many successful energy conservation provides direct efforts at specific tasks or projects, one at a time. The goals should include an estimated per cent energy use reduction, and this should be known by the employee Long-terms goals usually involve reductions of 10 - 30%, but employee participation usually works better if short-term goals are stressed. There is a sense of satisfaction and "pulling together", for both management and staff, that comes from setting achievable goals.

ENERGY MANAGEMENT GRAPHIC AIDS

Wall Switches

Stickers are available that fit over light switches to remind employees to switch off the lights to save energy.

RECORD KEEPING

Monitoring Energy Data

Once management is committed to taking steps to reducing energy use, the first component of all energy management plans is analyzing current energy use and monitoring it as an ongoing process. We recommend you set up a system to facilitate monitoring energy use in your Recreation Centre, either using municipal staff, or using a private service. Document the following information from the bills:

- Meter number and file number for the building
- Date the period begins
- Date the period ends
- kWh use
- kW (demand) use
- Power Factor

Divide kWh use by the number of days in the period to determine an average kWh use per day and compare with the period before. Demand use and power factor can be used directly as listed on the bill and compared. Ideally, kWh and kW will not go up without good reason, while power factor should not go below 90% or you will pay a penalty.



- help establish if and when closer examination of energy use is necessary
- determine whether components such as energy conserving equipment and insulation are performing as claimed
- detect equipment malfunction that costs you money
- identify where most energy is used, (ie.) where to look first for savings, and gives an idea of what the savings might be
- avoid penalties by ensuring power factor problems do not slip by unnoticed

Tracking Maintenance Data

Maintenance. To allow HVAC problems to be tracked, you should require that all work done be recorded, whether or not maintenance work is contracted out. We suggest using a coil-bound book to keep all records intact or, if records are loose-leaf, ensuring that copies are sent to the municipal hall for filing.

FURTHER B.C. HYDRO ENERGY CONSERVATION SERVICES

In addition to this walk-through audit, B.C. Hydro offers other assistance, from printed material to seminars, to help solve your energy conservation problems.

For further information on options that may be available to your municipality on reducing energy costs, contact Ray Denby at 293-7780 or the Commercial Energy Management Department (Vancouver).



CONCLUSION

We hope this energy audit will assist you in reducing your energy use in this facility and you will be able to use general principles outlined for this building to save energy and money in your other buildings. We would like to thank at this time the various people who provided assistance during the audit, and in particular Dennis McInnis, Assistant Foreman.

We will be contacting you in approximately six months to discuss your energy management program progress. In the meantime, if you require additional information on this audit or other Power Smart programs, please don't hesitate to call.

Thank you for the opportunity to discuss energy conservation with your municipality.

G.P. Lysyk B.C. Hydro Area Manager

 4
 4
 4
 4
 4
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 6
 3.92 ¢/KWH ۲ н 10,778 19,414 9,121 9,121 9,121 9,121 9,121 9,121 9,121 9,121 9,528 8,727 9,528 8,727 9,528 9,524 9,528 9,329 10,072 8,934 5,489 5,489 460 TOTAL 610 ΪĂ PF SUR-2150 WILSON AVE PORT COQUITLAM CITY 8. OTHER 0 1155 1199 86 86 86 18 HISTORY
 18.315
 9.896

 88.1716
 9.895

 9.895
 9.895

 9.895
 9.805

 88.257
 9.903

 88.257
 9.107

 88.257
 9.107

 88.257
 9.107

 88.257
 9.107

 88.257
 9.107

 88.257
 9.107

 9.107
 9.107

 9.107
 9.107

 9.107
 9.107

 9.107
 9.107

 9.107
 9.107

 9.107
 9.107

 9.107
 9.107

 9.107
 9.107

 9.108
 9.107

 9.1098
 9.107

 9.1017
 9.107

 9.1018
 9.107

 9.1017
 9.107

 9.1018
 9.108

 9.1019
 9.107

 9.1011
 9.107

 9.1020
 9.107

 9.1030
 9.107

 9.1040
 9.107
 647 8,801 9,316 8,263 4,979 4,288 REVENUE LOCATION: 1 DISTRICT: 1 SIC: 6 ں 8,166 7,759 1,1313 1,1313 1,1313 1,1313 1,1315 1,13 -8,152 8,006 7,800 2,770 2,700 6,187 18 H)-----DAILY AVERAGE с. 1.6 1 CITY PORT COQUITLAM 14-5170-14501 1211 ELEC (KH. 481,800 225,000 225,000 43,200 58,800 58,800 58,800 58,800 58,800 58,800 58,800 568,800 2550,800 TOTAL 236,400 256,200 226,200 132,600 86,400 937,800 274,800 NAME: ACCT: RATE: 8 DEMAND DAYS 25.JAN90 22DEC89 240CT89 255EP89 24AUG89 22JUN89 22JUN89 22JUN89 22JUN89 03APR89 03APR89 03APR89 03APR89 25JAN89 225JAN89 22DEC88 24NDV88 250CT88 275EP88 26JUL88 23JUL88 23JUL88 26MAY88 27MAY88 27MAY8 23DEC87 24N0V87 230C187 24SEP87 24SEP87 24SEP87 READ 1988BEC 860 200 JUL JUL MAY FEB JAN 1989DEC SEP JUN JUN ANY APR MAR FEB JAN 1990JAN -BILLING-ALG 1987

A

APPENDIX

8

ម្ល

		\$/GJOULE	4.22	4.22 4.32 4.32 4.32 4.32 4.32 4.22 4.22	4.23 4.23 4.23 4.23 4.23 4.23 4.23 4.23	4.04 4.07 4.08 4.15 4.15
		IE (\$) 12 MONTHS RUNNING	11.335	11,458 11,672 11,781 11,922 11,986 11,986 11,986 11,937 11,937 11,937 11,937	12, 345 12, 745 12, 742 12, 748 12, 748 12, 748 12, 748 10, 579 90, 570 90, 570 12, 785 12, 78	4.610 2.461 1.064 245
-	LSON AVE QUITLAM CITY R	REVENU MONTHLY	1.836	2.829 594 184 184 133 235 385 384 235 385 2333 2333 2959 11,458	1,655 1,363 345 1365 1366 1,966 1,966 1,968 1,946	2,149 1,397 819 245 4,610
201710	IION: 2150 WI LICT: PORT CO : 8. OTHE	ON (GJ) 12 Months Running	2,679	2,759 2,759 2,759 2,818 2,815 2,914 2,915	2,953 3,074 3,075 3,081 3,081 1,733 1,735	1,134 603 59 59
1 1 1	LAM LOCAT DISTR SIC	CONSUMPTI MONTHLY	435	670 140 43 43 55 55 99 99 464 2,708	392 167 167 31 31 31 31 32 332 457 644 645 645	532 343 201 59 59 1,134
	501 501	DAYS	34	30 30 30 30 30 30 30 30 30 30 30 30 30 3	361 44 23 23 33 23 28 23 28 23 28 23 28 23 28 29 29 29 29 29 29 29 29 29 29 29 29 29	28 29 121
	ITY PORT 4 4-5170-14 000	READ DATE	25JAN90	2205C89 240C789 25556789 240C789 240G89 2210N89 2210N89 251AN89 255JAN89 255JAN89 255JAN89	22DEC88 2400V88 250CT88 275EP88 24AUG88 25JUU88 25JUU88 25JUU88 26JAU88 25JAU88 26JAU88 26JAU88	23DEC87 24N0V87 230CT87 24SEP87 24SEP87
		00	JAN	DEC DEC JUN JUN DER MAR DAN DAN DAN DAN	DEC DUC JUL JUL JUL DUL DUL DUL DUL	DEC NOV SEP
	AC	-BILL -PERI	0661	1989	1988	1987

APPENDIX A

APPENDIX B

LIGHTING:

OPERATING HOURS DATA

							n			E	E	
Location	01d Lite	01d Watt	N L	ew ite	New <u>Watt</u>	# of lite	E L A M P	01d Hrs Wk	New Hr Wk	Wk Yr	B A L S T	New Sys # of Lite
ARENA #1												
Foreman Meeting Area Spare Off Co-ordinator Lobby Young Rm Lunch Rm Ice surface Dressing Rm1 Dressing Rm2 Dressing Rm3 Dressing Rm4 Compress. Rm Compress. Rm Compress. Rm Workshop Mabbot Rm Mabbot Rm Kitchen Hall/stair	F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW	93 93 93 93 93 93 93 93 93 93 93 93 93 9	EEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEE	'F40' 'F40' 'F40' 'F40' 'F40' 'F40' 'F40' 'F40' 'F40' 'F40' F40'	79 799 799 799 3059 799 3059 799 799 1429 799 799 799 799 799	8 18 2 2 10 5 40 2 2 2 2 4 1 3 6 116 24 4 4	2 1 1 8	60 35 50 168 40 140 140 140 126 140 140 140 140 140 140 140 140 140 140	55 45 55 50 100 50 50 36 36 63 42	50 52 50 50 50 50 50 50 50 50 50 50 50 50 50	y y y y y y y y y y y y y y y y y y y	
Canopy Total Bldg Ice surface Ice Surface	Incand. Exit Lts. Metl Hal. Merc.Vap.	25 40 450 450	No C C.F. H.P H.P	hg. 5W .S. .S.	25 12 305 305	24 13 40 66		84 168 75 75	45 45	52 52 14 14		
									. 🕶			

-

LIGHTING: OPERATING HOURS DATA

APPENDIX

8

										EE	
Location	01d Lite	01d <u>Watt</u>	New Lite	New Watt	# of lite	D E L A P	01d Hrs Wk	New Hr <u>Wk</u>	Wk Yr	B A L S T	New Sys # of Lite
WILSON CENTR	E										
Pottery Room Entrance Outer Office Wall lights Reception Entr. Halls Mtg. Rm #1 Mtg. Rm #1 Mtg. Rm #2 Cafe Cafe Pool Tbl Rm Auditorium/1 Auditorium/2 Wshrms Kitchen	F40/CW F40/CW F40/CW Incand. F40/CW Incand. F40/CW Incand. F40/CW Incand. F40/CW F40/CW F40/CW F40/CW F40/CW	93 93 60 93 75 75 93 100 93 100 93 93 93 93 93	EE 'F40' EE 'F40' EE 'F40' C.F.13W EE 'F40' C.F.13W C.F.13W EE 'F40' C.F.18W EE 'F40' C.F.18W EE 'F40' C.F.18W EE 'F40' EE 'F40' EE 'F40' EE 'F40'	79 79 17 79 17 79 17 79 26 79 26 79 79 79 79	32 4 2 3 4 2 7 12 4 12 3 13 4 15 32 2 2 10	4 1 1 2 3 4 4 2	50 168 40 84 168 168 40 40 84 84 84 84 84 84 84 84 84 84 84 84 84	40 70 70	55555555555555555555555555555555555555	Ууу У У У У У У У У У У У У У У У	
ARENA #2 Out North Dr Lobby Ice Surface Ticket Off. Skate Shop Concession Dressing Rm Hallway	Incand. F40/CW F40/CW Merc.Vap. F40/CW F40/CW F40/CW F40/CW F40/CW	60 93 93 93 93 93 93 93	No Chg. EE 'F40' EE 'F40' H.P.S. EE 'F40' EE 'F40' EE 'F40' EE 'F40' EE 'F40'	60 79 79 305 79 79 79 79 79	6 2 2 75 6 4 3 9 9 6	4 1 1 2	168 168 168 126 108 108 88 126	84 100 36	52 42 38 38 38 40 40	у у у у у у у у у у у у у у у	

APPENDIX C

LIGHTING:

GENERAL SAVINGS TABLE

	Convert			SAVINGS f	rom MEASU	RE
Area	to Lamp Type	Hours Reduced	Reduce Hours	Convert Lamps	Convert Ballast	Delamping
ARENA #1	·					
Foreman	EE 'F40'	5	\$7	\$12	\$8	\$28
Meeting Area	EE 'F40'	ō	\$0	\$23	\$16	\$0
Spare Öff	EE 'F40'	5	\$2	\$3	\$2	\$0
Co-ordinator	EE 'F40'	5	\$2	<u>\$4</u>	\$3	\$0
Lobby	EE 'F40'	0	\$0	\$12	\$8	\$0
Young Rm	EE 'F40'	0	\$0	\$11	\$8	\$0
Lunch Rm	EE 'F40'	90	\$84	\$7	\$5	\$33
Ice surface	H.P.S.	40	\$1,368	\$1,102	\$0	\$0
Dressing Rml	EE 'F40'	90	\$33	\$3	\$2	\$0
Dressing Rm2	EE 'F40'	90	\$33	\$3	\$2	\$0
Dressing Rm3	EE 'F40'	90	\$33	\$2	\$1	\$0
Dressing Rm4	EE 'F40'	90	\$33	\$2	\$1	\$0
Compress. Rm	EE96/430	0	\$0	\$44	\$0	\$0
Compress. Rm	EE 'F40'	0	\$0	\$5	\$4	\$0
Compress. Rm	EE 'F40'	0	\$0	\$15	\$11	\$0
Workshop	EE 'F40'	0	\$0	\$25	\$18	\$34
Mabbot Rm	EE 'F40'	28	\$731	\$248	\$177	\$176
Mabbot Rm	No Chg.	Û	\$0	\$0	\$0	\$0
Kitchen	EE 'F40'	42	\$41	\$6	\$4	\$0
Hall/stair	EE 'F40'	0	\$0	\$18	\$13	\$41
Canopy	No Chg.	0	\$0	\$0	\$0	\$0
Total Bldg	C.F. 5W	0	\$0	\$159	\$0	\$0
Ice surface	H.P.S.	30	\$378	\$183	\$0	\$0
Ice Surface	H.P.S.	30	\$624	\$301	\$0	\$0

j,



LIGHTING: GENERAL SAVINGS TABLE

	Convert			SAVINGS f	rom MEASU	RE
	to Lamp	Hours	Reduce	Convert	Convert	
Area	Туре	Reduced	Hours	Lamps	Ballast	Delamping
WILSON CENTR	E					
Pottery Room	EE 'F40'	0	\$0	\$51	\$36	\$48
Entrance	EE 'F40'	0	\$0	\$18	\$13	\$41
Outer Office	EE 'F40'	0	\$0	\$3	\$2	\$0
Wall lights	C.F.13W	0	\$0	\$13	\$0	\$0
Reception	EE 'F40'	0	\$0	\$12	\$9	\$0
Reception	C.F.13W	0	\$0	\$51	\$0	\$0
Entr. Halls	C.F.13W	0	\$0	\$17 7	\$0	\$0
Mtg. Rm #1	EE 'F40'	0	\$0	\$16	\$11	\$10
Mtg. Rm #1	C.F.18W	0	\$0	\$31	\$0	\$0
Mtg. Rm #2	EE 'F40'	0	\$0	\$34	\$24	\$20
Mtg. Km #2	C.F.18W	0	\$0	\$48	\$0	\$0
Cafe	EE 'F40'	44	\$117	\$16	\$11	541
	C.F.18W	0	\$0	\$65	\$0	\$U
POOL IDI KM	EE 'F40'	0	\$0	\$37	\$25	201
Auditorium/1	LE 'F40'	14	\$95	\$71	\$51	581
Augitorium/2	EE 'F40'	14	\$95	\$/1	221	381
wsnrms	LE 'F40'	0	\$0	\$12	\$9 ¢17	50
Kitchen	EE 'F40'	0	\$0	\$24	\$17	\$41
ARFNA #2						
Out North Dr	No Cha	84	\$79	\$0	\$0	\$0
Lobby	FF 'F40'	Ő	\$0	\$109	\$78	ŝõ
Lobby	EE 'F40'	õ	ŝõ	\$351	\$250	\$131
Ice Surface	H.P.S.	26	1.467	\$1,818	\$0	\$0
Ticket Off.	EE 'F40'	ō	\$0	\$11	\$8	\$0
Skate Shop	EE 'F40'	ō	ŝõ	\$9	\$6	\$0
Concession	EE 'F40'	ŏ	ŝõ	\$19	\$13	\$16
Dressing Rm	EE 'F40'	90	\$134	\$8	\$6	\$23
Hallway	EE 'F40'	0	\$0	\$19	\$13	\$62

APPENDIX D

MOTORS: ENERGY EFFICIENT CONVERSION SAVINGS

We have costed out a sample of savings possible by converting some of your motors to Energy-Efficient types. All savings costed at 5 cents/kWh.

 Application	<u> </u>	Annual <u>Hours</u>	01d Eff.	New Eff.	Demand Savings	Annual Dollar <u>Savings</u>
Compressor #1	60	3500	90.2	93.6	1.80	\$315
Compressor #2	60	3500	90.2	93.6	ī.80	\$315
Compressor #3	50	5000	88.5	93.5	2.25	\$563
Compressor #4	50	5000	88.5	93.5	2.25	\$563
Brine Pump #1	25	4500	87.7	92.4	1.08	\$243
Brine Pump #2	20	4500	86.6	92.2	1.05	\$235
Cooling Tower #1	5	3500	81.2	88.1	0.36	\$63
Ccoling Tower #2	5	3500	81.2	88.1	0.36	\$63





22 October 1990

Mayor and Council District of Port Coquitlam 2580 Shaughnessy St. Port Coquitlam, BC V3C 2A8

Your Worship and Council:

Over the past year, BC Hydro has been in contact with all the municipalities in our service area regarding Municipal Energy Efficiency. Our initial contact was a two-fold approach. The municipalities received a letter from John P. Sheehan, Vice-President of Customer Services explaining the Municipal Energy Efficiency Policy and asking that the policy be considered for adoption. We also offered each municipality a complimentary Municipal Energy audit of a municipal facility of your choise to demonstrate potential electrical energy savings. In your municipality, the Port Coquitlam Recreation Centre was audited and showed potential savings of \$16,780 annually. We are currently following up your audit with Mr. Tom Jackson, Arena Supervisor to review what savings have been achieved to date.

When the results of your audit were presented to Council, the municipality was asked to adopt an Energy Efficiency Policy. To date over 50 municipalities have adopted the policy and the numbers continue to grow. These municipalities have recognized the need to have a consistent policy in place to ensure that all levels of their organization are committed to energy efficiency.

Enclosed with this letter is the Municipal Energy Efficiency Policy, typical of the statement being adopted by many B.C. Municipalities. It outlines the policy and performance standards we would like to see you adopt. BC Hydro will continue to work closely with your staff to make this policy easy to implement and adapt it to your needs.

We ask your Council to consider adoption of the Municipal Energy Efficiency Policy at your earliest convenience. Our Power Smart Marketing Representative, Doug Fraser at 293-7772 would be pleased to answer any questions you may have concerning this or other Power Smart information.

Yours truly,

6 LYSYK

Mr. G. Lysyk Area Manager Lower Mainland North

Enclosure

British Columbia Hydro, # 201 - 4940 Canada Way, Burnaby, B.C. Canada V5G 4K6

THE CORPORATION OF THE CITY OF PORT COQUITLAM

MEMORANDUM

TO: Janna Taylor, Director Parks and Recreation

> Bryan R. Kirk City Administrator

DATE: October 24, 1990

200 Z. Oct 31

RE: B.C. Hydro Power Smart Report

Would you please review and comment on the attached report.

It will be presented to Council at its meeting of November 5, 1990.

Thank you.

FROM:

Benon

/dp Att. Walk-Through Energy Audit Report

for the

CITY OF PORT COQUITLAM

Port Coquitlam Recreation Centre

Conducted by

Mr. Ray Denby (B.C. Hydro) Mr. Tom Knox (Enerdata Systems Ltd.)

May, 1990

File Number: 89-17

B. C. Hydro MUNICIPAL ENERGY EFFICIENCY PROGRAM

TABLE OF CONTENTS

and a star of the second s

INTRODUCTION Intervention Intervention Intervention The Walk-Through Energy Audit Intervention Building Description Intervention Correct and Monitor Power Factor Monitor Demand Usage Monitor Demand Usage Intervention Start-up/Shut-down of Ice Compressors re Billing Intervention LIGHTING Intervention Delamping Luminaires - General Delamping Recommendations Delamping Recommendations Intervention Removing One Lamp From a Two-Lamp Fixture Reducing Operating Hours Reducing Operating Hours - Arena #1 Ice Surface Reducing Operating Hours - Arena #1 Ice Surface Reducing Operating Hours - Arena #1 Ice Surface Reducing Operating Hours - Mabbot Room Reducing Operating Hours - Mabbot Rom PReplace Existing Fluorescent Lamps - 4 foot Fluorescents Replace Existing Fluorescent Lamps - 8 foot Fluorescents Intervention Replace Existing Fluorescent Lamps - 8 foot Fluorescents Intervention Replace Existing Fluorescent Lamps - 8 foot Fluorescents Intervention Replace Existing Fluorescent Lamps - 8 foot Fluorescents Intervention Replace Existing Fluorescent Swith Compact Fluorescents Intervention	Summary of Savings 1	
Building Description 3 Correct and Monitor Power Factor 4 Monitor Demand Usage 5 Start-up/Shut-down of Ice Compressors re Billing 5 INDOORS 6 Zoning for Varying Lighting Levels 6 DELAMPING 6 Delamping Luminaires - General 6 Delamping Recommendations 7 Removing One Lamp From a Two-Lamp Fixture 7 REDUCING OPERATING HOURS 8 Switching Off Fluorescent Lamps 8 Reducing Operating Hours - Cafe 8 Reducing Operating Hours - Arena #1 Ice Surface 8 Reducing Operating Hours - Mabbot Room 9 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 OTHER CONVERSIONS 11 Replace Existing Fluor	Energy Management Program Components	
Correct and Monitor Power Factor 4 Monitor Demand Usage 5 Start-up/Shut-down of Ice Compressors re Billing 5 LIGHTING 6 INDOORS 6 Zoning for Varying Lighting Levels 6 Delamping Luminaires - General 6 Delamping Recommendations 7 Removing One Lamp From a Two-Lamp Fixture 7 REDUCING OPERATING HOURS 8 Switching Off Fluorescent Lamps 8 Reducing Operating Hours - Arena #1 Ice Surface Reducing Operating Hours - Arena #1 Ice Surface Reducing Operating Hours - Mabbot Room Replace Existing Fluorescent Lamps 9 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 POWER SIONS 10 Power Smart: EE Lamp Rebate Program 10 OTHER CONVERSIONS 11 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10	The walk-Infough Energy Audit	
Monitor Demand Usage 5 Start-up/Shut-down of Ice Compressors re Billing 5 LIGHTING 6 INDOORS 6 Zoning for Varying Lighting Levels 6 Delamping Luminaires - General 6 Delamping Recommendations 7 Removing One Lamp From a Two-Lamp Fixture 7 REDUCING OPERATING HOURS 8 Switching Off Fluorescent Lamps 8 Reducing Operating Hours - Arena #1 Ice Surface Reducing Operating Hours - Arena #2 Ice Surface Reducing Operating Hours - Mabbot Room Replace Existing Fluorescent Lamps 9 Replace Existing Fluorescent Lamps 10 Power Smart: EE Lamp Rebate Program 10 OTHER CONVERSIONS 11 Replace Incandescents with Compact Fluorescents 11 Replace Metal Halide Ice Lighting with HPS 11 Convert Mercury Vapour to High Pressure Sodium 12 <td>Building Description</td> <td></td>	Building Description	
Monitor Demand Osage 5 Start-up/Shut-down of Ice Compressors re Billing 5 LIGHTING 6 INDOORS 6 Zoning for Varying Lighting Levels 6 DELAMPING 6 Delamping Luminaires - General 6 Delamping Recommendations 7 Removing One Lamp From a Two-Lamp Fixture 7 Rebucing Operating Hours - Cafe 8 Reducing Operating Hours - Arena #1 Ice Surface 8 Reducing Operating Hours - Arena #2 Ice Surface 9 Reducing Operating Hours - Mabbot Room 9 Reducing Operating Hours - Mabbot Room 9 Reducing Operating Fluorescent Lamps 9 Reducing Operating Hours - Mabbot Room 9 Reducing Operating Hours - Mabbot Room 9 Replace Existing Fluorescent Lamps 9 Replace Existing Fluorescent Lamps - 4 foot Fluorescents 10 Power Smart: EE Lamp Rebate Program 10 OTHER CONVERSIONS 11 Replace Incandescents with Compact Fluorescents 11 Replace Incandescents with Compact Fluorescents 11 Replace Incandescents with Compact Fluoresc	Confect and Monitor Tower Factor	
LIGHTING 6 INDOORS 6 Zoning for Varying Lighting Levels 6 DELAMPING 6 Delamping Luminaires - General 6 Delamping Recommendations 7 Removing One Lamp From a Two-Lamp Fixture 7 REDUCING OPERATING HOURS 8 Switching Off Fluorescent Lamps 8 Reducing Operating Hours - Cafe 8 Reducing Operating Hours - Auditoriums 8 Reducing Operating Hours - Arena #1 Ice Surface 8 Reducing Operating Hours - Mabbot Room 9 Reducing Operating Hours - Mabbot Room 9 Reducing Operating Fluorescent Lamps 9 Replace Existing Fluorescent Lamps - 4 foot Fluorescents 10 Replace Existing Fluorescent Lamps - 4 foot Fluorescents 10 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 Replace Incandescents with Compact Fluorescents 11 Replace Incandescents with Compact Fluorescents 11 Replace Metal Halide Ice Lighting with HPS 11 Convert Mercury Vapour to High Pressure Sodium 12 Use Energy-Efficient Fluorescent Ballasts 13	Monitor Demand Osage	
LIGHTING 6 INDOORS 20ning for Varying Lighting Levels 6 DELAMPING 6 Delamping Luminaires - General 6 Delamping Recommendations 7 Removing One Lamp From a Two-Lamp Fixture 7 REDUCING OPERATING HOURS 8 Switching Off Fluorescent Lamps 8 Reducing Operating Hours Cafe Reducing Operating Hours Auditoriums Reducing Operating Hours Arena #1 Ice Surface Reducing Operating Hours Arena #2 Ice Surface Reducing Operating Hours Mabbot Room Reducing Operating Hours Mabbot Room <t< td=""><td>Staft-up/Shut-down of ice Compressors ie Dining</td><td></td></t<>	Staft-up/Shut-down of ice Compressors ie Dining	
INDOORS Zoning for Varying Lighting Levels 6 DELAMPING Delamping Luminaires - General 6 Delamping Recommendations 7 Removing One Lamp From a Two-Lamp Fixture 7 REDUCING OPERATING HOURS 8 Switching Off Fluorescent Lamps 8 Reducing Operating Hours Cafe Reducing Operating Hours Auditoriums Reducing Operating Hours Arena #1 Ice Surface Reducing Operating Hours Arena #2 Ice Surface Reducing Operating Hours Mabbot Room <	6 CHTINC	
Animation Animatical Structure Animatical Structure DELAMPING Animatical Structure Animatical Structure Delamping Luminaires - General Delamping Recommendations Animatical Structure Removing One Lamp From a Two-Lamp Fixture Removing One Lamp From a Two-Lamp Fixture Removing One Lamp From a Two-Lamp Fixture REDUCING OPERATING HOURS Switching Off Fluorescent Lamps Reducing Operating Hours - Cafe Reducing Operating Hours - Arena #1 Ice Surface Reducing Operating Hours - Arena #1 Ice Surface Reducing Operating Hours - Arena #2 Ice Surface Reducing Operating Hours - Mabbot Room Reducing Operating Hours - Mabbot Room Reducing Operating Hours - Mabbot Room Reducing Operating Hours - Mabbot Room FLUORESCENT LAMP CONVERSIONS Second Structure Second Structure Replace Existing Fluorescent Lamps - 4 foot Fluorescents 10 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 Power Smart: EE Lamp Rebate Program 10 OTHER CONVERSIONS 11 Replace Metal Halide Ice Lighting with HPS 11 Lonvert Mercury Vapour to High Pressure Sodium 12 Use Energy-Efficient Fluorescent Ballasts 12 Lenergy-Efficient Fluorescent Ballast Savings 13<	INDOORS 6	
DELAMPING 6 Delamping Luminaires - General 6 Delamping Recommendations 7 Removing One Lamp From a Two-Lamp Fixture 7 REDUCING OPERATING HOURS 8 Switching Off Fluorescent Lamps 8 Reducing Operating Hours Cafe Reducing Operating Hours - Auditoriums Reducing Operating Hours - Arena #1 Ice Surface Reducing Operating Hours - Arena #2 Ice Surface Reducing Operating Hours - Mabbot Room Replace Existing Fluorescent Lamps - 9 Replace Existing Fluorescent Lamps - 9 Replace Existing Fluorescent Lamps - 10 Power Smart: EE Lamp Rebate Program - 10 OTHER CONVERSIONS - 11 Replace Metal Halide Ice Lighting with HPS - 11 Convert Mercury Vapour to High Pressure So	Zoning for Varving Lighting Levels	
Delamping Luminaires - General 6 Delamping Recommendations 7 Removing One Lamp From a Two-Lamp Fixture 7 REDUCING OPERATING HOURS 8 Switching Off Fluorescent Lamps 8 Reducing Operating Hours - Cafe 8 Reducing Operating Hours - Auditoriums 8 Reducing Operating Hours - Arena #1 Ice Surface 8 Reducing Operating Hours - Arena #2 Ice Surface 9 Reducing Operating Hours - Mabbot Room 9 Reducing Operating Houres - Mabbot Room 9 Replace Existing Fluorescent Lamps - 4 foot Fluorescents 10 Replace Existing Fluorescent Lamps -	DELAMPING 6	
Delamping Recommendations 7 Removing One Lamp From a Two-Lamp Fixture 7 REDUCING OPERATING HOURS 8 Switching Off Fluorescent Lamps 8 Reducing Operating Hours Cafe Reducing Operating Hours - Auditoriums Reducing Operating Hours - Auditoriums Reducing Operating Hours - Arena #1 Ice Surface Reducing Operating Hours - Arena #2 Ice Surface Reducing Operating Hours - Mabbot Room Replace Existing Fluorescent Lamps 4 foot Fluorescents <t< td=""><td>Delamping Luminaires - General</td><td></td></t<>	Delamping Luminaires - General	
Removing One Lamp From a Two-Lamp Fixture 7 REDUCING OPERATING HOURS 8 Switching Off Fluorescent Lamps 8 Reducing Operating Hours - Cafe 8 Reducing Operating Hours - Auditoriums 8 Reducing Operating Hours - Auditoriums 8 Reducing Operating Hours - Arena #1 Ice Surface 8 Reducing Operating Hours - Arena #2 Ice Surface 9 Reducing Operating Hours - Mabbot Room 9 Replace Existing Fluorescent Lamps - 4 foot Fluorescents 10 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 Po	Delamping Recommendations	
REDUCING OPERATING HOURS 8 Switching Off Fluorescent Lamps 8 Reducing Operating Hours Cafe Reducing Operating Hours Auditoriums Reducing Operating Hours Arena #1 Ice Surface Reducing Operating Hours Arena #2 Ice Surface Reducing Operating Hours Arena #2 Ice Surface Reducing Operating Hours Mabbot Room Replace Existing Fluorescent Lamps 4 foot Fluorescents Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 Replace Incandescents with Compact Fluorescents 11	Removing One Lamp From a Two-Lamp Fixture	
Switching Off Fluorescent Lamps 8 Reducing Operating Hours Cafe Reducing Operating Hours Auditoriums Reducing Operating Hours Arena #1 Ice Surface Reducing Operating Hours Arena #2 Ice Surface Reducing Operating Hours Arena #2 Ice Surface Reducing Operating Hours Mabbot Room Second Mabbot Room Reducing Operating Hours Mabbot Room Replace Existing Fluorescent Lamps 9 Replace Existing Fluorescent Lamps - 4 foot Fluorescents 10 Replace Incandescents with Compact Fluorescents 11 R	REDUCING OPERATING HOURS	
Reducing Operating Hours - Cafe 8 Reducing Operating Hours - Auditoriums 8 Reducing Operating Hours - Arena #1 Ice Surface 8 Reducing Operating Hours - Arena #2 Ice Surface 9 Reducing Operating Hours - Mabbot Room 9 Replace Existing Fluorescent Lamps - 4 foot Fluorescents 10 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 Power Smart: EE Lamp Rebate Program 10 OTHER CONVERSIONS 11 Replace Incandescents with Compact Fluorescents 11 Replace Metal Halide Ice Lighting with HPS 11	Switching Off Fluorescent Lamps	
Reducing Operating Hours - Auditoriums 8 Reducing Operating Hours - Arena #1 Ice Surface 8 Reducing Operating Hours - Arena #2 Ice Surface 9 Reducing Operating Hours - Mabbot Room 9 Replace Existing Fluorescent Lamps - 4 foot Fluorescents 10 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 Power Smart: EE Lamp Rebate Program 10 OTHER CONVERSIONS 11 Replace Incandescents with Compact Fluorescents 11 Replace Metal Halide Ice Lighting with HPS 11 Convert Mercury Vapour to High Pressure Sodium	Reducing Operating Hours - Cafe	
Reducing Operating Hours - Arena #1 Ice Surface 8 Reducing Operating Hours - Arena #2 Ice Surface 9 Reducing Operating Hours - Mabbot Room 9 Replace Existing Fluorescent Lamps - 4 foot Fluorescents 10 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 Power Smart: EE Lamp Rebate Program 10 OTHER CONVERSIONS 11 Replace Incandescents with Compact Fluorescents 11 Replace Metal Halide Ice Lighting with HPS 11 Convert Mercury Vapour to High Pressure Sodium	Reducing Operating Hours - Auditoriums	
Reducing Operating Hours Arena #2 Ice Surface 9 Reducing Operating Hours Mabbot Room 9 Reducing Operating Hours Mabbot Rm (Kitchen) 9 FLUORESCENT LAMP CONVERSIONS 9 Replace Existing Fluorescent Lamps 9 Replace Existing Fluorescent Lamps 10 Replace Existing Fluorescent Lamps 8 foot Fluorescents I0 Power Smart: EE Lamp Rebate Program 10 Power Smart: EE Lamp Rebate Program 10 Replace Incandescents with Compact Fluorescents 11 Replace Metal Halide Ice Lighting with HPS 11 Convert Mercury Vapour to High Pressure Sodium 12 Use Energy-Efficient Fluorescent Ballasts 13 Replace 'Egg-Crate' Fixture Diffusers 13 Replace 'Egg-Crate' Fixture Diffusers 13	Reducing Operating Hours - Arena #1 Ice Surface	
Reducing Operating Hours Mabbot Room 9 Reducing Operating Hours Mabbot Rm (Kitchen) 9 FLUORESCENT LAMP CONVERSIONS 9 Energy Efficient Fluorescent Lamps 9 Replace Existing Fluorescent Lamps 9 Replace Existing Fluorescent Lamps 10 Replace Existing Fluorescent Lamps 10 Power Smart: EE Lamp Rebate Program 10 OTHER CONVERSIONS 11 Replace Incandescents with Compact Fluorescents 11 Replace Metal Halide Ice Lighting with HPS 11 Convert Mercury Vapour to High Pressure Sodium 12 Use Energy-Efficient Fluorescent Ballasts 13 Replace 'Egg-Crate' Fixture Diffusers 13	Reducing Operating Hours - Arena #2 Ice Surface	
Reducing Operating Hours Mabbot Rm (Kitchen) 9 FLUORESCENT LAMP CONVERSIONS 9 Energy Efficient Fluorescent Lamps 9 Replace Existing Fluorescent Lamps - 4 foot Fluorescents 10 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 Power Smart: EE Lamp Rebate Program 10 OTHER CONVERSIONS 11 Replace Incandescents with Compact Fluorescents 11 Replace Metal Halide Ice Lighting with HPS 11 Convert Mercury Vapour to High Pressure Sodium 12 Use Energy-Efficient Fluorescent Ballasts 13 Replace 'Egg-Crate' Fixture Diffusers 13	Reducing Operating Hours - Mabbot Room	
FLUORESCENT LAMP CONVERSIONS 9 Energy Efficient Fluorescent Lamps 9 Replace Existing Fluorescent Lamps - 4 foot Fluorescents 10 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 Power Smart: EE Lamp Rebate Program 10 OTHER CONVERSIONS 11 Replace Incandescents with Compact Fluorescents 11 Replace Metal Halide Ice Lighting with HPS 11 Convert Mercury Vapour to High Pressure Sodium 12 Use Energy-Efficient Fluorescent Ballasts 13 Replace 'Egg-Crate' Fixture Diffusers 13	Reducing Operating Hours - Mabbot Rm (Kitchen)	
Procession 9 Energy Efficient Fluorescent Lamps - 4 foot Fluorescents 10 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 Power Smart: EE Lamp Rebate Program	FLUORESCENT LAMP CONVERSIONS	
Replace Existing Fluorescent Lamps - 4 foot Fluorescents 10 Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 Power Smart: EE Lamp Rebate Program 10 OTHER CONVERSIONS 11 Replace Incandescents with Compact Fluorescents 11 Replace Metal Halide Ice Lighting with HPS 11 Convert Mercury Vapour to High Pressure Sodium 12 Use Energy-Efficient Fluorescent Ballasts 13 Replace 'Egg-Crate' Fixture Diffusers 13	Fnergy Efficient Fluorescent Lamps	
Replace Existing Fluorescent Lamps - 8 foot Fluorescents 10 Power Smart: EE Lamp Rebate Program 10 OTHER CONVERSIONS 11 Replace Incandescents with Compact Fluorescents 11 Replace Metal Halide Ice Lighting with HPS 11 Convert Mercury Vapour to High Pressure Sodium 12 Use Energy-Efficient Fluorescent Ballasts 13 Replace 'Egg-Crate' Fixture Diffusers 13	Replace Existing Fluorescent Lamps - 4 foot Fluorescents	
Neplace Dataling Flateroorematic Program 10 Power Smart: EE Lamp Rebate Program 11 OTHER CONVERSIONS 11 Replace Incandescents with Compact Fluorescents 11 Replace Metal Halide Ice Lighting with HPS 11 Convert Mercury Vapour to High Pressure Sodium 12 Use Energy-Efficient Fluorescent Ballasts 13 Replace 'Egg-Crate' Fixture Diffusers 13 Replace 'Egg-Crate' Fixture Diffusers 13	Replace Existing Fluorescent Lamps - 8 foot Fluorescents	
OTHER CONVERSIONS 11 Replace Incandescents with Compact Fluorescents 11 Replace Metal Halide Ice Lighting with HPS 11 Convert Mercury Vapour to High Pressure Sodium 12 Use Energy-Efficient Fluorescent Ballasts 13 Replace 'Egg-Crate' Fixture Diffusers 13	Power Smart: EF Lamp Rebate Program	
Replace Incandescents with Compact Fluorescents 11 Replace Metal Halide Ice Lighting with HPS 11 Convert Mercury Vapour to High Pressure Sodium 12 Use Energy-Efficient Fluorescent Ballasts 12 Energy-Efficient Fluorescent Ballasts 13 Replace 'Egg-Crate' Fixture Diffusers 13 Replace 'Egg-Crate' Fixture Diffusers 13	OTHER CONVERSIONS	
Replace Metal Halide Ice Lighting with HPS11Convert Mercury Vapour to High Pressure Sodium12Use Energy-Efficient Fluorescent Ballasts12Energy-Efficient Fluorescent Ballast Savings13Replace 'Egg-Crate' Fixture Diffusers13Energy-Efficient Fluorescent Ballast Savings13	Replace Incandescents with Compact Fluorescents	
Convert Mercury Vapour to High Pressure Sodium	Replace Metal Halide Ice Lighting with HPS	
Use Energy-Efficient Fluorescent Ballasts	Convert Mercury Vapour to High Pressure Sodium	
Energy-Efficient Fluorescent Ballast Savings	Use Energy-Efficient Fluorescent Ballasts	
Replace 'Egg-Crate' Fixture Diffusers	Energy-Efficient Fluorescent Ballast Savings	
This Liebe Conversion 13	Replace 'Egg-Crate' Fixture Diffusers	
Exit Light Conversion	Exit Light Conversion	
Power Smart: EE Ballast Rebate Program 14	Power Smart: EE Ballast Rebate Program 14	
Power Smart: HID EE Lighting Rebate Program 14	Power Smart: HID EE Lighting Rebate Program 14	•

OTHER LIGHTING IMPROVEMENTS Clean Luminaires Improving Lighting Efficiency with Paint Group Relamping OUTDOOR DECORATIVE/BUILDING SECURITY LIGHTING Place Outdoor Incandescents on Timer or Photocell	14 14 15 15 16 16
AUTOMATIC CONTROLS	16 16
MOTORS Install Energy-Efficient Motors Power Smart: High-Efficiency Motors Investigate Staging of Compressors Summer Operation of Brine Pumps (Costing)	17 17 17 17 18
DOMESTIC HOT WATER Reduced Flow Shower Head Savings - (Each) Lower Water Temperature in the Ice Cleaning Machine Reduce Quantity of Ice Flood Water	18 18 19 19
BUILDING ENVELOPE Weatherstripping and Caulking Shutting Off Gas Radiant Heaters Low Emissivity Ceilings MECHANICAL SYSTEM MAINTENANCE Check and Clean Filters Recommended Maintenance	19 19 20 20 21 21 21
ENERGY MANAGEMENT ADMINISTRATION TASKS	22
ENERGY MANAGEMENT GRAPHIC AIDS	23
RECORD KEEPING	23 23 24
FURTHER B.C. HYDRO ENERGY CONSERVATION SERVICES	24
CONCLUSION	25

<u>APPENDIX A</u> Electrical and Gas History Printouts

<u>APPENDIX</u> B Lighting: Operating Hours Data

<u>APPENDIX</u> C Lighting: General Savings Table

<u>APPENDIX D</u> Motors: Energy Efficient Conversion Savings The following summary lists energy conservation measures applicable to the Port Coquitlam Recreation Centre and generally considered to have a good payback. Electrical savings have been estimated for most measures, but consideration should be given to all recommendations. Details of savings are contained in the report text.

SUMMARY OF SAVINGS

	An	nual
	Potential	kWh
ACTION	<u>\$ Savings</u>	<u>Savings</u>
Electrical		
Correct and Monitor Power Factor	900	
Start-up/Shut-down of Ice Compressors re Billing	1,200	24,000
Delamping Luminaires - General	980	19,600
Reducing Operating Hours - Cafe	120	2,400
Reducing Operating Hours – Auditoriums	190	3,800
Reducing Operating Hours - Arena #1 Ice Surface	1,750	35,000
Reducing Operating Hours - Arena #2 Ice Surface	2,090	41,800
Reducing Operating Hours - Mabbot Room	730	14,600
Reducing Operating Hours - Mabbot Rm (Kitchen)	40	800
Replace Existing Fluorescent Lamps - 4 foot Fluorescents	1,290	25,800
Replace Existing Fluorescent Lamps - 8 foot Fluorescents	45	900
Replace Incandescents with Compact Fluorescents	385	7,700
Replace Metal Halide Ice Lighting with HPS	1,285	25,700
Convert Mercury Vapour to High Pressure Sodium	2,120	42,400
Energy-Efficient Fluorescent Ballast Savings	925	18,500
Exit Light Conversion	160	3,200
Place Outdoor Incandescents on Timer or Photocell	80	1,600
Install Occupancy Sensors - Dressing Rooms	130	2,600
Install Energy-Efficient Motors	2,360	47,200
TOTAL SAVINGS	\$16,780	317,600
	···· · ···	0.115.545
kWh Consumption		2,113,545
PER-CENT kWh SAVINGS		15%

This Document has been produced on recycled paper

1

SUMMARY OF SAVINGS

Reduced Flow Shower Head Savings - (Each)	\$ 31
Lower Water Temperature in the Ice Cleaning Machine	\$810
Reduce Quantity of Ice Flood Water	\$810

TOTAL NATURAL GAS SAVINGS \$1,650

2

<u>Other</u>

	*
Monitor Demand Usage	*
Zoning for Varying Lighting Levels	*
Removing One Lamp From a Two-Lamp Fixed	e *
Replace 'Egg-Crate' Fixture Diffusers	*
Clean Luminaires	*
Improving Lighting Efficiency with Palit	*
Group Relamping	**
Investigate Staging of Compressors	*
Summer Operation of Brine Pumps (Costing) *
Weatherstripping and Caulking	*
Shutting Off Gas Radiant Heaters	**
Low Emissivity Ceilings	*
Check and Clean Filters	*
Monitoring Energy Data	*
Tracking Maintenance Data	

* = Documented in this report, no calculations done. Generally Considered A Cost-Effective Measure
 ** = Documented in this report, no calculations done. Please read section for further details

INTRODUCTION

Energy Management Program Components

An energy management program for a building usually involves three different steps: bill analysis; a 'walk-through' energy audit; then a detailed audit (collection of equipment and operation details and calculation of possible savings in areas). Steps should be done in this order.

Bill analysis will determine potential savings as a result of a conservation program and (as an ongoing yearly measure) will verify those savings. The 'walk-through' is a quick review of energy use in a building (do this every few years), and thirdly, a detailed audit may be done, when and if indicated by the previous two steps.

Some collection of equipment and operation details are part of an initial walk-through audit.

The Walk-Through Energy Audit

An energy audit is an important and necessary step in setting up an energy management program. A complete audit involves the compiling of historical energy use data; a detailed analysis of the building and all equipment, their hours and method of operation; and evaluating and making recommendations based on the previous steps. A walk-through audit covers the same items as a complete audit, but in less detail. Equipment is often not itemized in detail and complicated evaluations (eg. heat recovery from exhaust) are not included in a walk-through audit.

The walk-through audit provides an overview of general energy use and recommends common and cost-effective conservation steps. It will point the way to measures requiring more investigation or simply note that there are no probable further measures for a building. A walk-through is usually a first step to determine if a more detailed energy study is likely to be cost-effective.

Building Description

The Port Coquitlam Recreation Centre is a multi-use building with two ice sheets (operating in winter only), a Seniors Centre with a Pottery room, Pool tables, Cafe, and General Purpose rooms. Hours of operation for the ice surfaces vary from approximately

140 to 126 hours/week in the winter to 75 hours/week in the summer. The remainder of the area(s) operate about 10 to 16 hours/day, year round.

Lighting varies from recently reballasted Mercury Vapour fixtures (Ice #2); Metal Halide (Ice #1); Incandescent (mostly in the Seniors section); and standard F40 fluorescents (throughout).

Heating is largely by natural gas, with natural gas radiant heaters in the Ice area, and gas forced air in other areas. There is some electric heat in both the recreation centre area and the arenas.

Hot Water is electrically heated for the Recreation section (the new section has gas) and there is a heat reclaim system from the compressors. The facility typically runs out of hot water when the 'old-timers' play and during tournaments.

Total energy cost for 1989: Electrical **\$86,950.00** (2,068,800 kWh)

Natural Gas \$11,460.00 (2,710 GJ)

Correct and Monitor Power Factor

Where power factor is recorded for a building it is a very important item in energy use. Because certain types of equipment use energy not recorded at the normal kWh meter, another factor is taken into account and noted on your bill as power factor. The higher this factor the better. To avoid penalties, it must be 90% or greater. Correcting a low power factor to at least 90% usually has a very short payback (1 to 2 years). The solution can even be as simple as replacing a blown fuse in an existing capacitor.

Your billing record indicates you are currently paying a penalty for poor power factor in the summer months. Correcting to 90% or better would result in a dollar savings (annually) of \$900.00 per year. Because the problem is in the summer months only (although power factor is only about 91% for the winter months), we suspect the problem is in the air-conditioning equipment. Correcting at the transformer (primary side) could be a cost effective approach.

Even if the problem is corrected, we encourage you to regularly watch your power factor readings in all municipal buildings and take immediate action if it falls below 90%. If maintenance personnel do not see the bills regularly, consider training the person who pays the bill each month to watch out for penalties and power factor below (or approaching) 90%.

Monitor Demand Usage

Demand use and charges can be a very important part of some municipal buildings energy use, while in others it is not a major concern.

5

Since your demand is over 150 kW for any billing period, you pay 6.19 for every 1,000 Watts (1 kW) you use, even if this use is only for about 1/2 hour in that billing period. Note there is also a minimum demand charge on accounts that have a large demand for most, but not all, months.

As with power factor, we encourage you to watch your demand recordings, note any significant changes, and attempt to determine if any significant increase can be avoided in the future.

Start-up/Shut-down of Ice Compressors re Billing

When the ice-making compressors run, they have a significant impact on the demand charges paid that month.

Whenever possible, ensure that compressors are not started up one or two days before the beginning of a new building period. In that case you would then be billed for the entire demand charge but only have had the use of the equipment for a few days that billing period. Demand is calculated on a 1/2-hour window in the billing period.

It cannot be predicted exactly what day your meters will be read by B. C. Hydro, but examining your bills for the arena will show typical reading dates. This will usually be fairly consistent. Being aware of the costs could make it worth planning to avoid these demand charges. For example, since your meters are typically read around the 22nd to the 27th of each month, try to plan so the ice will not be put in a few days before the 22nd, avoiding compressor start-up. Similarly, consider the date the ice is taken out and the scheduling of compressor maintenance in the summer, and the potential effect on your bill. Note (eg.) May 26/88 reading date where demand was 456 kW (normal winter demand) but kWh use per day was only 3,600 (about half of winter consumption). A similar situation was noted in the August 24/89 reading date. These readings indicate the compressors are being started up (and/or shut down) about half way through the billing period, incurring al the demand but using relatively little energy. See APPENDIX A for details.

If 200 kW of demand charges are avoided (difference between summer and winter demand) for one billing period in a year and considering applicable minimum demand charges, you will save \$1,200.00 per year (@ 5 cents/kWh).

LIGHTING

Note that savings are calculated in a specific order. The most cost-effective step is usually delamping. Second is reducing the hours of use for the remaining lamps. Thirdly, savings from any conversions (eg. to energy-efficient fluorescent tubes) are calculated using:

6

1. remaining lamps at 2. reduced hours.

If any preceding step is not done, savings will be greater for the latter steps.

See APPENDIX B - LIGHTING: OPERATING HOURS DATA and APPENDIX C - LIGHTING: GENERAL SAVINGS TABLE for details.

INDOORS

The following topics are intended as a general background for specific areas (in the Port Coquitlam Recreation Centre) that have potential lighting energy savings. The principle is the same for savings in areas not covered in this report.

Zoning for Varying Lighting Levels

Zoning an office for varying lighting levels means the level of illumination for a particular area can be specific to the task performed in that area to potentially save energy and maintenance costs. This is similar to the principle of providing task lighting for a desk but applied over a wider area. Zoning gives potential savings in energy and maintenance costs. Examples of zones that could be established for various light levels are customer service areas, halls, drafting or accounting offices, and perimeter areas that have a high contribution of natural daylight. Control of lighting in the zoned area can be achieved in a number of ways: manual or photocell controlled switching; timers; automatic dimming switches; or any combination of the above.

DELAMPING

Delamping Luminaires - General

Delamping areas that are "over-lit" for a particular use offers one of the easiest and least expensive ways to reduce electrical energy operating costs. In many buildings luminaires are placed in a standard grid pattern without regard to eventual use of the area. This results in some areas being "over-lit" for the work tasks performed. Delamping not only saves energy, but also reduces lighting maintenance costs as there are less luminaires to service.

7

Delamping 44 fluorescent luminaires (@ 2 lamps per fixture) in various areas of the Recreation Centre will result in savings of \$980.00 per year (@ 5 cents/kWh).

Delamped luminaires should be identified (eg. a red or blue sticker) so that they are not re-energized in error during future lighting maintenance work. Please see the following table for recommended areas and fixtures to delamp.

Delamping Recommendations

<u>Location</u>	<pre># of Fixtures <u>To Delamp</u></pre>
Location Mabbot Rm Auditorium/1 Auditorium/2 Lobby Pottery Room Pool Tbl Rm Cafe Foreman Hallway Kitchen Concession Dressing Rm Entrance Hall/stair Lunch Rm Mtg. Rm #1	8 4 4 4 3 2 2 2 2 1 1 1 1 1 1
Storage Workshop	1 1

Removing One Lamp From a Two-Lamp Fixture

Savings from delamping do not have to involve removing two tubes in a fixture. While this is normally the situation since two lamps are required (plus the ballast) to complete the circuit, you can use a "phantom" tube to allow the remaining lamp to operate at reduced light output. These tubes look like fluorescent lamps, but give no light. Since their only function is to complete the circuit, they have an indefinite lifespan. The combination of one standard lamp and a phantom tube results in an energy savings and corresponding light

level reduction of 66%. This option is applicable to various areas in the Recreation Centre, and with a little consideration, you may find additional areas where savings are possible through delamping one lamps only from either a two or four lamp fixture. One caution to note is the possibility of large installations of phantom tubes lowering power factor.

8

REDUCING OPERATING HOURS

Probably the simplest and least expensive method of saving energy used in lighting is to shut off the lights when not needed. From our initial investigation, it would appear there is good potential for reducing the hours of use in the Recreation Centre by switching off lights when the area is not occupied.

Switching Off Fluorescent Lamps

Contrary to a popular belief, improvements in fluorescent lamps and ballasts, along with higher costs for electricity means it pays to switch off fluorescent lights when you leave a room for more than five minutes.

The following savings are available by reducing operating hours in various areas in the Recreation Centre. All numbers given are those after delamping.

Reducing Operating Hours - Cafe

In the Cafe, if the 11 - F40 Fluorescent fixtures can have the operating hours reduced by 40 hours/wk, savings would be \$120.00 per year. This would also mean 2,000 fewer operating hours for the lamps each year.

Reducing Operating Hours - Auditoriums

In the Auditoriums, reducing the operating hours of the 28 - F40 fixtures (each Auditorium) by 14 hours per week, savings would be \$190.00 per year.

Reducing Operating Hours - Arena #1 Ice Surface

Reducing the operating hours of the 40 - 400 Watt Metal Halide fixtures in Arena #1 by 40 hours/week (winter) and by 30 hours/week in summer (currently estimated at 75 hours/week in summer), will give savings of \$1,750.00 per year.

Reducing Operating Hours - Arena #2 Ice Surface

Reducing the operating hours of the 66 - 400 Watt Mercury Vapour fixtures in Arena #2 by 26 hours/week (winter) and by 30 hours/week in summer (currently estimated at 75 hours/week in summer), will give savings of \$2,090.00 per year.

Reducing Operating Hours - Mabbot Room

Reducing the operating hours of the lighting in the Mabbot Room by an average of 4 hours/day, 7 days per week, will give savings of \$730.00 per year.

Reducing Operating Hours - Mabbot Rm (Kitchen)

Reducing the operating hours of the lighting in the Mabbot Room by an average of 6 hours/day, 7 days per week will give savings of \$40.00 per year.

FLUORESCENT LAMP CONVERSIONS

Energy Efficient Fluorescent Lamps

An Energy Efficient (4 foot) fluorescent lamp uses 7 Watts less than a standard fluorescent lamp, with only a slight decrease in light output. Energy Efficient lamps are available to replace all popular sizes of standard lamps.

The longer the hours of operation, the greater the energy savings, and the faster the payback on possible premiums paid for the energy saving lamp. Each 4foot energy saving fluorescent lamp



9

typically saves \$8 to \$10 (based on 5 cents per kWh) over its life. The graph illustrates cost versus yearly savings for an energy efficient lamp operating at various hours. The last example shows the typical proportion of cost versus savings, over a lamp life of 24,000 hours.

10

Replace Existing Fluorescent Lamps - 4 foot Fluorescents

We have calculated the approximate savings for the (approximate) 492 fixtures (2 lamps per fixture, including ballast) in the building (at various operating hours).

If you replace these lamps with reduced wattage 34 Watt fluorescents, you will save \$1,290.00 per year.

Replace Existing Fluorescent Lamps - 8 foot Fluorescents

Replacing the lamps in the 4 - 8 foot fluorescent fixtures in the Compressor Room (@ 140 hours/wk operation) with energy efficient lamps will save \$45.00 per year.

Power Smart: EE Lamp Rebate Program

To introduce you to the benefits of Energy Efficient Fluorescent lamps, BC Hydro has introduced a new Power Smart Energy Efficient Fluorescent Lamp Rebate Program designed to contribute towards the higher initial cost of the Energy Efficient Fluorescent lamp. B.C. Hydro will rebate you 25 cents per 4 foot lamp when it replaces a 40 watt 'standard' fluorescent. Other rebates under this program are as follows:

25 cents/lamp - a 25 Watt (EE) lamp replacing a standard 30 Watt 50 cents/lamp - a 60 Watt (EE) lamp replacing a standard 75 Watt 50 cents/lamp - a 95 Watt (EE) lamp replacing a standard 110 Watt

Please contact our local office for further information or application forms.

OTHER CONVERSIONS

Replace Incandescents with Compact Fluorescents

Incandescent lighting in the building could be replaced with more efficient 'Compact Fluorescent' lamps. These lamps can directly replace incandescents in the 25 to 100 Watt size and using the existing socket. With an estimated life of more than 10,000 hours, these lamps will last 10 times longer than 'standard' incandescents and twice as long as the 'Extended service' type (light output will be greater if replacing extended service types). The extended life can mean drastically reduced maintenance hours. Replacing the existing incandescents with Compact Fluorescents will give savings of \$385.00 per year.

Compact fluorescents are not recommended for cold environments and currently, most operate with a power factor below 90% (conversion of large number of incandescents to Compact Fluorescent may lower your overall building power factor).

For standard incandescent bulbs, the general replacements are as follows:

<u>Incandescent</u>

Compact Fluorescent

100 Watt 60 Watt 40 Watt 18 Watt (26 Watts with Ballast)
13 Watt (16 Watts with Ballast)
9 Watt (10 Watts with Ballast)

Replace Metal Halide Ice Lighting with HPS

The existing lighting for the ice surface (Arena #1) is provided by 400 Watt Metal halide lights. Replacing these with High-Pressure Sodium lamps (HPS) will save energy, with slightly lower lighting levels (about 5%) Costs for replacement of the lamps will also be slightly less, since the HPS lamps have a life span about 20% greater than the existing lamps.

If the 40 - 400 Watt Metal Halide lamps are replaced with 250 Watt HPS fixtures (operating 100 Hours/week), the result will be savings of \$1,100.00 (@ 5 cents/kWh) for the winter months. In summer months savings will be \$185.00 (@ 45 hours/wk). Total savings for converting the Metal Halide fixtures to HPS will be \$1,285.00 per year.

There is one item to consider when replacing the metal halide with HPS and that is television or video productions of ice events. HPS lighting gives relatively poor images for TV or video, except for newer and relatively short-lived colour improved types. One possible alternative would be to leave some of the existing fixtures in place and use them when required for such events. Since video productions are usually a very small percentage of total ice-time, the other advantages of HPS lighting should be carefully considered.



Convert Mercury Vapour to High Pressure Sodium

Lighting in Arena #2 of the Recreation Centre is provided by Mercury Vapour luminaires, recently reballasted and relamped (Summer, 1989). While conversion to an efficient High Pressure Sodium fixture is not likely to be cost-effective now that you have new ballasts in place, we have costed out savings from this measure to give you an idea of expected kWh savings possible from typical conversions. As you are aware, the HPS lighting renders colour differently than Mercury Vapour or Metal Halide, but this is generally a consideration only where colour matching is critical.

For 66 - 400 Watt Mercury Vapour lamps converted to 250 Watt HPS lamps (@ 100 hours/week for 38 weeks/year and 5 cents/kWh), savings of \$1,820.00 per year are achievable. This option will result in improved lighting levels. The above savings are for the winter months. In summer months savings by this conversion (operating 45 hours/wk.) will be \$300.00 per year. Both figures assume reduced hours are already implemented. Total savings will be \$2,120.00 per year.

Use Energy-Efficient Fluorescent Ballasts

When purchasing new or replacement fluorescent ballasts consider the advantages of new energy saving ballasts. These new ballasts offer potential energy savings in the order of 10% to 20% over standard ballast designs. Energy-efficient ballasts operate cooler and as a result offer longer ballast life. Choose the ballast type most suitable to your application. Different ballasts offer different features:

- 1) Energy Efficient Magnetic core ballasts are similar to standard ballasts, but are made from better quality materials. This results in lower losses, reduced heat generation, improved electrical performance, higher efficiency and, often, extended life. A luminaire with an energy efficient magnetic ballast saves 10 watts per hour compared to the same luminaire with a standard ballast.
- 2) Electronic Ballasts use solid-state technology to perform traditional ballast functions and are the most efficient ballasts on the market today. Benefits include longer life up to two times that of standard ballasts and higher efficiency. A luminaire with an electronic ballast saves 23 watts compared to the same luminaire with a standard ballast.

12

3) Multi-level energy efficient ballasts allow the light output to be switched from high to low mode. These ballasts give you reduced energy costs without having to resort to delamping. With thought, you can use them to create a versatile and efficient lighting system. On high mode, the lamp gives 100% of light output. The low mode gives a 40% savings in energy consumption with corresponding 40% reduction in light output. Although the average cost of a multi-level ballast is twice that of a standard ballast, the low mode power savings will usually payback this investment in a few years.

Energy-Efficient Fluorescent Ballast Savings

For all ballasts (F40 or F34 lamps) converted to energy-efficient ballasts (core/coil type at 10 watts/ballast), savings would be approximately \$925.00 per year.

Replace 'Egg-Crate' Fixture Diffusers

Without something to diffuse or spread out light from fluorescent lamps there would be significant glare, resulting in discomfort for occupants. Devices to reduce the glare are commonly known as diffuser covers and placed below the lamps.

While these diffusers are necessary to reduce glare they also reduce light output since they absorb some of the light passing through them. Some diffusers absorb less light than others and therefore result in a more efficient lighting system. Fixtures in the pottery room have what are called 'egg-crate' diffusers, since they look something like an egg-crate. For the degree of glare control they provide, they are relatively inefficient (30 -35% less efficient) compared to a plastic or glass prismatic diffuser. Egg-crate diffusers are best suited to areas where extreme dirt build-up is a problem.

Exit Light Conversion

Exit lights must be illuminated 24 hours a day, 365 days a year. So converting exit sign lighting from incandescent lamps to compact fluorescent lamps can give you significant energy savings because compact fluorescents use up to 80 per cent less energy than incandescents.

Compact fluorescent lamps last longer: 10,000 to 15,000 hours, or about two years in continuous service, compared to 1,000 hours for standard incandescent lamps. That means less frequent lamp replacement and lower energy costs.

A typical exit sign with 2-20 watt incandescent lamps retrofitted with two-5 watt compact fluorescent lamps will save \$12.25 per sign in energy costs alone.

Converting the 13 incandescent Exit Lights in your Recreation Centre could save you \$160.00 per year.

Power Smart: EE Ballast Rebate Program

To make the conversion to EE Ballasts even more attractive, B. C. Hydro is now offering an Energy Efficient (EE) Ballast Rebate to contribute toward the higher initial cost of an Energy Efficient Ballast. B.C. Hydro will rebate \$1.00 for every EE Ballast replacing a standard ballast. There are also rebates available to encourage the purchase of electronic EE Ballasts under the Custom Option rebate.

Please contact our Ray Denby at 293-7780 or our local office for further information or application forms.

Power Smart: HID EE Lighting Rebate Program

To make the conversion to Energy Efficient HID lighting (Metal Halide or High Pressure Sodium) even more attractive, B. C. Hydro is now offering an HID Lighting Rebate to contribute toward the initial cost of your conversion to 100 Watt and up HID luminaires. B.C. Hydro will rebate \$500.00/kW of energy saved up to 50% of the cost of the new luminaires.

Please contact our local office for further information or application forms.

OTHER LIGHTING IMPROVEMENTS

Clean Luminaires

The efficiency of your lighting system can be improved by adopting a regular cleaning procedure. Dirt on these fixtures can reduce light levels by 10 to 15% or more and cleaning is important in maintaining light levels and ensuring you get all the light you are paying for. This may be particularly important and applicable considering energy-efficient lamps reduce light output slightly.



If all lamps are replaced in one operation to reduce labour time (group relamping), this is an ideal time for cleaning. Be sure to use a non-static, non-bleach cleaner (or dirt and yellowing may increase).

Improving Lighting Efficiency with Paint

It is well-known that white or light colours reflect more light than darker colours but the effect of colour on lighting system efficiency is not as well known. As an example, to provide equivalent light levels, it would require 15% more luminaires in a room with medium reflectance values - ceiling 50% and walls 30% - compared with a room with good reflectance values - ceiling 80% and walls 50%. White, off-white or light pastel colours have a 60 - 90% reflectance value while dark tan/light brown will be more like a 30% reflectance value.

This does not mean everything should be painted white, and in fact excessive glare can result from glossy painted surfaces. However, you should plan with the idea of providing significant areas of bright or light colours in a room to minimize the electrical lighting loads.

The Arena Lobby is one specific area where reflectance values appear to be fairly low, although this recommendation should be considered in all your buildings when renovating, redecorating or constructing.

Group Relamping

In 1989 you replaced the lamps in Arena #2 (along with the ballasts) as a 'group relamp'. We recommend you implement group relamping on your major lighting systems. Group relamping means all lamps in an area are replaced at specific time intervals, even if they still work. While it may seem wasteful, savings are generated in a number of ways:

Overall labour costs are reduced since set-up and travel time is much smaller proportionately than individual (spot) replacement (estimates for reduced labour costs from this method are from 80 to 90%);

Work interruptions caused by individual replacement are lessened (relamping can be done during non-operating hours), and;

The actual number of lamps needed may be reduced by as much as 15% since average system light output will be higher with lamps replaced before the end of their rated life. As lamps age, their light output decreases (by the end of their rated life often dropping 25% from initially installed levels).

There are a number of factors that influence the most economic relamping schedule. If you have questions we recommend you contact a qualified lighting maintenance contractor or your lamp supplier who have computer programs available to determine the most economical group relamping schedule for your facility.

OUTDOOR DECORATIVE/BUILDING SECURITY LIGHTING

Place Outdoor Incandescents on Timer or Photocell

Automatic switching controls could reduce your outdoor incandescent lighting operating hours (outside the North door by Arena 2) when not required. Annual savings of \$80.00 per year (@ 5 cents/kWh) would result if the 6 - 60 Watt incandescents were shut off during the daylight hours. In addition, the life of the lamps would also be extended by the number of hours they are shut off.

AUTOMATIC CONTROLS

Install Occupancy Sensor - Dressing Rooms

In areas that are used seldom, and then only for brief periods of time (such as the Dressing Rooms), lights are often on, but used relatively little. Because the area may be unoccupied for long periods of time, the lights may be on for many hours before someone notices. An ideal control for this situation is an occupancy sensor. These sensors automatically turn on the lights when someone enters the area, and turn them off again when no movement is detected, after the person has left.

Consider an occupancy sensor to reduce the hours of operation in Dressing Rooms 1 to 4 by 90 hours per week in each room (current operating hours for Rooms 1 and 2 are estimated at 140 hours/wk., and Rooms 3 and 4 @ 126 hours/week). Savings will be \$130.00 per year (@ 5 cents/kWh).

MOTORS

Install Energy-Efficient Motors

High-efficiency (HE) electric motors offer a long-term solution to reducing energy costs. HE motors deliver the same output as a standard motor but consume up to 10% less energy. Since an electric motor uses four to eight times its purchase price in energy every year, the premium paid for the HE motor is a good investment.

We have costed savings from converting a number of standard efficiency motors to High-Efficiency motors and using various operating hours/week. Annual savings from motor conversion would be approximately \$2,360.00 per year. See APPENDIX D - ENERGY EFFICIENT MOTOR CONVERSION SAVINGS for details.

Power Smart: High-Efficiency Motors

The High-Efficiency Motor Program is a reward for being more efficient. The greater the efficiency of the motor you install (compared to an industry 'standard' motor), the greater your rebate. You get \$400 for every kilowatt saved, up to a maximum 20% of the cost of the motor.

For example, a standard 100 h.p. motor with an efficiency rating of 90.7% replaced with an energy-efficient motor with a rating of 93% will earn you the minimum rebate of \$800. A new motor with a rating of 93.8% will give you a rebate of \$1,087. And you start saving on energy costs right away.

Please contact Ray Denby or our local office for further information or application forms.

Investigate Staging of Compressors

The compressors are apparently not set up where one will operate until the load cannot be met, then another starts. This can impact on your demand charges and give relatively poor performance for your system re electrical efficiency. Consider staging these compressors to reduce your costs and reduce the start/stop cycling on the motors.

17

Summer Operation of Brine Pumps (Costing)

During the course of the audit it was mentioned you are considering running the brine pumps continuously throughout the summer. We would like to point out the energy costs associated with this measure.

With two brine pumps (one at 25 H.P. and one at 20 H.P.) operating 24 hours/day, 14 weeks/year (summer) and 5 cents/kWh, the approximate cost of operation will be \$4,000 - \$4,500 for the summer. Please consider other methods of avoiding the problem (eg. manual cleaning of the nozzles, flushing, etc.) and their costs before implementing this measure. You have suggested the actual summer 'down' time may be closer to 5 months or 20 weeks. This would give a cost of $20/14 \times 4,000 = 5,700.00$

DOMESTIC HOT WATER

All natural gas hot water savings are calculated assuming \$4.21 for one Gigajoule of Natural Gas, and a system efficiency (delivered to the end use) of 63%. While you have heat recovery on your hot water systems, savings are valid as the load that cannot be met by the recovery system are met by the natural gas heating system. Since you consistently run out of hot water the measures indicated following may in fact not save the dollars indicated but instead give you more hot water.

Reduced Flow Shower Head Savings - (Each)

The shower heads in the Centre are the typical head type with a flow rate of around 0.4 litres per second. Reduced flow shower heads have a flow rate of around 0.16 litres per second, and with quality heads made by the major manufacturers it is difficult or impossible to tell the difference between the two flows.

Cost of a shower head should be around \$10.00 - \$20.00 and savings of \$31.00 per year will be realised (based on use of 15 minutes/day, 7 days/wk., 38 wks/yr. and water temperature of 42 Deg.C).

Note this number is an estimate only and if use is 20 minutes per day (average), savings will be 33% higher.
Lower Water Temperature in the Ice Cleaning Machine

The temperature of the water used to flood the ice is approximately 60 Degrees C. (140 Degrees F). Reducing this temperature by 10 Degrees C. will result in savings of \$810.00 per year in hot water heating costs (@ 450 Litres per flood, 24 floods/day, 38 weeks/year. Lower temperatures can give a good flood, but this measure should certainly be sampled in a number of months with varying outside temperatures. The lower temperature may not be satisfactory in extremely cold winter months, but be perfectly acceptable for most other times of the year. Lower flood water temperatures may even be better than high temperatures if fogging is a problem in the arena, since there is less evaporation at lower temperatures. Moreover, lower water temperature also reduces the load on refrigeration compressors.

Reduce Quantity of Ice Flood Water

The ice-resurfacing machine typically returns from floods with water left in the machines' tank. This water then cools off before the next flooding. We have calculated the amount of savings if you can reduce this water 'over-fill' by 90 Litres per flood (20 Imperial Gallons). If water is used at 60 Degrees C., and cools to approximately 10 Degrees C., savings of \$810.00 per year, can be realised in reduced water heating costs.

BUILDING ENVELOPE

Weatherstripping and Caulking

Weatherstripping is an important part of a building's energy conservation program. As a piece of equipment, it wears out fairly quickly, particularly where the door or window gets a lot of use. Door weatherstripping in a building like this may need to be replaced as often as every year. Weatherstripping should at least be checked every year, and replaced as necessary.

19

WEATHERSTRIPPING SUMMARY

The following door weatherstripping conditions were noted in the weatherstripping review:

		<u>CONDITION</u>	
Location	<u>Sides</u>	Тор	Bottom
Pottery Room	none	none	none
Front Door	poor	okay	poor
Meeting Room	good	dood	dood
Smoking Room	good	good	qood
Cafe (West)	good	good	qood
Pool Room	good	good	qood
Seniors Door (South West)	pocr	okay	poor
Meeting Room Smoking Room Cafe (West) Pool Room Seniors Door (South West)	good good good good pocr	good good good good okay	good good good good good

Weatherstripping on the compression (hinge) side of doors and windows should be placed on the door frame itself, not on the 'face' as the other three sides.

Shutting Off Gas Radiant Heaters

Consider putting the gas radiant heaters in the arena on a timer. They apparently operate from 1 p.m. to 8 p.m. unnecessarily. Savings were not costed out for this measure but implementation could be done manually and savings could be significant.

Low Emissivity Ceilings

We have included this brief discussion of a recent (in the past five years) option arenas have installed, known as a low emissivity ceiling (LEC). Although the ceiling is usually installed in an attempt to correct a specific problem, it has been found the LEC is useful in improving many other aspects of arenas. These ceilings help in reducing heat radiation from the ceiling, eliminating obvious problems like fogging on sunny days. Less obvious are other benefits which have been noticed: pick-up times to bring the brine down to normal temperatures have been reduced by 50% (possible savings from allowing the temperature to rise at night); dripping condensation from the ceiling is eliminated; and illumination levels are improved (possible savings from reducing lights). Even without considering potential lighting savings, electrical use in refrigeration has been reduced by as much as 22%. One item to review before installation of an LEC is the present condition of the roof structure, and any problems in this area must be corrected before considering an LEC. Typical installed Low Emissivity Ceiling costs are around \$30,000.

MECHANICAL SYSTEM MAINTENANCE

Check and Clean Filters (Heating, Ventilating and Air Conditioning Systems)

The filters in the HVAC system should be checked and cleaned regularly. To determine how often would be optimum, have them checked regularly crice a month for about a year, then decide on the frequency of cleaning required for this building. Dirty filters reduce the amount of heated air that can flow to the various areas in the building, ultimately requiring the heating system to run longer to provide the required amount of heat. When filters are clogged, fan motors require greater energy input because of the higher resistance to air flow.

21

Recommended Maintenance

Following are a number of ecommended maintenance steps for the Port Coduitlam Recreation Centre, to maintain comfort, equipment life, and reduce costs.

Every Month

Check filters and replace or clean if necessary

Every Six Months

Check settings of control points for HVAC system. Document. Lubricate motor and drives (as per specs) to reduce friction Check time clock settings

Every Year

Tighten belts and pulleys to reduce losses due to slip Check bearings on motors and replace as necessary Check dampers for correct operation and positioning Check seals on dampers (particularly outside air dampers) Ensure heating and cooling coils are clean Ensure no obstruction of heaters, diffusers, and return grilles Check weatherstripping on main doors and opening windows Check operation and clean photocontrol covers

Every Two Years

Group relamping time? Actual time depends on lamp type and annual hours of use. Clean diffusers and fixtures with non-static cleaner

Check space temperatures and rebalance air systems if necessary to minimize overheating or overcooling of specific areas.

ENERGY MANAGEMENT ADMINISTRATION TASKS

Top Management Commitment. All energy conservation programs have a common feature that comes first on the list, commitment from top management. From making decisions about energy options to gaining cooperation of employees and staff, management needs to be committed. Consider distributing a newsletter notifying staff that the administration is committed to reducing energy consumption, while increasing comfort, and ask for their support and comments.

Charting Progress. Information telling staff about results from the conservation program should, above all, be clear, concise and easy to understand. Graphs, drawn by hand or by computer, are about the best way for everyone involved to quickly absorb how the program is working. Calculated numbers (for example, gigajoule per degree day for gas, or kWh per degree day for electricity) should be used consistently and complicated factors left for technical staff and omitted from the employee information aspect of the program.

The statement "Our electricity costs have been reduced 10% in the past 9 months al e" gets better support than explaining how "kilowatt-hours per normalized degree day period per cubic metre of building, were reduced 10%".

Staff Follow-up. Your staff will take a more active part in saving energy if they know how the program is working. If energy use goes up, it may be an incentive for them to try harder or at least ask questions, and if use has gone down, they can feel rewarded. This is one of the more important aspects of an overall energy management program.

Charting Progress. Information telling staff about results from the conservation program should, above all, be clear, concise and easy to understand. Graphs, drawn by hand or by computer, are about the best way for everyone involved to quickly absorb how the program is working. Calculated numbers (for example, gigajoule per degree day for gas, or kWh per degree day for electricity) should be used consistently and complicated factors left for technical staff and omitted from the employee information aspect of the program.

The statement "Our electricity costs have been reduced 10% in the past 9 months alone" gets better support than explaining how "kilowatt-hours per normalized degree day period per cubic metre of building, were reduced 10%".

Staff Follow-up. Your staff will take a more active part in saving energy if they know how the program is working. If energy use goes up, it may be an incentive for them to try harder or at least ask questions, and if use has gone down, they can feel rewarded. This is one of the more important aspects of an overall energy management program.

22

Setting Goals. After you have assessed energy use patterns and where most energy dollars are going, specific goals should be set. These goals can be both short-term (1 year or less) and long-term (1 to 5 year) goals. Many successful energy conservation programs direct efforts at specific tasks or projects, one at a time. The goals should include an estimated per cent energy use reduction, and this should be known by the employees. Long-terms goals usually involve reductions of 10 - 30%, but employee participation usually works better if short-term goals are stressed. There is a sense of satisfaction and "pulling together", for both management and staff, that comes from setting achievable goals.

ENERGY MANAGEMENT GRAPHIC AIDS

Wall Switches

Stickers are available that fit over light switches to remind employees to switch off the lights to save energy.

RECORD KEEPING

Monitoring Energy Data

Once management is committed to taking steps to reducing energy use, the first component of all energy management plans is analyzing current energy use and monitoring it as an ongoing pro 'ss. We recommend you set up a system to facilitate monitoring energy use in your Recreation Centre, either using municipal staff, or using a private service. Document the following information from the bills:

- Meter number and file number for the building
- Date the period begins
- Date the period ends
- kWh use
- kW (demand) use
- Power Factor

Divide kWh use by the number of days in the period to determine an average kWh use per day and compare with the period before. Demand use and power factor can be used directly as listed on the bill and compared. Ideally, kWh and kW will not go up without good reason, while power factor should not go below 90% or you will pay a penalty.



Use the data to create tables listing important information, and distribute summaries to concerned individuals. It is difficult to attribute direct energy savings to monitoring, but it is important as other types of bookkeeping. Monitoring energy use serves many purposes in an energy management program:

- help establish if and when closer examination of energy use is necessary
- determine whether components such as energy conserving equipment and insulation are performing as claimed

24

- detect equipment malfunction that costs you money
- identify where most energy is used, (ie.) where to look first for savings, and gives an idea of what the savings might be
- avoid penalties by ensuring power factor problems do not slip by unnoticed

Tracking Maintenance Data

Maintenance. To allow HVAC problems to be tracked, you should require that all work done be recorded, whether or not maintenance work is contracted out. We suggest using a coil-bound book to keep all records intact or, if records are loose-leaf, ensuring that copies are sent to the municipal hall for filing.

FURTHER B.C. HYDRO ENERGY CONSERVATION SERVICES

In addition to this walk-through audit, B.C. Hydro offers other assistance, from printed material to seminars, to help solve your energy conservation problems.

For further information on options that may be available to your municipality on reducing energy costs, contact Ray Denby at 293-7780 or the Commercial Energy Management Department (Vancouver).

CONCLUSION

We hope this energy audit will assist you in reducing your energy use in this facility and you will be able to use general principles outlined for this building to save energy and money in your other buildings. We would like to thank at this time the various people who provided assistance during the audit, and in particular Dennis McInnis, Assistant Foreman.

We will be contacting you in approximately six months to discuss your energy management program progress. In the meantime, if you require additional information on this audit or other Power Smart programs, please don't hesitate to call.

Thank you for the opportunity to discuss energy conservation with your municipality.

G.P. Lysyk B.C. Hydro Area Manager 25

		¢/К₩Н		4.03 4.19 5.53	3.91 3.91 3.91 3.91 3.91 3.91 3.91 3.91	4.37	800,000,000,000,000,000,000,000,000,000	4.25	3.95 3.95 3.95 3.95 5.37	4.27
		Ľ			84 72 84 84 72 72 84 84 84 72 72 84 84 84 84 84 84 84 84 84 84 84 84 84	185	442 777 355 455 455 455 455 455 455 455 455 455	្ខេន	33 56 31 32 33	-19
		ь РГ	5	88893 88893 893	936999889 976999889	6		; 6	688888	8
		TOTAL	10 778	19,414 9,121 9,008 10,909	2,116 2,702 12,369 8,932 9,653	86,950	999,1322 11,2,2,44 11,2,2,622 11,2,2,622 11,2,228 11,232 1	84,620	9,329 10,072 8,934 5,489 4,636	38,460
	CITY	ENUE	610	1,099 516 510 517	120 153 700 546	4,921	500 540 540 5517 5517 5517 5518 5518 5518 5518 5518	4,791	528 570 311 262	2,177
-	ILSON AVE DQUITLAM ER	PF SUR-	UNAXUL 	0 169 327 396	စ္ကဝဝဝဝဝ	931	23361 23461 2882 2882 2900 2900 2900 2900 2000 2000	789	0 186 199 86	636
	CATION: 2150 W STRICT: PORT CI C: 8. 0THI	REVENUE	10.168	18,315 8,436 8,171 9,896	1,957 2,549 2,572 11,669 8,426 9,107	81,098	8,227 8,227 9,658 11,131 8,615	79,040	8,801 9,316 8,263 4,979 4,288	35,647
	UITLAM LO DI SI	4.H) DAILY AVEDAGE	8,082	8,166 7,759 6,713 3,133	1,662 1,897 2,557 7,905 7,929 7,376	5,510	7,388 7,693 7,693 7,693 7,693 7,693 7,693 7,893 7,9193 8,133 7,8193 8,13	5,792	8,152 8,006 7,800 4,277 2,700	6,187
	E: CITY PORT COO T: 14-5170-14501 E: 1211	ENERGY (KI TOTAL	274,800	481,800 225,000 214,800 197,400	43,200 58,800 58,800 316,200 222,000 250,800	2,068,800	220,800 215,400 215,400 226,200 60,000 60,000 57,600 235,800 235,800 255,800 255,800	2,040,600	236,400 256,200 226,200 132,600 86,400	937,800
	ACC	DEMAND	480	456 456 420 420	144 180 456 468 468 456	376	456 4446 432 4446 432 4446 11 122 446 446 446 446 446 446 446 446 446 4	370	468 468 420 270 360	397
		DAYS	34	80,330 80 80,330 80	38 28 34 28 28 28 28 28 28 28 23 28 23 28 23 20 20 20 20 20 20 20 20 20 20 20 20 20	365	422608330488088 422608330488088	365	8285 833 833 835 835 835 835 835 835 835 8	153
		READ DATE	25JAN90	220EC89 240CT89 255EP89 24AUG89 24AUG89	2540005 264PR89 03APR89 22FEB89 25JAN89		22DECBB 24N0V8B 250CTBB 250CTBB 275EPBB 26JULBB 25JULBB 25JULBB 25JULBB 26JANBB 26JANBB 26JANBB		23DEC87 24N0V87 230CT87 24SEP87 24AUG87	
		-PERIOD	1990JAN	1989DEC 0CT SEP AUG	APR APR JAN JAN		1988DEC 800T 900T 900T 900L 900L 900L 900L 900L 9		1987DEC NOV 0CT SEP AUG	

HISTORY

¢j.

ELECTRIC

AFPENDIX

÷.

A

	a		9			,
9						APPENDIX A
		/GJOULE	4.22	4.22 4.324 4.324 4.33 4.33 4.29 4.22 4.22 4.22 4.22 4.22	4.22 4.23 4.23 4.23 4.23 4.23 4.23 4.23	4.04 4.07 4.08 4.15 4.15 4.09
		JE (\$) 12 Months \$ Running	11.335	11,458 11,672 11,672 11,922 11,908 11,908 11,908 11,908 11,908 11,908 11,908 11,908 11,908 11,730	7,122,745 122,745 122,745 122,742 122,748 123,748 124,748 124,	4,610 1,064 245
>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	ILSON AVE DOUITLAM CITY ER	REVENI MONTHLY	1.836	2.829 184 184 134 235 235 235 235 235 235 235 2,058 1,959	1,655 708 708 345 1365 206 1,660 1,468 1,468 1,468 1,468 1,458 2,574 2,574	2,149 1,397 819 245 4,610
	TION: 2150 W RICT: PORT CO	110N (GJ) 12 MONTHS RUNNING	2,679	2,708 2,759 2,759 2,818 2,815 2,815 2,815 2,959 2,959 2,959 2,959 2,973	2,953 3,119 3,119 3,119 3,119 3,119 3,093 2,975 2,583 2,975 2,583 1,778	1,134 603 260 59
بر م ا	TLAM LOCA DIST SIC	CONSUMPT MONTHLY	435	670 140 43 55 562 90 990 490 490 2,708	392 323 323 323 323 323 322 71 71 71 73 738 748 7457 644 645	532 343 201 59 1,134
	501 501	DAYS	R	361 365 365 37 365 37 365 37 365 37 365 37 365 37 365 37 37 365 37 37 37 37 37 37 37 37 37 37 37 37 37	28 28 28 28 28 28 28 28 28 28 28 28 28 2	29 32 11 121
	ПТҮ РОRT 4-5170-14 000	READ DATE	25JAN90	220EC89 240CT89 255EP89 255EP89 22JMAY89 22APR89 03APR89 03APR89 03APR89 03APR89 255T8889 255JAN89	22DEC88 24NDV88 2755PE8 2755P88 26MU688 26MU688 25JUN88 26MAY88 26MA 26MAY88 26MAY88 26MAY88 26MAY88 26MA 26MA 26MAY88	230EC87 24NUV87 230CT87 24SEP87 24SEP87
	AME: (CCT:] ATE: [LING IOD	JAN	JAN JAN JAN JAN JAN JAN JAN JAN JAN	JAN MAYN DCCV JAN MAYN JAN MAYN	NOV SEP SEP

X

		D				(
					IGHTII	VG : OF	- PERATING	APPENDIX HOURS DATA
Location	01d Lite	01d Watt	New Lite	New Watt	# of lite	D E L A Old N M Hrs H P Wk W	EE B A ew L r Wk S k Yr T	New Sys # of Lite
WILSON CENTR Pottery Room Entrance Outer Office Wall lights Reception Entr. Halls Mtg. Rm #1 Mtg. Rm #1 Mtg. Rm #2 Mtg. Rm #2 Cafe Cafe Pool Tbl Rm Auditorium/1 Auditorium/2 Wshrms Kitchen	E F40/CW F40/CW F40/CW Incand. F40/CW Incand. F40/CW Incand. F40/CW Incand. F40/CW F40/CW F40/CW F40/CW	93 93 60 93 75 75 93 100 93 100 93 100 93 93 93 93	EE 'F40' EE 'F40' C.F.13W EE 'F40' C.F.13W C.F.13W EE 'F40' C.F.18W EE 'F40' C.F.18W EE 'F40' C.F.18W EE 'F40' EE 'F40' EE 'F40' EE 'F40'	79 79 79 17 79 17 79 17 79 26 79 26 79 26 79 79 79 79	32 4 2 3 4 2 7 12 4 12 3 13 4 15 32 32 2 10	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	52 y 52 y 52 y 52 y 52 y 52 y 52 y 52 y	
ARENA #2 Dut North Dr Lobby Lobby Ice Surface Ticket Off. Skate Shop Concession Dressing Rm Hallway	Incand. F40/CW F40/CW Merc.Vap. F40/CW F40/CW F40/CW F40/CW F40/CW	60 93 93 450 93 93 93 93 93	No Chg. EE 'F40' EE 'F40' H.P.S. EE 'F40' EE 'F40' EE 'F40' EE 'F40' EE 'F40'	60 79 305 79 79 79 79 79 79	6 22 75 66 4 3 9 9 6	168 8 168 4 168 126 10 108 108 1 88 1 126 3 2 168	34 52 42 y 42 y 38 y 36 40 y 40 y	

Post-2007			. <u></u>		l	IGHT I	NG:		OPER	LAȚ I	NG	APPE HOURS	NDIX DATA	
	Location	Old Lite	01d Watt	New Lite	New Watt	# of <u>lite</u>	D E L M P	01d Hrs Wk	New Hr Wk	Wk Yr	EE B A L S T	New Sys # of Lite		
	ARENA #1 Foreman Meeting Area Spare Off Co-ordinator Lobby Young Rm Lunch Rm Ice surface Dressing Rm1 Dressing Rm2 Dressing Rm3 Dressing Rm4 Compress. Rm Compress. Rm	F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW F40/CW F96/430m F40/CW F40/CW F40/CW	93 93 93 93 93 93 93 93 93 93 93 172 93 93	EE 'F40 EE 'F40	79 79 79 79 79 79 79 79 79 79 79 79 79 7	8 18 2 2 10 5 40 2 2 4 1 3 6	2	60 35 50 168 40 140 140 140 126 140 140	55 55 50 100 50 36 36	502 500 500 500 500 500 500 500 500 500	צאאאאאא אאאאאאאאא			
	Mabbot Rm Mabbot Rm Kitchen Hall/stair Canopy Total Bldg Ice surface Ice Surface	F40/CW Inc.'R' F40/CW F40/CW Incand. Exit Lts. Metl Hal. Merc.Vap.	93 93 93 93 25 40 450 450	EE 'F40' No Chg. EE 'F40' EE 'F40' No Chg. C.F. 5W H.P.S. H.P.S.	79 50 79 25 12 305 305	116 24 4 24 13 40 66	8	91 15 84 168 84 168 75 75	63 42 45 45	52 52 52 52 52 52 52 14	у У У			

LIGHTING: GENERAL SAVINGS TABLE

APPENDIX C

	Convert			SAVINGS from MEASURE				
Area	to Lamp Type	Hours Reduced	Reduce Hours	Convert Lamps	Convert Ballast	Delamping		
WILSON CENTRE	<u> </u>							
Pottery Room Entrance Outer Office Wall lights Reception Entr. Halls Mtg. Rm #1 Mtg. Rm #1 Mtg. Rm #2 Mtg. Rm #2 Cafe Cafe Cafe Pool Tb1 Rm Auditorium/1 Auditorium/2 Wshrms Kitchen	EE 'F40' EE 'F40' C.F.13W EE 'F40' C.F.13W C.F.13W EE 'F40' C.F.18W EE 'F40' C.F.18W EE 'F40' C.F.18W EE 'F40' EE 'F40' EE 'F40' EE 'F40'	0 0 0 0 0 0 0 0 0 0 44 0 0 14 14 0 0	\$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$117 \$0 \$95 \$95 \$0 \$0	\$51 \$18 \$3 \$12 \$51 \$177 \$16 \$31 \$34 \$48 \$16 \$65 \$37 \$71 \$71 \$12 \$24	\$36 \$13 \$2 \$0 \$9 \$0 \$11 \$0 \$24 \$0 \$11 \$0 \$26 \$51 \$51 \$51 \$51 \$17	\$48 \$41 \$0 \$0 \$0 \$0 \$10 \$0 \$10 \$0 \$10 \$0 \$41 \$81 \$81 \$81 \$81 \$81 \$41		
ARENA #2 Out North Dr Lobby Lobby Ice Surface Ticket Off. Skate Shop Concession Dressing Rm Hallway	No Chg. EE 'F40' EE 'F40' H.P.S. EE 'F40' EE 'F40' EE 'F40' EE 'F40' EE 'F40'	84 0 26 0 0 90 0	\$79 \$0 \$0 \$1,467 \$0 \$0 \$0 \$134 \$0	\$0 \$109 \$351 \$1,818 \$11 \$9 \$19 \$8 \$19	\$0 \$78 \$250 \$0 \$8 \$6 \$13 \$6 \$13	\$0 \$0 \$131 \$0 \$0 \$16 \$23 \$62		

APPENDIX C

LIGHTING:

GENERAL SAVINGS TABLE

а.

	Convert			SAVINGS f	rom MEASU	RE
	to Lamp	Hours	Reduce	Convert	Convert	
Area	Туре	Reduced	Hours	Lamps	Ballast	Delamping
ARENA #1						
Foreman	EE 'F40'	5	\$7	\$12	\$8	\$28
Meeting Area	EE 'F40'	0	\$0	\$23	\$16	\$0
Spare Off	EE 'F40'	5	\$2	\$3	\$2	\$0
Co-ordinator	EE 'F40'	5	\$2	\$4	\$3	\$0
Lobby	EE 'F40'	0	\$0	\$12	\$8	\$0
Young Rm	EE 'F40'	0	\$0	\$11	\$8	\$0
Lunch Rm	EE 'F40'	90	\$84	\$7	\$5	\$33
Ice surface	H.P.S.	40	\$1,368	\$1,102	\$0	\$0
Dressing Rml	EE 'F40'	90	\$33	\$3	\$2	\$0
Dressing Rm2	EE 'F40'	90	\$33	\$3	\$2	\$0
Dressing Rm3	EE 'F40'	90	\$33	\$2	\$1	\$0
Dressing Rm4	EE 'F40'	90	\$33	\$2	\$1	\$0
Compress. Rm	EE96/430	0	\$0	\$44	\$0	\$0
Compress. Rm	EE 'F40'	0	\$0	\$5	\$4	\$0
Compress. Rm	FE 'F40'	0	\$0	\$15	\$11	\$0
Workshop	FF 'F40'	Ō	\$0	\$25	\$18	\$34
Mahbot Rm	EE 'F40'	28	\$731	\$248	\$177	\$176
Mabbot Rm	No Cha.	Ō	\$0	\$0	\$0	\$0
Kitchen	FE 'F40'	42	\$41	\$6	\$4	\$0
Hall/stair	FF 'F40'	Ō	\$0	\$18	\$13	\$41
fanony	No Cha.	õ	\$0	\$0	\$0	\$0
Total Bldg	C.F. 5W	õ	\$0	\$159	\$0	\$0
Ice surface	H.P.S.	30	\$378	\$183	\$0	\$0
Ice Surface	H.P.S.	30	\$624	\$301	\$0	\$0

MOTORS: ENERGY EFFICIENT CONVERSION SAVINGS

Application	H.P.	Annual <u>Hours</u>	01d Eff.	New Eff.	Demand Savings	Annual Dollar <u>Savings</u>
Compressor #1 Compressor #2 Compressor #3 Compressor #4 Brine Pump #1 Brine Pump #2 Cooling Tower #1 Cooling Tower #2	60 60 50 25 20 5 5	3500 3500 5000 4500 4500 3500 3500	90.2 90.2 88.5 88.5 87.7 86.6 81.2 81.2	93.6 93.5 93.5 92.4 92.2 88.1 88.1	1.80 1.80 2.25 2.25 1.08 1.05 0.36 0.36	\$315 \$315 \$563 \$553 \$243 \$235 \$63 \$63

We have costed out a sample of savings possible by converting some of your motors to Energy-Efficient types. All savings costed at 5 cents/kWh.

APPENDIX D



BChudro Lower Mainland Regional Marketing FAX (604) 293-7781



22 October 1990

Mayor and Council District of Port Coquitlam 2580 Shaughnessy St. Port Coquitlam, BC V3C 2A8

Your Worship and Council:

Over the past year, BC Hydro has been in contact with all the municipalities in our service area regarding Municipal Energy Efficiency. Our initial contact was a two-fold approach. The municipalities received a letter from John P. Sheehan, Vice-President of Customer Services explaining the Municipal Energy Efficiency Policy and asking that the policy be considered for adoption. We also offered each municipality a complimentary Municipal Energy audit of a municipal facility of your choise to demonstrate potential electrical energy savings. In your municipality, the Port Coquitlam Recreation Centre was audited and showed potential savings of \$16,780 annually. We are currently following up your audit with Mr. Tom Jackson, Arena Supervisor to review what savings have been achieved to date.

When the results of your audit were presented to Council, the municipality was asked to adopt an Energy Efficiency Policy. To date over 50 municipalities have adopted the policy and the numbers continue to grow. These municipalities have recognized the need to have a consistent policy in place to ensure that all levels of their organization are committed to energy efficiency.

Enclosed with this letter is the Municipal Energy Efficiency Policy, typical of the statement being adopted by many B.C. Municipalities. It outlines the policy and performance standards we would like to see you adopt. BC Hydro will continue to work closely with your staff to make this policy easy to implement and adapt it to your needs.

We ask your Council to consider adoption of the Municipal Energy Efficiency Policy at your earliest convenience. Our Power Smart Marketing Representative, Doug Fraser at 293-7772 would be pleased to answer any questions you may have concerning this or other Power Smart information.

Yours truly,

6 LYSYK

Mr. G. Lysyk Area Manager Lower Mainland North

Enclosure

British Columbia Hydro, # 201 - 4940 Canada Way, Burnaby, B.C. Canada V5G 4K6





Fax: (604) 293-7781

MUNICIPAL ENERGY EFFICIENCY POLICY

PURPOSE

Reducing the consumption of energy through wise energy management and introducing appropriate energy conservation technology without compromising occupant health and safety will lower operating costs and demonstrate our support for the responsible use of our natural resources.

POLICY

This Municipality is committed to considering the efficient use of electrical energy in the planning and operating of all of the facilities under its jurisdiction.

Each member of management is responsible for the energy efficient operation of his/her area of responsibility, and each employee has a vital role to play in supporting this policy.

To carry out this policy. the Municipality of ______ will:

- 1. Maintain an active and aggressive energy conservation awareness program among all employees.
- 2. Consider life cycle costs when purchasing new equipment and when undertaking major repairs to equipment. (That is, products and systems with superior efficiency, which will pay for their premium costs within half of their usable life, will be preferred).
- 3. Provide, within reason, the best available energy efficient systems.
- Upgrade existing facilities and equipment to higher efficiency where the change offers a simple payback of five years.
- 5. Maintain equipment to energy efficient standards.
- 6. Maintain a continuous education program in energy efficiency procedures and practices.
- 7. Encourage all employees to suggest and initiate projects that will save energy.
- 8. Ask all employees to observe established energy conservation practices.
- 9. Monitor electrical consumption so that energy efficiency goals can be established and performance measured and reviewed annually.

PERFORMANCE STANDARDS

- 1. All new purchase orders specify:
 - high efficiency motors, transformers and air compressors.
 - adjustable speed drives for all fans and pumps where variable flows are required.
- 2. All buildings equipped with monitoring type controls to manage electrical use.
- 3. Lighting systems in new office buildings require no more than 5.0 kilowatt hours per square foot per year.
- 4. New office buildings operate on a total energy budget of no more than 18 kilowatt hours per square foot per year.
- 5. Natural gas, where available, is used for space and water heating.
- 6. All appliances meet the applicable BC Hydro efficiency rating.
- 7. Conversion where possible of:
 - 40 watt fluorescent tubes to 34 watt tubes.
 - ballasts to energy saving type.
 - incandescent lamps to compact fluorescents.
 - mercury vapor lighting to metal halide and high (or low) pressure sodium lighting.

8. Maintenance of equipment and of lighting undertaken to a level so as to achieve optimum efficiency of operation.

SIGNED BY:

DATE: NO	V - 5 1990 <u>COMMITTEE:</u> <u>Seconded</u> <u>Y</u> <u>Seconded</u> <u>Y</u> <u>Council</u> <u>L</u>	Filed Tabled	DATE: DEC 10 1990 DATE: DEC 10 1990 COUNCIL: X COMMITTEE: Moved Ta Seconded Th Tefer to the environmental protection committee
Comments:			Comments:
DATE:	COMMITTEE:	Filed Tabled	DATE: > Tabled COUNCIL: COMMITTEE:
Moved	Seconded		MovedSeconded
Comments:			Coments:

THE CORPORATION OF THE CITY OF PORT COQUITLAM

MEMORANDUM

TO: Kip Gaudry, P.Eng. Deputy Engineer DATE: December 5, 1990

FROM: Danielle Pagé Administration

RE: Correspondence from the Canadian Pulp and Paper Association (attached)

His Worship Mayor Traboulay has requested that this material be forwarded to the Environmental Protection Committee, for information.

Note that copies have not been made for the Committee members.

Manielle

CITY OF PORT COQUITLAM ENGINEERING DEPT.							
к <u></u>	IZ	pec 2					
	ТҮ 0f еNG D # то k 6	TY OF PORT CO ENGINEERING DEC 0 6 # TO FROM KG IZ					

Att.

Canadian Pulp and Paper Association

Sun Life Building, 19th Floor 1155 Metcalfe Street Montreal, Que., Canada H3B 4T6 Telephone (514) 866-6621 T l'Association canadienne des producteurs de pâtes et papiers Immeuble Sun Life, 19e étage 1155, rue Metcalfe Montréal, Qué., Canada H3B 4T6

Fax (514) 866-3035

public information office

bureau de l'information publique

Telex 055-60690

November 30, 1990

Mr. Len Traboulay Mayor City Hall 2272 McAllister Avenue Port Coquitlam, B.C. V3C 2A8

Dear Madam, Sir:

In recent years, environmental issues have become an important part of our political, industrial and social life.

Aware of its responsibilities in environmental matters, the pulp and paper industry of Canada has prepared a brochure which I am pleased to enclose. From the Forests of Canada to the Markets of the World addresses three interrelated issues: the forest resource, mill operations, and recycling.

I trust that this publication will interest you, providing, as it does, an overview of the industry's progress in these areas of vital importance to us all.

Yours truly,

ours

Louis Fortier Director Public Information Office

/ct Encl.





November, 1990

Dear fellow British Columbian,

I am pleased to enclose the information kit on the British Columbia Round Table on the Environment and the Economy.

This kit includes the brochure introducing British Columbians to the Round Table, its mandate, and its members.

Included also is <u>A Better Way</u>, the Round Table document that outlines the economic and environmental situation in British Columbia and poses a number of questions to help stimulate discussion on sustainable development.

The Round Table has also developed a number of background papers which are listed in the appendix of <u>A Better Way</u>. These have been designed to stimulate discussion during the intial public consultation process and are not intended to show the right or wrong side of any particular issue. They are available upon request.

The Round Table is committed to the concept of public participation. Only by working together and reaching for consensus can an acceptable plan for sustainable development become a reality. Only by the participation of British Columbians from every region, from every sector of the economy and from all parts of society will we be successful in developing a plan than can work for British Columbia.

Both individuals and organizations are invited to make formal presentations to the Round Table, either orally or in writing. We believe that many of these presentations will answer some of the questions posed in <u>A Better Way</u>. In an effort to generate more feedback, a significant portion of the open forums will be used for discussion groups on the issues of land and water use, communities, and energy.

If you require additional information or intend to make a presentation please write or call us collect at 387-5422.

Sincerely yours,

C.J. Connaghan Chairman

(13) Market Square 229-560 Johnson St., Victoria, B.C. V8W 3C6 Tel. (604) 387-5422 Fax: (604) 356-9276



	% , .	CITY OF PORT COQUITLAM ENGINEERING DEPT.
THE CORP CITY OF	ORATION OF THE PORT COQUITLAM MEMORANDUM	FILE # TO FROM DATE KG 72 Nou 13
то:	Kip Gaudry DATE: Deputy City Engineer	November 13, 1990
FROM:	Danielle Pagé Administration	
RE:	Development of Flax Pulp Mill in Surrey - Envi Branch	ronmental Assessment

His Worship Mayor Traboulay has asked that this document be referred to the Environmental Protection Committee for its consideration.

A copy of this report is in the Aldermanic Lounge.

Manuelle

Att.

NOV 07 '90 09:19 MIN OF ENVIRONMENT



B.C. ENVIRONMENT

Province of British Columbia Parliament Buildings Victoria, B.C. V8V 1X5

November 6, 1990

Dear Sir/Madam:

Arbokem Inc. of Vancouver proposes to develop a 20 tonne per day flax pulp mill in the Port Kells industrial area of Surrey. In accordance with the Major Project Review Process Guidelines (MPRP) Arbokem has submitted a Prospectus to the Major Project Steering Committee (MPSC) for public and government review. The Prospectus document (3 copies enclosed) provides an overview of the proposed project, any potential environmental and socio-economic impacts and possible mitigative measures.

We would appreciate it if you could distribute this document to the appropriate officials within your municipality for review as soon as possible. If you wish to make written comments on the Prospectus please forward the comments by Friday December 21, 1990 to:

Mr. David Parsons, MPRP Coordinator, Environmental Assessment Branch, B.C. Environment, 777 Broughton St. Victoria B.C. V8V 1X5 Tel: 387-9674 Fax: 356-7183

Arbokem will be holding a public information meeting on **Tuesday** November 13, 1990 at the Surrey Inn from 7:00-10:00 p.m. A representative of the MPSC will be in attendance at the meeting to outline the process for public input. Details of the meeting will be advertised in the local and regional newspapers. Additional meetings may be held during the Prospectus review period. All public concerns and comments will be reviewed by the MPSC and considered in the Committee's decision with respect to the project.

If you have any questions please contact Mr. David Parsons.

Sincerely,

Doug Dryden Co-Chairman Major Project Steering Committee B.C. Environment Sincerely,

Frank Blassetti Co-Chairman Major Project Steering Committee Ministry of Regional and Economic Development

ORIGINAL TO BE SENT BY MAIL