

BaB

~~Kidney tincture~~

"Caesslerius" Solu

For preservation of
pathological specimens

Solu no 1

Pot Nitrate	15 Grms
Pot Acetat	30 Grms
Formalin	200 cc
Water	1000 cc

after cleansing well
immerse specimen in the
above solution for 12 hours.
then again wash well in
aq. distill & immerse in pure
alcohol till the natural
color returns. after rinsing well
in water immerse in the
following permanent solution and
hermetically seal.

Solu no 2.

Potass Acetate	100 Grms
Glycerine	200 Grms
Aq. distill	1000 Grms.

Bark

~~Cinchona~~

Pile

R/ Vaselin
P. Opi
Goatlands 2/8
Pd Gallae

$\sum \overline{IV}$
 $\sum \overline{ss}$
 $\sum \overline{ss}$
 $\sum \overline{i}$

Paste Label.

For Tins

R/ Mucilage Acacia
Antimony Murr

$\sum \overline{i}$
 $\sum \overline{xx}$

Purgative Ball for Horses

R/ Pd aloe Barb
Pd Gamboge

Pd Ginger
Syrup Gs to Mass.

$\sum \overline{ss}$
 $\sum \overline{ss}$

A Tooth-wash.

J. D. A. - The following antiseptic tooth wash will doubtless serve your purpose:-

White Castile soap	135 grains.
Glycerin	2 fluidrachms
Simple Syrup	1 fluidounce.
Water	6½ fluidounces.
Alcohol	6½ fluidounces.
Tincture of Cardamom	1 fluidrachm.
Tincture Canada Snakeroot (1 to 16)	1 fluidrachm.
Oil of Peppermint	15 drops.
Oil of Wintergreen	15 drops.
Oil of Cloves	3 drops.
Oil of Cassia	3 drops.
Solution of Carmine, N. F., sufficient to color.	

Mix the soap, glycerin, syrup, and water, add the oils dissolved in the alcohol, then the remaining ingredients, let stand for a few days, and filter at low temperature, so as to avoid subsequent separation of the soap by reduction of temperature.

Worm Syrup.

Pink-root	16 ounces.
Male-fern root	8 ounces.
Senna leaves	8 ounces.
Wormseed	16 ounces.
Essence of anise	2 fluidounces.
Salts of tartar	$\frac{1}{4}$ ounce.
Santonin	$\frac{1}{4}$ ounce.
Sugar	7 pounds.
Water, enough to make	1 gallon.

Grind the drugs to a coarse powder and steep them for 6 hours in nearly boiling water, enough to cover well, then pour off the liquid and reserve; put fresh water on the drugs and steep two hours; pour off this liquid and mix with that reserved, pressing out all that is possible from the drugs; evaporate the liquid to five pints, and while evaporating add the salts of tartar and santonin. While cooling add the essence of anise and sugar, dissolving by agitation.

Dose: One or two teaspoonfuls.

Fluidextracts of the drugs may be used if preferred, in the same proportion.

BaB

Egg Shampoos.

The druggist is frequently called upon to make egg shampoos for the barber.

Here are two formulas:

- Aq. Ammonia, 3 fluidounces.
- (1) Whites of 2 eggs.
Water, 5 fluidounces.
Cologne Water, $\frac{1}{2}$ fluidounce.
Alcohol, 4 fluidounces.

Beat the egg-whites to a froth and add the other ingredients in the order named with a thorough mixing after each addition.

- (2) Borax, 2 ounces.
Glycerin, 1 ounce.
Rum, 10 ounces.
Bay Rum, 10 ounces.
White of eggs 2.

Mix the Borax with the glycerin and add rum and bay rum gradually, with constant stirring, then add the beaten whites of eggs, and mix the whole thoroughly.

A Couple of tar shampoos may be thrown in with this article for good measure:

- (1) Tar soap (in shavings), 1 ounce.
Water, 24 ounces.
Carb. Potassium, 30 grains.
Borax, 120 grains.
Bay Rum, 4 ounces.

Dissolve the soap in water on a water-bath and add the other ingredients.

- (2) Tar soap, 2 ounces.
Pot. Carbonate, $\frac{1}{2}$ ounce.
Water, 8 ounces.
Alcohol, 8 ounces.
Tinct. soapbark, 2 ounces.
Oil lavender 15 drops.

B&B

A Formula for Sea Foam.

This is a formula for a shampoo which has been found very successful by F.H. Barber, Buffalo.

Potassium bicarbonate	1 ounce
Ammonium hydrate	$\frac{1}{2}$ ounce
Alcohol	3 pints
Water	3 pints

To be used as a shampoo.

A Shampoo Jelly.

Here is a formula for a shampoo jelly which appeared in the Bulletin.

Cocoanut oil	60 Cc.
Caustic Potash, U.S.P.	15 grammes.
Alcohol,	
Water	of each sufficient.

Dissolve the potash in one ounce of water. Heat the oil on a water-bath, add the solution of potash previously warmed, and stir briskly. Continue the heat until saponification is complete. If the oil refuses to saponify and globules separate out, the potash is not of the proper strength, and more must be added, - one or two grammes, dissolved in water. If desired transparent, add one ounce of alcohol, and continue the heating without stirring until a drop placed in cold water first solidifies and then dissolves. Perfume as you desire.

Elix. Specac.

Ext. Specac. Liq.	1 fl. oz.
Alcohol (90 Per Cent)	1 fl. oz.
Glycerin	5 fl. oz.
Aq.	ad Ovi

This is the same strength as the official preparation, and much more satisfactory to work with.

Resinol Ointment.

Can you furnish me formula for Resinol Ointment?
St. Joseph, Mo. W. H. S.

We have never seen a published formula for above. A recent exchange gives the following in answer to request for formula.

Zinc oxide	2 drams
Oil cade	2 drams
Tar	4 drams
Lard, qs.	4 ozs.

Mix.

Solution. Mag. Citrate

Citric acid	1 ounce.
Magnesium carbonate (powd.)	$\frac{1}{2}$ ounce.
Bicarb. potassium	$\frac{1}{2}$ drachm.
Spt. lemon	5 minims.
Simple syrup	$1\frac{1}{2}$ ounces.
Boiling water, q. s. ad	12 ounces.

Place the Citric acid in a suitable vessel (large mortar or porcelain), pour the boiling water on, and stir until dissolved. To this add the magnesium to which the spirits of lemon has been previously added drop by drop. After effervescence ceases and the solution is partially cool, filter through a wetted filter, returning the first portion until a perfectly clear solution is obtained. To a perfectly clean and dry citrate bottle add the bicarb. pot., then the syrup, and lastly the solution. Cork tightly and put in a dark place.

A Shampoo Jelly.

E.B. wants a formula for a shampoo Jelly.
Here is one that was published in this department of the
Bulletin, November, 1905:

Olive oil	60 Cc.
Caustic potash, U.S.P.	15 Gm.
Alcohol,	
Water, of each	sufficient.

Dissolve the potash in one ounce of water. Heat the oil on a water-bath, add the solution of potash previously warmed and stir briskly. Continue the heat until saponification is complete. If the oil refuses to saponify and globules separate out, the potash is not of the proper strength, and more must be added - one or two grammes, dissolved in water. If desired transparent, add one ounce of Alcohol, and continue the heating without stirring until a drop placed in cold water first solidifies and then dissolves. Perfume as you desire. Coconut oil in place of Olive oil will make a soap free from color, and perhaps more pleasing in appearance.

Syrup Lemon.

Tincture of lemon	5 fl. oz.
Citric Acid	2 oz.
Syrup	2½ pints

Dissolve the acid in the tincture, and strain through wool into the syrup.

Detannated Sherry wine.

Detannated Sherry wine is made by macerating $\frac{1}{4}$ ounce of finely cut gelatin in a gallon of the wine for fourteen days, shaking daily, and at the end of that period decanting.

B2B

Hectograph Mass,

Can you give ^{me} formula for hectograph mass made with glue?

San Quintin, Calif.,

G. W. T.

The Standard Formulary gives the following:

No 1.

White Glue	6 ozs. av.
Glycerine	32 ozs. fl.
Dextrin	2 ozs.
Precipitated Sulphur	$\frac{1}{2}$ oz. av.
Water	q.s.

No 2.

Glue	7 oz. av.
Glycerine	30 oz. fl.
Carbolic Acid	$\frac{1}{2}$ oz. fl.
Sulphur	60 grs.

No 3.

Glue	4 ozs. av.
Water	15 ozs. fl.
Glycerine	15 ozs. fl.
Kaolin	2 ozs. av.

Ivy poisoning.

Pharmacists are often called upon at this season of the year to suggest a remedy for Ivy poison from persons who have inadvertently run into that Obnoxious plant in their rambles afield. Tincture of Grindelia, or gum plant, is said to be very efficacious and rapid, relieving at once intolerable itching which is always present. It should be applied frequently, first bathing the affected parts with hot water. Persons who have been poisoned with ivy are sometimes troubled ~~with~~ by its recurrence at about the same period of the next season, or upon going near the plant. For this trouble the parts should be bathed in a decoction made from the common sweet-smelling wild shrub known as sweet fern. Strange to say, it has no effect on cases of direct poisoning.

Hair Tonic -

Want a good formula for Hair Tonic.
R.A.D. Springdale Ark.

Resorcin	20 grs.
Tinct. Cantharides	3 drs.
Quinine sulph.	5 grs.
Jamaica Rum, q.s.	10 ozs.
Mix.	

No. 2

Resorcin	20 grs.
Tinct. Cantharides	
Tinct. Capsicum aa	3 drs.
Glycerine	4 drs.
Quinine sulph.	5 grs.
Sps. Trumentil, q.s.	10 ozs.
Mix.	

See back numbers of Spatula for others.

Hair Oils -

Cocoanut oil	4 fl. ozs.
Castor oil	3 fl. ozs.
Alcohol	7 fl. ozs.
Oil Lavender Flowers	1 fl. dr.
oil Bergamot	30 drops
oil Rose Geranium	10 drops

melt the Cocoanut oil and add to the Castor oil dissolved in the Alcohol. Shake well together and add the essential oils. When cool this acquires a crystalline appearance.

No. 2.

Castor oil	15 fl. ozs.
Alcohol	3 fl. ozs.
oil Nutmeg	30 drops
oil Rosemary	10 drops
oil Sweet Marjoram	10 drops
oil neroli	10 drops
oil Rose	20 drops
Tinct. Musk	1 fl. dram
Alkanet	q.s. color

Barb

Cough Syrup. "Compound"

R/ Gr Tamarac	parts 20
" Lobelia	" 15
" Sangu	" 20
" Camph Co	" 20
Spts Chloroform	" 10
Syr Scillar Co	" 20
Treacle	" 55

Cough Cure "Magic"

R/ Spt Fl Species	3i
F. S. Rhubarb	3i
F. S. Lunga	3vi
of Sassafras	u xv
Morp Mier	gr 11ss
Syr Simplex Es	3 xxxii

Diarrhoea Mixture

R/ Chlorodyne	u xv
F. I. Blackberry	3i
in catechu	3i
aq ad gr	3i

- ~~Blackberry~~ Blackberry 3i.

BoB

Chapped Hands

R/ Green Soap	1
$\frac{1}{2}$ Benz Co	4
Glycerine	8
Ag Rose	16

Cream Parisian

Take small amount of Irish
moss and soak in distilled
or soft water until thick
~~mucilage~~ mucilage is formed.
Strain through muslin without pressure.
Take of this as follows:

Thick mucilage as above	2½ ozs.
Glycerine	½ oz.
Carbolic Acid	12 drops
Rose Perfume	Q. S.

Glycerine starch may be used in place
of glycerine only use a little more,
say one ounce.

Cream Massage.

Lanolin	2
Benz. Lard	2
Almond oil	2
Glycerine	1
Rose Water	1
Oil Rose	Q. S.

Melt fats together, stir in glycerine and
remove from fire. Let cool down a little,
add the perfume, water little by little under
constant agitation and stir till cool.

Batch

Dandruff Cure

R/ ac Salicylic
Glycerine
of Gaulth
of Bergamot
S.V.R.
Tgt Bay (Cme)
Aqua

gr $\overline{xxv}$
Zt
mT
 $\overline{mX}$
Z $\overline{iii}$
Z $\overline{ss}$
Z $\overline{iii}$

disolve acid & oils in S.V.R..
Glycerine & Tgt Bay, slowly add
H₂O & filter

Fits or Epilepsy

R/ Zinc oxide
Sulphur
Jalap
Tgt Verat Verdi
Tgt Gentian gr
Ow pill 40 LX
Sig :- one T i d

Gr $\overline{xx}$
Gr $\overline{Lxxv}$
Gr $\overline{Lxxxv}$
Gr $\overline{xx}$
mats

Lunderhills. Ear-ache drops

R/ ac barbol
Cocain
Glycerine gr

mT
Gr T
Z $\overline{ii}$

Barb

Dandruff Cure from Medical World.

1/ Resorcin	℥ii
℥r Cantharides	℥iv.
Castor oil	℥i
Spts Lavender Compound	℥iv
Glycerine	℥iv
Best imported Bay Rum	
enough to make 1 pint	

Separate hair & fingers morning and night, and rub about a teaspoonful into the scalp, it will not harm the hair. But the medication does its work on the scalp, and an endeavor should be made to apply it there, after about one week the hair will become unpleasantly oily. When this occurs wash the hair well & rubate your eye, followed by Soap & Warm Water & finally by plain water, repeat the washing as often as the hair becomes oily. The dandruff will soon disappear.

~~after a few weeks~~

after a few weeks the preparation may be discontinued, and the cure will usually be complete. But if there is any sign of a return of the trouble, an application once or twice a week will keep the dandruff in permanent subjection.

bat

R_x Mist. Acid. Pepsin Co.

Pepsin $\frac{1}{3000}$ $\mathfrak{Z} \frac{1}{1}$

Ac. Hydrochlor dil $\mathfrak{Z} \overline{\text{xx}}$

Liq. Strych $\mathfrak{Z} \overline{\text{iii}} \frac{1}{3}$

Aq. q.s. $\mathfrak{Z} \overline{\text{Lxxx}}$

Sig: - $\mathfrak{Z} \overline{\text{ii}}$ t.i.d. c cib.

Mistura Stomachic.

R_x

Soda Bicarb $\mathfrak{Z} \overline{\text{iii}} \frac{1}{3}$

Spts. Ammon. Arom. $\mathfrak{Z} \overline{\text{vi}} \frac{2}{3}$

Tr. Muc. Vom. $\mathfrak{Z} \overline{\text{ii}}$

Tr. Gent Co $\mathfrak{Z} \overline{\text{vi}} \frac{2}{3}$

Aqua q.s. $\mathfrak{Z} \overline{\text{Lxxx}}$

Sig: - $\mathfrak{Z} \overline{\text{iv}}$ as directed.

Mistura Tonic Alkaline.

R_x

Sod. Bicarb $\mathfrak{Z} \overline{\text{vi}} \frac{2}{3}$

Tr. Rhei Co $\mathfrak{Z} \overline{\text{xiii}} \frac{1}{3}$

Tr. Gent. Co. $\mathfrak{Z} \overline{\text{xiii}} \frac{1}{3}$

Tr. Ginger $\mathfrak{Z} \overline{\text{vi}} \frac{2}{3}$

Aqua q.s. $\mathfrak{Z} \overline{\text{Lxxx}}$

Sig: - $\mathfrak{Z} \overline{\text{ii}}$ as directed.

Rafts

Mist. Tonic. Acid.

Rx

Ac. Nitro-Mur dil $\mathfrak{Z} \frac{\text{iii}}{\text{3}}$

Tr. Nuc. Vom $\mathfrak{Z} \frac{\text{iii}}{\text{3}}$

Aq. Menth pip. $\mathfrak{Z} \overline{\text{LXXX}}$

Sig:- $\mathfrak{Z} \text{ii}$ as directed.

Mist. Mag. Sulph $\bar{\epsilon}$ Quinine.
et Iron

Rx

Mag. Sulph. $\mathfrak{Z} \overline{\text{XX}}$

Quinin. Sulph $\mathfrak{Z} \frac{\text{vi}}{\text{3}}$

Ferri Sulph. Ex. $\mathfrak{Z} \frac{\text{iii}}{\text{3}}$

Ac. Sulph. Arom. $\mathfrak{Z} \frac{\text{iii}}{\text{3}}$

Aqua q.s. $\mathfrak{Z} \overline{\text{LXXX}}$

Sig:- $\mathfrak{Z} \text{iv}$ ex aq. night + morning.

Mist. Chloral et Pot. Brom.

Rx

Chloral Hydrate $\mathfrak{Z} \overline{\text{V}}$

Potass. Bromid. $\mathfrak{Z} \frac{\text{vi}}{\text{3}}$

Syr. Amantii $\mathfrak{Z} \overline{\text{XX}}$

Aqua q.s. $\mathfrak{Z} \overline{\text{LXXX}}$

Sig:- $\mathfrak{Z} \text{iv}$ as directed.

Bat

R Mist. Expect. Sedative
Tr. Camph. Co $\mathcal{Z} \overline{\text{XV}}$
Spts. Chloroform $\mathcal{Z} \overline{\text{X}}$
Acet. Scillae $\mathcal{Z} \overline{\text{XV}}$
Aq. q.s. $\mathcal{Z} \overline{\text{LXXX}}$

Sig: - $\mathcal{Z} \overline{\text{ii}}$ ex aq. t.i.d.

R Mist. Expect. Stimulant.
Ammon. Carb $\mathcal{Z} \overline{\text{iii}} \frac{1}{3}$
Tr. Scillae $\mathcal{Z} \overline{\text{X}}$
Vin Ipecac $\mathcal{Z} \overline{\text{iii}} \frac{1}{3}$
Infus. ^(Or Senega $\mathcal{Z} \overline{\text{ii}}$) Senega q.s. $\mathcal{Z} \overline{\text{LXXX}}$

Mistura Alba.
R Magnes. Sulph $\mathcal{Z} \overline{\text{XL}}$
Magnes. Carb $\mathcal{Z} \overline{\text{iii}} \frac{1}{3}$
Tr. Ginger $\mathcal{Z} \overline{\text{iii}} \overline{\text{SS}}$
Aqua q.s. $\mathcal{Z} \overline{\text{LXXX}}$

Sig: - $\mathcal{Z} \overline{\text{ii}}$ as directed.

Bx6

Headache Powders.

Rx

Antifebrine	gr $\overline{\text{vii}}$
Caffin Cit	gr $\overline{\text{i}}$
Sod. Bicarb.	gr $\overline{\text{iii}}$

Th
One Powder

Roman Hair Tonic.

Rx

^{No 1} Quinine Sulp.	$\mathfrak{z} \overline{\text{i}}$ gr $\overline{\text{xx}}$
Ac Sulp dil.	℥ss.
Aqua	$\mathfrak{z} \overline{\text{xii ss}}$
Balsam Peru	$\mathfrak{z} \overline{\text{i}}$ $\mathfrak{z} \overline{\text{iv ss}}$
Jr Cauth	$\mathfrak{z} \overline{\text{iv}}$ $\mathfrak{z} \overline{\text{ii}}$
S. V. R. ad.	$\mathfrak{z} \overline{\text{cl x}}$

^{Th.}
II

Hyd Perchlor	gr $\overline{\text{xx}}$
Quin Sulp	gr $\overline{\text{cl xx}}$
Ac. Hydro chlor	℥ss.
Spts Myrcia	$\mathfrak{z} \overline{\text{xx}}$
Jr. Capsici	
Jr. Cauthar aa	$\mathfrak{z} \overline{\text{ii ss}}$
Ess. Lily of Valley	$\mathfrak{z} \overline{\text{ss}}$
Spt Vini Rect	$\mathfrak{z} \overline{\text{i}}$
Aq ad q.s.	$\mathfrak{z} \overline{\text{L xxx}}$
Color. q.s.	(Jr. Sumeric $\mathfrak{z} \overline{\text{ii}}$)

Dissolve Hgcl in Aqua $\mathfrak{z} \overline{\text{x}}$. Quinine in Hcl. Mix other ingredients. Add Quinine soln. and shake. Then add Hgcl soln. gradually and shake. Filter through Talcum and add coloring.

LAUDANUM.-POISON.

1 year old,	2 drops	10 years old,	10 drops
2 years old,	3 drops	15 years old,	15 drops
4 years old,	5 drops	Adults,	20 drops

B&B
METROPOLITAN
PHARMACY.

BROWNE & BEATON,
Prescription Druggists.
500 Westminster Ave. VANCOUVER, B.C.

WOOD ALCOHOL



POISON



ANTIDOTE—Take emetic; the stomach should be at once emptied. The respiration should be maintained by the use of Atropine and other methods.

B&B

BROWNE & BEATON
Prescription Druggists.
MAIN AND PENDER STREETS
GRANVILLE AND DAVIE STS. VANCOUVER, B.C.

POISON

Tr. Iodine

POISON

BROWNE & BEATON

Prescription Specialists

MAIN AND PENDER STREETS
GRANVILLE AND DAVIE STREETS Vancouver, B.C.

COD LIVER OIL

DOSE—Adults may take a tablespoonful three times a day, after meals. Children in proportion. Keep in a cool place and shake before using.

B&B
METROPOLITAN
PHARMACY.

BROWNE & BEATON,
Prescription Druggists.
500 Westminster Ave. VANCOUVER, B.C.

Invalid's Port

A Wine for
Medicinal Purposes

PRODUCED BY

**The Ontario Grape Growing and Wine
Manufacturing Company**

St. Catharines, Ont.



Bs 15

Rx Glycerine & Lime Juice.
 Lime Juice $\overline{3x}$
 Aq Rosae $\overline{3v}$
 Glycerine $\overline{3^{ii}}$
 S. V. R. $\overline{3^{ii}}$
 Ess. Lemon $\overline{mxxx}$
~~###~~

Rx German Syrup
 Ol Tar pts 1
 F. E. Specac pts 4
 Tr. Opii pts 4
 F. E. Wild Cherry pts 6
 Mag Carb 3
 Aqua 60
 Sugar 105
~~###~~

Trilurate oil with Mag Carb.
 Mix Ext^s with water and gradually add former.
 Dissolve Sugar with heat.

Rx Gargling Oil "English"
 Lubricating Oil $\overline{3Lxxx}$
 Spts Turps $\overline{3viii}$
 Tr. Iodine $\overline{3iv}$
 Ol Cedar $\overline{3iv}$
 Ol Amber $\overline{3iv}$

bat

Elix Lacto c. J. Q. et. S

Pepsin (Scale 1-3000)	175 grs.
Pancreatin	17½ grs.
Diastring	17½ grs.
Quinine	2 drs.
Sol. strychnine (B.P.)	275 min.
Tinct. Citrochloride of iron	4 fl. ozs.
Lactic acid	120 min. 60 min.
Hydrochloric acid	120 min.
Saccharin	10 grs.
Alcohol (95-per cent.)	2 fl. drs.
Glycerin	5 fl. ozs.
Distilled Water	5 fl. ozs.
Talcum	20 grs.
Aromatic elixir, q.s. to	40 fl. ozs.
Mix and filter.	

Eau de Cologne; Detannated Sherry Wine.

P. H. D. wants a first-class formula for eau de Cologne.
We suggest the following:

Eau D. e Cologne.

Oil of Bergamot	2 drachms.
Oil of Lemon	1 drachm.
Oil of Neroli	20 drops.
Oil of Origanum	6 drops.
Oil of Rosemary	20 drops.
Alcohol	20 ounces.
Orange-flower water	1 ounce.
Mix in the order mentioned.	

There is nothing remarkable about this formula when first prepared; it is only after standing 6 or 8 months that its excellence becomes apparent.



POISON



WOOD ALCOHOL

(Methyl. Alcohol)

Used for heating purposes in Spirit Lamps.
Chafing Dishes, etc.

For cleaning and preventing windows
from frosting.

The direct vapors of Wood Alcohol
should be avoided. as they cause Headache
and Dizziness.



BROWNE & BEATON
Prescription Druggists
MAIN AND
PENDER STREETS
GRANVILLE AND DAVIE STS. VANCOUVER, B.C.

BaB

Stamping Powder

Rx

Gum Resin
Gum Demar
Gum Copal
Gum Sauderac
Gilding Powder
Pur Wan Blue

Ultra Marine Blue aa $\overline{3}+$

For black powder use ivory black instead of blues.

Shoo Fly Oil

Rx

Ac CarboLic
Of Zor
Of Pennyroyal
Of Peppermint
Of Olive

$\overline{3}+$ $\overline{3}+$
 $\overline{3}+$ $\overline{3}+$
 $\overline{3}+$ $\overline{3}+$
 $\overline{3}+$ $\overline{3}+$

qs $\overline{3}XL$

#

Spice for Meat.

Sugar "Coarse"

Pot Nit

Sal Prunilla Balls

Bay Salt - (Rock Salt)

Pd. Capsicum

Black Pepper

Allspice

$\overline{3}+$ $\overline{3}+$
 $\overline{3}+$ $\overline{3}+$
 $\overline{3}+$ $\overline{3}+$
 $\overline{3}+$ $\overline{3}+$
 $\overline{3}+$ $\overline{3}+$
 $\overline{3}+$ $\overline{3}+$
 $\overline{3}+$ $\overline{3}+$

Fin -

Sore in Nose.

Creosote

M $\overline{XX}$

Oil Cassia

M $\overline{XX}$

Petrolatum

ad $\overline{3}+$

Bab

Rx Suppository. "Boro Glyceride"
"Vaginae"

Gelatine	$\overline{3} \frac{1}{33}$
Glycerine	$\overline{3} \frac{1}{55}$
Ac Boracic	$\overline{3} \frac{1}{10}$
Aqua	$\overline{3} \frac{1}{10}$

Cut gelatine into small pieces. place in dish, pour on the water and heat over water bath until melted. Then add glycerine in which the Acid has been dissolved and mix thoroughly. Pour immediately into moulds well dusted with Lycopodium. Cool and place in suitable boxes with big end down.

P.S. When additional medicaments are called for they may be dissolved in the water before pouring it over the glycerine (if soluble) or as in case of Ichthylol it may be used for an equal weight of glycerine.

Syrup of White Pine.

Rx

White pine Card	$\overline{3} \times \times \times \frac{1}{10}$	65 Gm
Wild Cherry Card	$\overline{3} \times \times \times \frac{1}{10}$	65 Gm
Balm Gilead Buds	$\overline{3} \frac{1}{10} \frac{1}{10}$	8.7 Gm
Spikeuard Root	$\overline{3} \frac{1}{10} \frac{1}{10}$	8.7 Gm
Sanguinaria Root	$\overline{3} \frac{1}{10} \frac{1}{10}$	6.5 Gm
Sassafras Bard	$\overline{3} \frac{1}{10}$	4.4 Gm
Morp Sulp	gr 93	0.4 Gm
Chloroform	m 975	4 CC
Glycerine	$\overline{3} \text{LXXV}$	150 CC
Sugar	$\overline{3} \text{cccLV}$	700 CC
Water	508 38 95	1000 CC

Sacch Matus 98.

Mix Glycer $\overline{3}$ 300 CC of water. Moisten powdered drugs c Menstrum and allow to macerate. Pack in percolator and gradually pour on rest of menstium. When this has disappeared from the surface pour on water until 500 cc is obtained. Dissolve the morphine and chloroform and then the sugar in percolate without heat and pass enough water through to make 1000 CC.

BAB

Rheumatic Cure

Rx

7. E. Cimicifuga	℥+
7. E. Maunaca	℥ $\frac{15}{8}$
Vin Colchici	℥+
Fr Digitalis	℥ $\frac{1}{11}$
Spt. Chloroform	℥+
Pot Acet	℥ $\frac{1}{11}$
Fr Belladonna	℥ v
Glycerine	℥ $\frac{11}{11}$
Aqua (q) qs	℥ $\frac{111}{111}$

Sig ℥+ T. i. q. ϕ . C. Ex. ag.

~~Syr. Hypophos. Co~~

Syr. Hypophos. Co

Rx

Hypophos. Calcis	
Hypophos Sodii	aa ℥ $\frac{11}{11}$
Quin Sulp.	gr xxx
Fr Iron	(℥ $\frac{11}{11}$)
Sugar	℥ x
Pot Bkhs Pd.	℥ $\frac{1}{11}$
Aqua	$\frac{01}{01}$

BoB

Spavin Cure "Kendal's"

Rx

Camphor	parts 21.
Turpentine	parts 30
Ol Rosemary	parts 1
Iodine	parts 5
S.V.R.	parts 192
Water	parts 39

Spavin Blister

Rx

A depts	$\overline{3} \times \text{vi}$
Turps	$\overline{3} \text{ to}$
Pd Cau Th	$\overline{3} \text{ III}$
Hyd Bimlidi'd	$\overline{3} \text{ vi}$

Sunburn Lotion

Rx

Pd Borax	$\overline{3} \text{ vi}$
Glycerine	$\overline{3} \text{ vi}$
Aq Rosae	$\overline{3} \text{ II}$

Snuff Pinks

Rx

Sod Bic	gr II
Mag Carb	gr III
Muc Thol	gr X
Cocaine Hycl	gr III
Sacch Lact	$\overline{3} \text{ I ss}$

BaB

Powder Tooth

Rx

Pd Iridis
Sacc Alb (alb)
Sapo Cast
Creta Princip

~~Powder "Worm"~~

Quinine, Iron and Wine.

Rx

Cit Ferri Et Quinine	
F.E. Quassia	$\overline{aa} \text{ } \mathfrak{z} \text{ } \text{II}$
Tr. Aurant	$\mathfrak{z} \text{ } \text{VIII}$
Syr Simp	$\mathfrak{z} \text{ } \text{XVI}$
Aqua	$\mathfrak{z} \text{ } \overline{\text{XXXII}}$
Vin Grape	$\mathfrak{z} \text{ } \overline{\text{LXX}}$
Liq Strychnine	
Liq Strychnine	$\mathfrak{z} \text{ } \text{X}$

~~††~~
Sig $\mathfrak{z} \text{ } \text{II}$ Ex $\mathfrak{z} \text{ } \text{II}$ T. i. d. a. c.

B & B

Ung. Naphtha.

Rx

Cretac Prep.	parts 1
Naphtha	parts 1 1/2
Sapo Mollis	parts 5
Benz Lard	parts 10

Nine Oils

Rx

Of Origanum	
Of Juniper	
Of Rosimary	
Of Sasatras	
Of Succini	
Of Pius Lig	aa 3 1/4
Of Terebinth	3 1/11
Of Linum	3 1/11
Camphor	3 1/4
	aa

Powder Stamping.

White

Rx

Zinc Carb	
Gum Sandrac	aa 3 1/4
Resin	3 1/11
Blue	aa

Rx

Gum Sandrac	3 1/4
Chinese Blue	3 1/11
Resin	aa